ISO 18541-4:2021 (E)

Road vehicles — Standardized access to automotive repair and maintenance information (RMI) — Part 4: Conformance test

Contents

Foreword

Introduction

1 Scope

2 Normative references

3 Terms and definitions

4 Abbreviated terms

5 Conformance test basic principles and clustering

5.1 Basic principles for conformance test case definition
5.2 Conformance test clustering
5.2.1 General
5.2.2 Main conformance test case clusters

6 Test case structure

6.1 Conformance test case — General structure
6.1.1 Overview
6.1.2 Test case reference number and title [RMI-CT_...] [title]
6.1.3 Test purpose
6.1.4 Configuration
6.1.5 Preamble (setup state)
6.1.6 Test execution
6.1.7 Post-amble
6.2 Result criteria

7 CT cluster 1 — Test technical infrastructure

7.1 [RMI-CT_TREQ-13, 14, 15, 16, 18, Annex A] Test client configuration
7.1.1 Overview
7.1.2 Test purpose
7.1.3 Configuration
7.1.4 Preamble (setup state)
7.1.5 Test execution
7.1.6 Post-amble
7.2 [RMI-CT_TREQ-17] Test presentation formats for information packages
7.2.1 Overview
7.2.2 Test purpose
7.2.3 Configuration
7.2.4 Preamble (setup state)
7.2.5 Test execution
7.2.6 Post-amble

8 CT cluster 2 — Test client's external interfaces

8.1 [RMI-CT_TREQ-9] Test vehicle communication interface (VCI)
8.1.1 Overview
8.1.2 Test purpose
8.1.3 Configuration
8.1.4 Preamble (setup state)
8.1.5 Test execution
8.1.6 Post-amble

8.2 [RMI-CT_TREQ-11] Test parts ordering for security-related features
8.2.1 Overview
8.2.2 Test purpose
8.2.3 Configuration
8.2.4 Preamble (setup state)
8.2.5 Test execution
8.2.6 Post-amble
8.3 [RMI-CT_TREQ-12] Test partnered accessory provider systems
8.3.1 Overview
8.3.2 Test purpose
8.3.3 Configuration
8.3.4 Preamble (setup state)
8.3.5 Test execution
8.3.6 Post-amble

9 CT cluster 3 — Test user authentication, authorization and administration

9.1 [RMI-CT_UC1.1] Test to register IO for use of the VM RMI system
9.1.1 Overview
9.1.2 Test purpose
9.1.3 Configuration
9.1.4 Preamble (setup state)
9.1.5 Test execution
9.1.6 Post-amble
9.2 [RMI-CT_UC1.2_A] Test to register IO employee for use of the VM RMI system — Scenario A
9.2.1 Overview
9.2.2 Test purpose
9.2.3 Configuration
9.2.4 Preamble (setup state)
9.2.5 Test execution
9.3 [RMI-CT_UC1.2_B] Test to register IO employee for use of the VM RMI system — Scenario B
9.3.1 Overview
9.3.2 Test purpose
9.3.3 Configuration
9.3.4 Preamble (setup state)
9.3.5 Test execution
9.3.6 Post-amble
9.4 [RMI-CT_UC1.3] Test to maintain IO status
9.4.1 Overview
9.4.2 Test purpose
9.4.3 Configuration
9.4.4 Preamble (setup state)
9.4.5 Test execution
9.4.6 Post-amble
9.5 [RMI-CT_UC1.4] Test to maintain user status
9.5.1 Overview
9.5.2 Test purpose
9.5.3 Configuration
9.5.4 Preamble (setup state)
9.5.5 Test execution
9.5.6 Post-amble
9.6 [RMI-CT_UC1.5] Test to the deletion of the registration of an IO employee
9.6.1 Overview
9.6.2 Test purpose
9.6.3 Configuration
9.6.4 Preamble (setup state)
9.6.5 Test execution
9.6.6 Post-amble
9.7 [RMI-CT_UC1.6] Test login to VM RMI system
9.7.1 Overview
9.7.2 Test purpose
9.7.3 Configuration
9.7.4 Preamble (setup state)

9.7.5 Test execution
9.7.6 Post-amble
9.8 [RMI-CT_UC1.7] Test for granting access to security-related RMI
9.8.1 Overview
9.8.2 Test purpose
9.8.3 Configuration
9.8.4 Preamble (setup state)
9.8.5 Test execution
9.8.6 Post-amble

10 CT cluster 4 — Test functional user interface implementation

10.1 [RMI-CT_FREQ-1] Test for RMI access mode
10.1.1 Overview
10.1.2 Test purpose
10.1.3 Configuration
10.1.4 Preamble (setup state)
10.1.5 Test execution
10.1.6 Post-amble
10.2 [RMI-CT_FREQ-2] Test for registration and login support
10.2.1 Overview
10.2.2 Test purpose
10.2.3 Configuration
10.2.4 Preamble (setup state)
10.2.5 Test execution
10.2.6 Post-amble
10.2.7 Result criteria
10.3 [RMI-CT_FREQ-3] Test for implemented use cases map
10.3.1 Overview
10.3.2 Test purpose
10.3.3 Configuration
10.3.4 Preamble (setup state)
10.3.5 Test execution
10.3.6 Post-amble
10.4 [RMI-CT_FREQ-4] Test for download area
10.4.1 Overview
10.4.2 Test purpose
10.4.3 Configuration
10.4.4 Preamble (setup state)
10.4.5 Test execution
10.4.6 Post-amble
10.5 [RMI-CT_FREQ-5] Test for navigational pathway
10.5.1 Overview
10.5.2 Test purpose
10.5.3 Configuration
10.5.4 Preamble (setup state)
10.5.5 Test execution
10.5.6 Post-amble

11 CT cluster 5 — Test payment for RMI

11.1 [RMI-CT_UC2] Test payment for RMI
11.1.1 Overview
11.1.2 Test purpose
11.1.3 Configuration
11.1.4 Preamble (setup state)
11.1.5 Test execution
11.1.6 Post-amble

12 CT cluster 6 —Test for vehicle identification

12.1 [RMI-CT_UC3.1] Test vehicle identification through use of VIN
12.1.1 Overview
12.1.2 Test purpose
12.1.3 Configuration
12.1.4 Preamble (setup state)
12.1.5 Test execution

12.1.6 Post-amble
12.2 [RMI-CT_UC3.2] Test vehicle identification via product features
12.2.1 Overview
12.2.2 Test purpose
12.2.3 Configuration
12.2.4 Preamble (setup state)
12.2.5 Test execution
12.2.6 Post-amble

13 CT cluster 7 — Test selection methods for RMI

13.1 [RMI-CT_UC4.1] Test selection of information type
13.1.1 Overview
13.1.2 Test purpose
13.1.3 Configuration
13.1.4 Preamble (setup state)
13.1.5 Test execution
13.1.6 Post-amble
13.2 [RMI-CT_UC4.2] Test search by standardized terms
13.2.1 Overview
13.2.2 Test purpose
13.2.3 Configuration
13.2.4 Preamble (setup state)
13.2.5 Test execution
13.2.6 Post-amble
13.3 [RMI-CT_UC4.3] Test navigation using product structure
13.3.1 Overview
13.3.2 Test purpose
13.3.3 Configuration
13.3.4 Preamble (setup state)
13.3.5 Test execution
13.3.6 Post-amble
13.4 [RMI-CT_UC4.4] Test selection by document identifier
13.4.1 Overview
13.4.2 Test purpose
13.4.3 Configuration
13.4.4 Preamble (setup state)
13.4.5 Test execution
13.4.6 Post-amble

14 CT cluster 8 — Test retrieval of information packages

14.1 [RMI-CT_UC5.1.1] Test retrieval of general workshop procedures
14.1.1 Overview
14.1.2 Test purpose
14.1.3 Configuration
14.1.4 Preamble (setup state)
14.1.5 Test execution
14.1.6 Post-amble
14.2 [RMI-CT_UC5.1.2] Test retrieval of body repair procedures
14.2.1 Overview
14.2.2 Test purpose
14.2.3 Configuration
14.2.4 Preamble (setup state)
14.2.5 Test execution
14.2.6 Post-amble
14.3 [RMI-CT_UC5.1.3] Test retrieval of temporary repair procedures
14.3.1 Overview
14.3.2 Test purpose
14.3.3 Configuration
14.3.4 Preamble (setup state)
14.3.5 Test execution
14.3.6 Post-amble
14.4 [RMI-CT_UC5.1.4] Test retrieval of preparation for PTI
14.4.1 Overview
14.4.2 Test purpose

14.4.3 Configuration
14.4.4 Preamble (setup state)
14.4.5 Test execution
14.4.6 Post-amble
14.5 [RMI-CT_UC5.2] Test retrieval of wiring diagrams
14.5.1 Overview
14.5.2 Test purpose
14.5.3 Configuration
14.5.4 Preamble (setup state)
14.5.5 Test execution
14.5.6 Post-amble
14.6 [RMI-CT_UC5.3] Test retrieval of technical service bulletin
14.6.1 Overview
14.6.2 Test purpose
14.6.3 Configuration
14.6.4 Preamble (setup state)
14.6.5 Test execution
14.6.6 Post-amble
14.7 [RMI-CT_UC5.4] Test retrieval of recall information
14.7.1 Overview
14.7.2 Test purpose
14.7.3 Configuration
14.7.4 Preamble (setup state)
14.7.5 Test execution
14.7.6 Post-amble
14.8 [RMI-CT_UC5.5] Test retrieval of maintenance schedule
14.8.1 Overview
14.8.2 Test purpose
14.8.3 Configuration
14.8.4 Preamble (setup state)
14.8.5 Test execution
14.8.6 Post-amble
14.9 [RMI-CT_UC5.6.1] Test retrieval of spare parts (identification)
14.9.1 Overview
14.9.2 Test purpose
14.9.3 Configuration
14.9.4 Preamble (setup state)
14.9.5 Test execution
14.9.6 Post-amble
14.10 [RMI-CT_UC5.6.2] Test retrieval of spare parts (access)
14.10.1 Overview
14.10.2 Test purpose
14.10.3 Configuration
14.10.4 Preamble (setup state)
14.10.5 Test execution
14.10.6 Post-amble
14.11 [RMI-CT_UC5.7.1] Test retrieval of accessory information factory fitted (included in general RMI)
14.11.1 Overview
14.11.2 Test purpose
14.11.3 Configuration
14.11.4 Preamble (setup state)
14.11.5 Test execution
14.11.6 Post-amble
14.12 [RMI-CT_UC5.7.2] Test retrieval of accessory information partnered with a VM part number
14.12.1 Overview
14.12.2 Test purpose
14.12.3 Configuration
14.12.4 Preamble (setup state)
14.12.5 Test execution
14.12.6 Post-amble
14.13 [RMI-CT_UC5.7.3] Test retrieval of fitting information for accessories with no VM part number

14.13.1 Overview
14.13.2 Test purpose
14.13.3 Configuration
14.13.4 Preamble (setup state)
14.13.5 Test execution
14.13.6 Post-amble
14.14 [RMI-CT_UC5.8] Test retrieval of labour times
14.14.1 Overview
14.14.2 Test purpose
14.14.3 Configuration
14.14.4 Preamble (setup state)
14.14.5 Test execution
14.14.6 Post-amble
14.15 [RMI-CT_UC5.9] Test retrieval of converted vehicle information
14.15.1 Overview
14.15.2 Test purpose
14.15.3 Configuration
14.15.4 Preamble (setup state)
14.15.5 Test execution
14.15.6 Post-amble
14.16 [RMI-CT_UC5.10] Test retrieval of special tool information
14.16.1 Overview
14.16.2 Test purpose
14.16.3 Configuration
14.16.4 Preamble (setup state)
14.16.5 Test execution
14.16.6 Post-amble

15 CT cluster 9 — Test vehicle diagnostics

15.1 [RMI-CT_UC6.1] Test DTC resolution
15.1.1 Overview
15.1.2 Test purpose
15.1.3 Configuration
15.1.4 Preamble (setup state)
15.1.5 Test execution
15.1.6 Post-amble
15.2 [RMI-CT_UC6.2] Test VM symptom resolution
15.2.1 Overview
15.2.2 Test purpose
15.2.3 Configuration
15.2.4 Preamble (setup state)
15.2.5 Test execution
15.2.6 Post-amble
15.3 [RMI-CT_UC6.3] Test integrated diagnostics
15.3.1 Overview
15.3.2 Test purpose
15.3.3 Configuration
15.3.4 Preamble (setup state)
15.3.5 Test execution
15.3.6 Post-amble

16 CT cluster 10 — Test updating, replacing and tuning of modules (ECUs)

16.1 [RMI-CT_UC7.1] Test updating and replacing modules information
16.1.1 Overview
16.1.2 Test purpose
16.1.3 Configuration
16.1.4 Preamble (setup state)
16.1.5 Test execution
16.1.6 Post-amble
16.2 [RMI-CT_UC7.2] Test tuning kit
16.2.1 Overview
16.2.2 Test purpose
16.2.3 Configuration
16.2.4 Preamble (setup state)

16.2.5 Test execution
16.2.6 Post-amble

17 CT cluster 11 — Test electronic maintenance history

17.1 [RMI-CT_UC8] Test electronic maintenance history
17.1.1 Overview
17.1.2 Test purpose
17.1.3 Configuration
17.1.4 Preamble (setup state)
17.1.5 Test execution
17.1.6 Post-amble

18 CT cluster 12 — Test repair assistance, technical support

18.1 [RMI-CT_UC9] Test repair assistance technical support
18.1.1 Overview
18.1.2 Test purpose
18.1.3 Configuration
18.1.4 Preamble (setup state)
18.1.5 Test execution
18.1.6 Post-amble

19 CT cluster 13 — Test request for contact information

19.1 [RMI-CT_UC10.1] Test for retrieval of electronic tool information (diagnostic, reprogramming, VCI)
19.1.1 Overview
19.1.2 Test purpose
19.1.3 Configuration
19.1.4 Preamble (setup state)
19.1.5 Test execution
19.1.6 Post-amble
19.2 [RMI-CT_UC10.2] Test for retrieval of test equipment and diagnostic tool manufacturers information
19.2.1 Overview
19.2.2 Test purpose
19.2.3 Configuration
19.2.4 Preamble (setup state)
19.2.5 Test execution
19.2.6 Post-amble
19.3 [RMI-CT_UC10.3] Test for retrieval of training material (delegate information)
19.3.1 Overview
19.3.2 Test purpose
19.3.3 Configuration
19.3.4 Preamble (setup state)
19.3.5 Test execution
19.3.6 Post-amble
19.4 [RMI-CT_UC10.4] Test for retrieval of redistributor contact information
19.4.1 Overview
19.4.2 Test purpose
19.4.3 Configuration
19.4.4 Preamble (setup state)
19.4.5 Test execution
19.4.6 Post-amble
19.5 [RMI-CT_UC10.5] Test for retrieval of republisher information
19.5.1 Overview
19.5.2 Test purpose
19.5.3 Configuration
19.5.4 Preamble (setup state)
19.5.5 Test execution
19.5.6 Post-amble
19.6 [RMI-CT_UC10.6] Test for retrieval of inspection and testing services information
19.6.1 Overview
19.6.2 Test purpose
19.6.3 Configuration
19.6.4 Preamble (setup state)

19.6.5 Test execution
19.6.6 Post-amble
19.7 [RMI-CT_UC10.7] Test for retrieval of alternative fuels retrofit system information
19.7.1 Overview
19.7.2 Test purpose
19.7.3 Configuration
19.7.4 Preamble (setup state)
19.7.5 Test execution
19.7.6 Post-amble
19.8 [RMI-CT_UC10.8] Test for retrieval of engine and components remanufacturing information
19.8.1 Overview
19.8.2 Test purpose
19.8.3 Configuration
19.8.4 Preamble (setup state)
19.8.5 Test execution
19.8.6 Post-amble
19.9 [RMI-CT_UC10.9] Test for retrieval of component and parts manufacturer information
19.9.1 Overview
19.9.2 Test purpose
19.9.3 Configuration
19.9.4 Preamble (setup state)
19.9.5 Test execution
19.9.6 Post-amble
19.10 [RMI-CT_UC10.10] Test for retrieval of validation of independently developed non-proprietary VCI information
19.10.1 Overview
19.10.2 Test purpose
19.10.3 Configuration
19.10.4 Preamble (setup state)
19.10.5 Test execution
19.10.6 Post-amble

20 CT cluster 14 — Test courses and training information

20.1 [RMI-CT_UC11] Test for courses and training information
20.1.1 Overview
20.1.2 Test purpose
20.1.3 Configuration
20.1.4 Preamble (setup state)
20.1.5 Test execution
20.1.6 Post-amble

21 CT cluster 15 — Test data administration requirements

21.1 [RMI-CT_TREQ-1] Test general access-related data administration
21.1.1 Overview
21.1.2 Test purpose
21.1.3 Configuration
21.1.4 Preamble (setup state)
21.1.5 Test execution
21.1.6 Post-amble
21.2 [RMI-CT_TREQ-2] Test administration of IO data by the VM
21.2.1 Overview
21.2.2 Test purpose
21.2.3 Configuration
21.2.4 Preamble (setup state)
21.2.5 Test execution
21.2.6 Post-amble
21.3 [RMI-CT_TREQ-3] Test administration of IO employee data by the VM
21.3.1 Overview
21.3.2 Test purpose
21.3.3 Configuration
21.3.4 Preamble (setup state)
21.3.5 Test execution
21.3.6 Post-amble

21.4 [RMI-CT_TREQ-4] Test administration of invoicing data by VM
21.4.1 Overview
21.4.2 Test purpose
21.4.3 Configuration
21.4.4 Preamble (setup state)
21.4.5 Test execution
21.4.6 Post-amble
21.5 [RMI-CT_TREQ-5] Test administration of access event data by VM
21.5.1 Overview
21.5.2 Test purpose
21.5.3 Configuration
21.5.4 Preamble (setup state)
21.5.5 Test execution
21.5.6 Post-amble
21.6 [RMI-CT_TREQ-6] Test administration of access event data to security-related RMI by VM
21.6.1 Overview
21.6.2 Test purpose
21.6.3 Configuration
21.6.4 Preamble (setup state)
21.6.5 Test execution
21.6.6 Post-amble

22 CT cluster 16 — Test VM software installation on the IO client

22.1 [RMI-CT_TREQ-20] Test for requirements for installing VM-specific software on the IO client
22.1.1 Overview
22.1.2 Test purpose
22.1.3 Configuration
22.1.4 Preamble (setup state)
22.1.5 Test execution
22.1.6 Post-amble
22.2 [RMI-CT_TREQ-21] Test for requirements for updating of installed VM data and applications on the IO client
22.2.1 Overview
22.2.2 Test purpose
22.2.3 Configuration
22.2.4 Preamble (setup state)
22.2.5 Test execution
22.2.6 Post-amble
22.3 [RMI-CT_TREQ-22] Test for requirements for the operation of VM-specific software on the IO client
22.3.1 Overview
22.3.2 Test purpose
22.3.3 Configuration
22.3.4 Preamble (setup state)
22.3.5 Test execution
22.3.6 Post-amble
22.4 [RMI-CT_TREQ-23] Test for requirements for the uninstalling of VM-specific software on the IO client
22.4.1 Overview
22.4.2 Test purpose
22.4.3 Configuration
22.4.4 Preamble (setup state)
22.4.5 Test execution
22.4.6 Post-amble
22.5 [RMI-CT_TREQ-24] Test for requirements for restoring in case of an abnormal termination of the VM specific software on the IO client
22.5.1 Overview
22.5.2 Test purpose
22.5.3 Configuration
22.5.4 Preamble (setup state)
22.5.5 Test execution
22.5.6 Post-amble

23 CT cluster 17 — Test VM RMI operations

23.1 [RMI-CT_TREQ-25] Test for VM RMI system availability time
23.1.1 Overview
23.1.2 Test purpose
23.1.3 Configuration
23.1.4 Preamble (setup state)
23.1.5 Test execution
23.1.6 Post-amble
23.2 [RMI-CT_TREQ-26] Test for support for the usage of the VM RMI system
23.2.1 Overview
23.2.2 Test purpose
23.2.3 Configuration
23.2.4 Preamble (setup state)
23.2.5 Test execution
23.2.6 Post-amble

24 CT cluster 18 — Test trust centre (certificate management)

24.1 [RMI-CT_TREQ-10] Test for trust centre (certificate management)

Annex A (normative) Access to security-related RMI according to SERMI scheme

A.1 General
A.2 [RMI-CT_UC1.7] Test for granting access to security-related RMI
A.2.1 Overview
A.2.2 Test purpose
A.2.3 Configuration
A.2.4 Preamble (setup state)
A.2.5 Test execution
A.2.6 Post-amble
A.3 [RMI-CT_TREQ-10] Test for trust centre (certificate management)
A.3.1 Overview
A.3.2 Test purpose
A.3.3 Configuration
A.3.4 Preamble (setup state)
A.3.5 Test execution
A.3.6 Post-amble
A.4 [RMI-CT_TREQ-11] Test parts ordering for security-related features
A.4.1 Overview
A.4.2 Test purpose
A.4.3 Configuration
A.4.4 Preamble (setup state)
A.4.5 Test execution
A.4.6 Post-amble

Page count: 75