

### Contents

|          |   |
|----------|---|
|          | Foreword  |
|          | Introduction  |
| 1        | Scope   |
| 2        | Normative references  |
| 3        | Terms and definitions   |
| 4        | Test apparatus  |
| 4.1      | Pressure source   |
| 4.1.1    | Fuel injection pump test bench  |
| 4.1.2    | Hand-lever-operated testing and setting apparatus                                     |
| 4.1.3    | High-pressure pulsating flow rig  |
| 4.1.4    | Verification low-pressure pump  |
| 4.1.5    | Verification high-pressure delivery pump  |
| 4.1.6    | Pressure vessel   |
| 4.1.7    | Flushing pump   |
| 4.2      | Verification high-pressure pipe assembly  |
| 4.3      | Verification test injector  |
| 4.4      | Collecting vessel   |
| 4.5      | Verification rail   |
| 4.6      | Equipment for contamination measurement   |
| 4.6.1    | Gravimetric analysis apparatus  |
| 4.6.1.1  | Non-ventilated drying oven  |
| 4.6.1.2  | Filter holder   |
| 4.6.1.3  | Vacuum flask  |
| 4.6.1.4  | Vacuum device   |
| 4.6.1.5  | Solvent dispenser (syringe)   |
| 4.6.1.6  | Tweezers  |
| 4.6.1.7  | Graduated cylinders   |
| 4.6.1.8  | Sample bottles  |
| 4.6.1.9  | Plastic film  |
| 4.6.1.10 | Filter membranes  |
| 4.6.1.11 | Petri dishes  |
| 4.6.1.12 | Analytical balance  |
| 4.6.1.13 | Alpha-ray ionizer   |
| 4.6.1.14 | Air dryer   |
| 4.6.1.15 | Collecting vessel   |
| 4.6.2    | Microscopic analysis apparatus  |
| 4.6.2.1  | Filter membrane   |
| 4.7      | Test fluid  |
| 4.7.1    | Calibration fluid   |
| 4.7.2    | Solvent, aliphatic hydrocarbon  |
| 4.7.3    | Water, de-mineralised   |
| 4.8      | Clean-up filter   |
| 4.9      | Pressure gauge  |
| 5        | Procedure   |
| 5.1      | General   |
| 5.2      | High-pressure supply pumps (common rail fuel injection system)                        |
| 5.2.1    | General   |
| 5.2.2    | Dynamic test with the test pump running   |
| 5.2.2.1  | Equipment set up and verification (qualification test and blank level) of cleanliness |

- 5.2.2.2 Test procedure
- 5.2.3 Flushing test at low speed with the test pump running by hand
- 5.2.3.1 Equipment set up and verification of cleanliness
- 5.2.3.2 Test procedure
- 5.3 Unit injectors
- 5.3.1 General
- 5.3.2 Equipment set up and verification of cleanliness
- 5.3.3 Test procedure
- 5.4 Fuel injection pumps
- 5.4.1 General
- 5.4.2 Equipment set up and verification of cleanliness
- 5.4.3 Test procedure
- 5.5 CR fuel injectors
- 5.5.1 General
- 5.5.2 Dynamic test
- 5.5.2.1 Equipment set up and verification (qualification test and blank level) of cleanliness
- 5.5.2.2 Test procedure
- 5.5.3 Continuous high-pressure flow test
- 5.5.3.1 Equipment set up and verification (qualification test and blank level) of cleanliness
- 5.5.3.2 Test procedure
- 5.6 Fuel injectors (nozzle holder assemblies)
- 5.6.1 General
- 5.6.2 Dynamic test
- 5.6.2.1 Equipment set up and verification of cleanliness
- 5.6.2.2 Test procedure
- 5.6.3 Syringe test (washing out injectors)
- 5.6.3.1 Equipment set up and verification of cleanliness
- 5.6.3.2 Test procedure
- 5.7 High-pressure fuel injection pipes
- 5.7.1 General
- 5.7.2 Dynamic test
- 5.7.2.1 Equipment set up and verification of cleanliness
- 5.7.2.2 Test procedure
- 5.7.3 High-pressure flushing test
- 5.7.3.1 Equipment set up and verification of cleanliness
- 5.7.3.2 Test procedure
- 5.7.4 Syringe (solvent dispenser) or hand flush test
- 5.7.4.1 Equipment set up and verification of cleanliness
- 5.7.4.2 Test procedure
- 5.8 Rails
- 5.8.1 General
- 5.8.2 Pressure vessel flushing test
- 5.8.2.1 Equipment set up and verification of cleanliness
- 5.8.2.2 Test procedure
- 5.8.2.2.1 Preparation of the complete rail
- 5.8.2.2.2 Inflow process (step 1)
- 5.8.2.2.3 Draining process (step 1)
- 5.8.2.2.4 Inflow and draining processes (step 2)
- 5.8.2.3 Analysis of contaminated filter membrane
- 5.8.3 Low-pressure flushing test
- 5.8.3.1 Equipment set up and verification of cleanliness
- 5.8.3.2 Test procedure
- 5.8.3.2.1 Preparation of the complete rail
- 5.8.3.2.2 Flushing of the inner surface of the complete rail (step 1)
- 5.8.3.2.3 Flushing of the ports (pump and injector connections) (step 2 and 3)
- 5.8.3.2.3.1 Flushing of outlet ports (injector connections) (step 2)
- 5.8.3.2.3.2 Flushing of the “last” outlet port (injector connection) and the inlet port (pump connection) (step 3)
- 5.8.3.2.4 Collection of contaminants (step 4)
- 5.8.4 Syringe or hand flush test
- 5.8.4.1 Equipment set up and verification of cleanliness
- 5.8.4.2 Test procedure
- 5.9 Low-pressure systems
- 5.9.1 General

- 5.9.2 Equipment set up and verification of cleanliness
- 5.9.3 Test procedure
- 6 Sample analysis
  - 6.1 General
  - 6.2 Gravimetric analysis
  - 6.3 Particle size distribution
- 7 Reporting of the inspection results
- 8 Designation of cleanliness requirements
- Annex A (normative) Typical test equipment for measuring fuel injection equipment cleanliness
  - A.1 General
  - A.2 Basic principle of test equipment
    - A.2.1 Components of basic test equipment:
    - A.2.2 Deviations from the basic principle of a test equipment
  - A.3 Test equipment for syringe or hand flushing test
  - A.4 Test rig components for high-pressure supply pumps (test pump running by hand)
  - A.5 Rail pressure vessel flushing test (dynamic procedure)
- Annex B (normative) Rail low-pressure flushing test
- Annex C (normative) Procedure for verifying test equipment initial cleanliness
  - C.1 Initial cleanliness verification procedures
  - C.2 Blank level test
    - C.2.1 Sources of blank contamination
    - C.2.2 System blank level test
    - C.2.3 Cleanliness level CL
      - C.2.3.1 Gravimetric analysis
      - C.2.3.2 Particle counting and sizing
  - C.3 Criteria for acceptance
- Annex D (normative) Determination of flushing parameters for rail pressure vessel flushing test
  - D.1 Blowhole and particle collection point
  - D.2 Different flushing configurations to avoid blowholes and particle collection points
- Annex E (informative) Comparison of CCC (component cleanliness code, ISO 16232) to FIECC (fuel injection equipment cleanliness code, ISO 12345:2013)

Page count: 37