ISO 16844-4:2022-02 (E)

Road vehicles - Tachograph systems - Part 4: Display unit communication interface

Contents

Page

Foreword ..... **iv**

Introduction ..... **v**

1 Scope **1**

2 Normative references **1**

3 Terms and definitions **1**

4 Symbols and abbreviated terms **2**

5 CAN physical layer requirements **3**
5.1 General 3
5.2 CAN bit-timing requirements 3
5.2.1 General 3
5.2.2 CAN bit-timing requirements for 250 kbit/s 3
5.2.3 CAN bit-timing requirements for 500 kbit/s 4

6 CAN data link layer requirements **4**

7 Transport layer requirements **4**

8 Application layer **4**
8.1 General requirements and permissions 4
8.2 RQST — Request message 5
8.3 ACKM — Acknowledgement message 5
8.4 TD — Time/date 6
8.5 VI — Vehicle identification 6
8.6 VDHR — High-resolution vehicle distance 6
8.7 SERV — Service information 6
8.8 RESET — Reset 6
8.9 TCO1 — Tachograph 7
8.10 DI — Driver's identification 7
8.11 TDA — Time/date adjust 8
8.12 EEC1 — Electronic engine controller 1 8

9 Optional parameter groups **9**
9.1 CL — Cab illumination message 9
9.2 Driving and rest times driver 1/2 – DRTD1/2 9
9.2.1 DRTD1 — Driver 1 driving rest times 9
9.2.2 DRTD2 — Driver 2 driving rest times 10

10 Recommended source address (SA) assignments **10**

Bibliography **12**