

ISO 4513:2022-06 (E)

Road vehicles - Visibility - Method for establishment of eyellipses for driver's eye location

Contents	Page
Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Adjustable seat 95th and 99th percentile tangent cut-off eyellipses for a 50/50 male and female gender mix	4
4.1 Reference anthropometry.....	4
4.2 Axis lengths.....	5
4.3 Axis angles.....	6
4.3.1 Rear and plan view angles.....	6
4.3.2 Side view angle, β	6
4.4 Centroid locations.....	6
4.4.1 Locating formulae.....	6
4.4.2 Seats with vertical adjustment.....	7
4.4.3 Left, right, mid-eye centroids.....	8
5 Eyellipse locating procedure, Class A vehicles	8
6 Neck pivot (P) and eye (E) points: locating procedure, Class A vehicles	9
6.1 Background.....	9
6.2 Neck pivot (P) points.....	9
6.3 Eye (E) points.....	9
Annex A (informative) Adjustable seat tangent cut-off eyellipses for any user population stature distribution and gender mix	11
Annex B (informative) Fixed seat 95th and 99th percentile tangent cut-off eyellipses for an adult population at a 50/50 gender mix	18
Annex C (informative) Fixed seat tangent cut-off eyellipses for any user population stature distribution and gender mix	21
Annex D (informative) Tangent cut-off eyellipses and inclusive eyellipses	26
Annex E (informative) Eyellipses for Class B vehicles	29
Annex F (informative) Background to the revision of this document	33
Bibliography	35