

# ISO 11992-4:2023-04 (E)

## Road vehicles - Interchange of digital information on electrical connections between towing and towed vehicles - Part 4: Diagnostic communication

---

<b>Contents</b>		<b>Page</b>
Foreword .....		v
Introduction .....		vi
1	Scope .....	1
2	Normative references .....	1
3	Terms and definitions .....	1
4	Symbols and abbreviated terms .....	2
4.1	Symbols .....	2
4.2	Abbreviated terms .....	2
5	Conventions .....	2
6	Vehicle network architecture .....	3
7	Non OSI-layer-related technical requirements overview .....	4
8	Abstract service primitive interface (ASP) definition .....	5
8.1	ASP - A_Data.req, A_Data.ind, and A_Data.con service primitive interface .....	5
8.2	ASP - Service interface parameters .....	6
8.2.1	General .....	6
8.2.2	ASP - Data type definitions .....	7
8.2.3	ASP - Mtype, message type .....	7
8.2.4	ASP - TAtype, target address type .....	7
8.2.5	ASP - AE, address extension .....	7
8.2.6	ASP - TA, target address .....	7
8.2.7	ASP - SA, source address .....	7
8.2.8	ASP - Length, length of PDU .....	8
8.2.9	ASP - PDU, protocol data unit .....	8
8.2.10	ASP - Result, result .....	8
9	Application .....	8
9.1	APP - Addressing of requested information .....	8
9.2	APP - Data identifier (DID) definition .....	8
9.3	APP - DTC field definition .....	9
9.4	APP - DTC functional unit definition .....	9
9.5	APP - Negative response code (NRC) .....	10
9.6	APP - Communication profile (ComProfile) .....	10
10	OSI-layers-related technical requirements overview .....	11
11	Application layer .....	12
11.1	AL - Diagnostic services overview .....	12
11.2	AL - CommunicationControl .....	13
11.3	AL - ReadDataByIdentifier .....	13
11.4	AL - ReadDtcInformation .....	14
11.4.1	AL - General .....	14
11.4.2	AL - Applicable ReadDtcInformation service subFunctions .....	14

11.5	AL - Application layer communication profile (ComProfile) .....	14
12	Presentation layer .....	14
13	Session layer .....	14
13.1	SL - Service primitive interface parameter definition .....	14
13.2	SL - S_Data.req, S_Data.ind, and S_Data.con service interface .....	14
13.3	SL - Service primitive interface AL to SL parameter mapping .....	15
13.4	SL - Session layer communication profile (ComProfile) .....	15
14	Transport layer .....	15
14.1	TL - USDT service primitive interface parameter definition .....	15
14.2	TL - T_Data.req, T_Data.ind, and T_Data.con service interface .....	15
14.3	TL - Service primitive interface SL to TL parameter mapping .....	16
14.4	TL - Transport protocol .....	16
14.5	TL - Transport layer communication profile (ComProfile) .....	16
15	Network layer .....	16
15.1	NL - Service primitive interface parameter definition .....	16
15.2	NL - N_Data.req, N_Data.ind, and N_Data.con service interface .....	17
15.3	NL - Service primitive interface TL to NL parameter mapping .....	17
15.4	NL - Network layer services .....	17
15.5	NL - Network layer communication profile (ComProfile) .....	17
15.6	NL - Diagnostic CAN identifier configuration .....	18
15.7	NL - Dynamic network address assignment .....	19
15.7.1	NL - General .....	19
15.7.2	NL - Address assignment of TTN_1 and TTN_3 .....	19
15.7.3	NL - Address assignment of TTN_2 and TTN_4 .....	20
15.8	NL - Static network address assignment .....	20
15.8.1	NL - General .....	20
15.8.2	NL - Address assignment of gateway application, IVN_1, and IVN_2 .....	20
15.8.3	NL - Server address assignment of IVN_1 and IVN_2 .....	20
15.9	NL - Gateway N_PDU routing .....	20
15.9.1	NL - General .....	20
15.9.2	NL - Network address translation .....	21
15.10	NL - Diagnostic communication port (DCP) .....	25
16	Data link layer .....	25
16.1	DL - Service primitive interface parameter definition .....	25
16.2	DL - L_Data.req, L_Data.ind, and L_Data.con service interface .....	25
16.3	DL - Service primitive interface NL to DL parameter mapping .....	26
16.4	DL - CAN data frame .....	26
16.5	DL - Data link layer communication profile (ComProfile) .....	26
17	Physical layer .....	26
	Annex A (normative) Network address assignment .....	28
	Bibliography .....	30