ISO 23374-1:2023-07 (E)

Intelligent transport systems - Automated valet parking systems (AVPS) - Part 1: System framework, requirements for automated driving and for communications interface

Contents

Page

Foreword vi

Introduction vii

1 Scope 1

2 Normative references 1

3 Termsanddefinitions 2

4 Symbols and abbreviated terms 6
4.1 Symbols 6
4.2 Abbreviated terms 7
4.2.1 Terms defined in ISO/SAE PAS 22736 7
4.2.2 Terms relating to names of system and sub-systems 7
4.2.3 Other terms 7

5 System framework 8
5.1 System description 8
5.1.1 Basic functionalities 8
5.1.2 Basic flow 8
5.2 System configuration 10
5.2.1 Sub-systems 10
5.2.2 System architecture 10
5.2.3 Interface 10
5.3 Functional allocation 11
5.4 Classification 12
5.4.1 Vehicle operation types 12
5.4.2 Traffic environment categories 13
5.5 Human interaction 13
5.5.1 General 13
5.5.2 Service provider 14
5.5.3 System operator 14
5.5.4 Facility manager 14

6 Requirements for automated vehicle operation functions 14
6.1 General 14
6.1.1 Principles for performing automated vehicle operation 14
6.1.2 Relationship of the operation functions 15
6.1.3 Operational design domain 15
6.2 Requirements for DDT 16
6.2.1 General 16
6.2.2 Basic performance requirements 16
6.2.3 Additional requirements for operation under a mixed traffic environment 17
6.3 Requirements for emergency stopping 18
6.3.1 General 18
6.3.2 DDT fallback[1] 19
6.3.3 Response to operation stop commands 19
6.3.4 Detection of human activities 19

6.4 Requirements for destination assignment 19
6.4.1 General requirements 19
6.4.2 Type 1 systems 20
6.4.3 Type 2 and 3 systems 20
6.5 Requirements for route planning 20
6.6 Requirements for localization accuracy 20
6.6.1 Accuracy requirement relative to the digital map 20
6.6.2 Accuracy requirement of the end position relative to the destination 21
6.7 Requirements for human activity recognition 21

7 Requirements for management functions 21
7.1 Functions that influence the automated vehicle operation 21
7.1.1 General 21
7.1.2 Remote engagement 21
7.1.3 Operation stop 21
7.1.4 Remote assistance 22
7.1.5 Remote disengagement 22
7.1.6 Central control 22
7.2 Other management functions 22
7.2.1 Compatibility and occupancy check 22
7.2.2 SV identification 23
7.2.3 Response to incapacitation of the operation functions 23
7.2.4 Maintaining environmental conditions 23

8 Requirements for the environment within parking facilities 24
8.1 General 24
8.2 Common requirements 24
8.2.1 Operation zone 24
8.2.2 Drop-off and pick-up area 24
8.2.3 SV identification area 24
8.2.4 Wireless communication 24
8.2.5 Operation stop device 25
8.2.6 Lighting 25
8.3 Vehicle-operation-type-dependent requirements 26
8.3.1 Detection capabilities of the R sub-system 26
8.3.2 Localization markers 26
8.3.3 Digital maps 27
8.4 Traffic environment category dependent requirements 29
8.4.1 Mixed traffic 29
8.4.2 Exclusive traffic 29

9 Requirements for overall system operation 29
9.1 General 29
9.2 Requirements for the communication interface 30
9.2.1 General requirements 30
9.2.2 Security goals 31
9.2.3 Security requirements 31
9.3 System states and transition diagram 31
9.3.1 State transition diagram 31
9.3.2 Definition and requirements of system states 33
9.3.3 Transition conditions 36
9.4 Suspend condition codes 40
9.5 Object and event detection data reporting 41
9.6 Data recording 41
9.7 Information to the user 42
9.8 Development process and management 42

10 Test scenarios for automated vehicle operation 42
10.1 General 42
10.1.1 Purpose 42
10.1.2 Test sites 43

10.1.3 Environmental conditions 43
10.1.4 Example test setups 43
10.1.5 Values of each figure 44
10.1.6 Test targets 44
10.1.7 Observing designed values at a preparation run 45
10.1.8 Means to limit the designed values 45
10.1.9 Common pass criteria 46
10.1.10 List of test scenarios and scenes 46
10.2 Basic scenarios 47
10.2.1 Scenario A: Entering 47
10.2.2 Scenario B: Re-parking 48
10.2.3 Scenario C: Exiting 50
10.3 Basic scenes 51
10.3.1 Scene 01: Climbing a ramp at slow speed 51
10.3.2 Scene 02: Ramp down 52
10.3.3 Scene 03: Operation on spiral ramps (up/down) 53
10.3.4 Scene 04: Out of drop-off area 55
10.3.5 Scene 05: SV identification 55
10.3.6 Scene 06: Out of operation zone 56
10.4 Traffic rules and behaviours 57
10.4.1 Scene 11: Stopping location 57
10.4.2 Scene 12: Intersection passing 58
10.4.3 Scene 13: Blocked intersection 59
10.4.4 Scene 14: Give way in two-way traffic 60
10.4.5 Scene 15: Vehicle in front is reversing towards SV 61
10.5 Static object avoidance 62
10.5.1 Scene 21: Smallest object in the direction of travel (forward/reverse) 62
10.5.2 Scene 22: Overhanging object 64
10.5.3 Scene 23: Infant in parking spot (reverse/forward) 65
10.5.4 Scene 24: Infant lying near ramp (up/down) 66
10.5.5 Scene 25: Infant behind a curve 68
10.5.6 Scene 26: Infant in front of parked vehicle (forward/reverse) 69
10.5.7 Scene 27: Infant beside parked vehicle 70
10.5.8 Scene 28: Infant lying partly underneath parked vehicle 71
10.6 Dynamic object avoidance 72
10.6.1 Scene 31: Forward vehicle braking hard 72
10.6.2 Scene 32: Parked vehicle rushing out 73
10.6.3 Scene 33: Cross-cutting child 75
10.6.4 Scene 34: Irregular movement of an adult 77
10.6.5 Scene 35: Bicyclist approaching 79
10.7 Emergency stopping 80
10.7.1 Scene 41: Operation stop command 80
10.7.2 Scene 42: Communication failure 80

Annex A (normative) Communication sequences 81

Annex B (normative) Test targets 108

Annex C (informative) Description of localization markers 110

Annex D (informative) Guidance in placing coded markers in parking facilities 117

Annex E (informative) Example of line markings detectable by on-board sensors 123

Annex F (informative) Parking facility dimension 125

Annex G (informative) Examples for system implementation 128

Annex H (informative) Type 3 implementation example 129

Bibliography 153