

# DIN EN 16454:2024-03 (E)

## Intelligent transport systems - ESafety - ECall end to end conformance testing

---

<b>Contents</b>		<b>Page</b>
European foreword .....		9
Introduction .....		10
1 Scope.....		11
2 Normative references.....		11
3 Terms and definitions.....		12
4 Symbols and abbreviations .....		18
5 Conformance.....		20
5.1 General.....		20
5.2 General conditions .....		20
6 General overview of the eCall transaction for pan-European eCall.....		20
7 How to use this document.....		25
7.1 Layout and procedures .....		25
7.2 System under test .....		26
7.3 Accelerated test procedures .....		27
7.4 Accelerated test procedures for IVSs.....		27
7.4.1 Accelerated test procedures for all types of PE eCall IVS .....		27
7.4.2 Additional accelerated test procedures for PE eCall only IVS .....		29
7.5 Accelerated test procedures for MNOs.....		29
7.6 Accelerated test procedures for PSAPs - PE eCall .....		30
7.7 Accelerated test procedures for PSAPs - TPS-eCall .....		31
7.8 Accelerated test procedures for TPSPs.....		31
8 Requirements.....		31
8.1 Requirements - General objectives.....		31
8.1.1 State transitions .....		31
8.1.2 Classification of testing.....		41
8.1.3 CTP naming conventions.....		43
8.1.4 CTP <stage> naming convention for IVS conformance tests .....		44
8.2 CTP structure.....		44
8.3 eCall timers .....		47
9 Conformance test requirements for in-vehicle user equipment and systems (IVS)...		47
9.1 Conformance test requirements for in-vehicle user equipment and systems for Pan European eCall .....		47
9.2 Test objectives and purposes .....		47
9.3 Classification of testing and referenced tests for in-vehicle user equipment for Pan European eCall IVS.....		47
9.3.1 Taxonomy of testing .....		47
9.3.2 Referenced tests .....		48
9.4 State transition conformance tests for in-vehicle equipment and system to comply to Standards for pan European eCall .....		48
9.4.1 Conformance requirement.....		48
9.4.2 Use case test objectives by stage .....		48
9.4.3 CTP 1.1.0.1 Conformance to ETSI TS 102 936-1 and ETSI TS 102 936-2 - PE eCall IVS .....		52

9.4.4	CTP 1.1.0.2	Test for conformance to valid SIM/USIM - PE eCall IVS .....	53
9.4.5	CTP 1.1.0.3	Automatic eCall triggering does not occur when ignition OFF - PE eCall IVS.....	54
9.4.6	CTP 1.1.1.1	Power on and self test - PE eCall IVS.....	55
9.4.7	CTP 1.1.2.1	eCall automatically activated - PE eCall IVS .....	56
9.4.8	CTP 1.1.2.2	Automatically triggered eCall in progress was not disconnected upon a new eCall trigger - PE eCall IVS .....	57
9.4.9	CTP 1.1.2.3	Post-side-crash performance of automatic trigger - PE eCall IVS .....	58
9.4.10	CTP 1.1.2.4	Post-frontal-crash performance of automatic trigger - PE eCall IVS....	59
9.4.11	CTP 1.1.2.5	Performance of automatic trigger - different crash types - PE eCall IVS .....	60
9.4.12	CTP 1.1.3.1	eCall manually activated - PE eCall IVS.....	61
9.4.13	CTP 1.1.3.2	Manually triggered eCall in progress was not disconnected upon a new eCall trigger - PE eCall IVS.....	62
9.4.14	CTP 1.1.4.1	Test eCall activated - PE eCall IVS .....	63
9.4.15	CTP 1.1.5.1	Network registration - PE eCall IVS.....	64
9.4.16	CTP 1.1.5.2	Manual termination of eCall by vehicle occupants not allowed (automatically triggered eCall) - PE eCall IVS .....	65
9.4.17	CTP 1.1.5.3.1	Manual termination of eCall by vehicle occupants not allowed (manually triggered eCall) - PE eCall IVS .....	66
9.4.18	CTP 1.1.5.3.2	Manual termination of eCall by vehicle occupants allowed (manually triggered eCall) - PE eCall IVS.....	67
9.4.19	CTP 1.1.5.4	Automatically triggered eCall in progress was not disconnected when ignition is switched to OFF - PE eCall IVS .....	68
9.4.20	CTP 1.1.5.5	Manually triggered eCall in progress was not disconnected when ignition is switched to OFF - PE eCall IVS .....	69
9.4.21	CTP 1.1.5.6	Priority over conflicting communication - PE eCall IVS.....	70
9.4.22	CTP 1.1.6.1	Mute IVS and vehicle audio - PE eCall IVS .....	71
9.4.23	CTP 1.1.7.1	Set-up TS12 call with eCall identifier (flag) set to 'automatic' - PE eCall IVS.....	72
9.4.24	CTP 1.1.8.1	Set-up TS12 call with eCall identifier (flag) set to 'manual' - PE eCall IVS .....	73
9.4.25	CTP 1.1.9.1	Set-up TS11 call to test number - PE eCall IVS.....	74
9.4.26	CTP 1.1.10.1	eCall is attempted when no networks are available (limited service condition) - PE eCall IVS .....	75
9.4.27	CTP 1.1.10.2	Re-dial attempt completed within 2 minutes after eCall is dropped - PE eCall IVS.....	76
9.4.28	CTP 1.1.10.3	Duration of eCall Initiation signal - PE eCall IVS.....	77
9.4.29	CTP 1.1.10.5	Test eCall is not attempted in limited service condition - PE eCall IVS .....	78
9.4.30	CTP 1.1.11.1	Send MSD with indicator set to 'Automatically Initiated eCall' (AleC) - PE eCall IVS.....	79
9.4.31	CTP 1.1.12.1	Send MSD with indicator set to 'Manually Initiated eCall' (MleC) - PE eCall IVS.....	80
9.4.32	CTP 1.1.13.1	Send MSD with indicator set to 'Test Call' - PE eCall IVS .....	81
9.4.33	CTP 1.1.14.1	Verify MSD transfer - PE eCall IVS .....	82
9.4.34	CTP 1.1.14.2	Un-mute IVS audio when AL-ACK received - PE eCall IVS.....	83
9.4.35	CTP 1.1.15.1	Establish voice link to PSAP - PE eCall IVS .....	84
9.4.36	CTP 1.1.15.2	MSD transfer request while eCall conversation in progress - PE eCall IVS.....	85
9.4.37	CTP 1.1.15.3	eCall continuation when SEND MSD request not received (timer T5 expired) - PE eCall IVS.....	86

9.4.38	CTP 1.1.15.4	Call continuation when AL-ACK not received (timer T6 expired) - PE eCall IVS.....	87
9.4.39	CTP 1.1.15.5	MSD is transferred continuously until timer T7 expires and IVS reconnects loudspeaker and microphone on its expiry - PE eCall IVS .....	88
9.4.40	CTP 1.1.16.1	Clear down call automatically - PE eCall IVS .....	89
9.4.41	CTP 1.1.16.2	IVS clears down the eCall upon timer T2 expiry - PE eCall IVS .....	90
9.4.42	CTP 1.1.16.3	IVS registers recent eCalls - PE eCall IVS.....	91
9.4.43	CTP 1.1.17.1	Call-back allowed and able to be answered by IVS - PE eCall IVS .....	92
9.4.44	CTP 1.1.17.2	Call-back answered by IVS in the event of abnormal termination - PE eCall IVS.....	93
9.4.45	CTP 1.1.17.3	MSD transfer occurs upon PSAP request during call-back - PE eCall IVS .....	94
9.4.46	CTP 1.1.17.4	Remain registered for $\geq 1$ hr - PE eCall IVS.....	95
9.4.47	CTP 1.1.18.1	Compliance with MSD version 3 - PE eCall IVS.....	96
9.5		State transition test scripts for in-vehicle equipment and system to comply to Standards for pan European eCall - additional tests for eCall only systems .....	98
9.5.1		General.....	98
9.5.2	CTP 1.1.1.2	IVS does not perform registration after power-up - PE eCall only IVS .....	100
9.5.3	CTP1.1.10.4	Verify that PLMN registration procedure is executed upon initiating an eCall - PE eCall only IVS.....	101
9.5.4	CTP 1.1.17.5	Remain registered for $\geq 1$ hr $\leq 12$ hr - PE eCall only IVS.....	102
9.6		State transition conformance test requirements for in-vehicle user equipment for eCall TPS-IVS via a third party service provider.....	103
9.6.1		General.....	103
9.6.2		Test objectives and purposes .....	103
9.6.3		Taxonomy of testing and referenced tests.....	103
9.6.4		Taxonomy of testing .....	103
9.7		Use case conformance tests for in-vehicle equipment and system to comply to Standards for third party service provider eCall .....	103
9.7.1		Conformance requirement.....	103
9.7.2		Use case test objectives by stage .....	103
9.8		State transition test scripts for TPS in-vehicle equipment and system to comply to Standards for third party services supported eCall .....	106
9.8.1		General.....	106
9.8.2	CTP 1.2.0	Pre operation - TPS-IVS.....	107
9.8.3	CTP 1.2.1	Power on self test - TPS-IVS.....	109
9.8.4	CTP 1.2.2	Automatically activate eCall - TPS-IVS .....	110
9.8.5	CTP 1.2.3	Manually activate eCall - TPS-IVS .....	118
9.8.6	CTP 1.2.4	Stop conflicting communication - TPS-IVS .....	122
9.8.7	CTP 1.2.5	Establish voice link to TPSP - TPS-IVS.....	123
9.8.8	CTP 1.2.6	Send IVS dataset to TPSP - TPS-IVS .....	127
9.8.9	CTP 1.2.7.1	Establish direct bidirectional audio link between occupants and PSAP - TPS-IVS.....	132
9.8.10	CTP 1.2.8.1	No reconnect after termination - TPS-IVS.....	133
9.8.11	CTP 1.2.9	Allow call-cack into vehicle - TPS-IVS .....	134
10		Conformance tests for mobile network operators .....	138
10.1		Test objectives and purposes .....	138
10.1.1		General.....	138
10.1.2		Default assumptions.....	138
10.2		Taxonomy of testing and referenced tests.....	138
10.3		Use case conformance tests for mobile network operator systems to comply to Standards for pan European eCall.....	138

10.3.1	Conformance requirement.....	138
10.3.2	Use case test objectives by stage.....	138
10.4	State transition test scripts for mobile network operators to demonstrate compliance with Pan European eCall Standards.....	139
10.4.1	General .....	139
10.4.2	CTP 2.0.1 Keep SIMs/USIMs alive even though not in regular operation - MNO.....	141
10.4.3	CTP 2.0.2 MNO supports general eCall relevant requirements - MNO.....	142
10.4.4	CTP 2.0.3 Decommission SIM/USIM - MNO.....	143
10.4.5	CTP 2.0.4 Support eCall Flag - MNO.....	144
10.4.6	CTP 2.1.1 Accept registration - Home network - MNO.....	144
10.4.7	CTP 2.1.2 Accept registration - Roaming - MNO.....	145
10.4.8	CTP 2.2.1.1 Receive TS12 voice call (automatically initiated) - MNO.....	146
10.4.9	CTP 2.2.1.2 Route call to 'most appropriate' PSAP - MNO.....	147
10.4.10	CTP 2.2.1.3 Provide TS12 data/caller ID - MNO.....	148
10.4.11	CTP 2.2.2.1 Receive TS12 voice call (manual initiated) - MNO.....	149
10.4.12	CTP 2.2.3.1 Test for receiving test eCall (TS11) .....	149
10.4.13	CTP 2.2.3.2 Route call to non-emergency number - MNO .....	149
10.4.14	CTP 2.2.3.3 Provide TS11 data - MNO .....	150
10.4.15	CTP 2.3.1 Call in progress - MNO.....	150
10.4.16	CTP 2.4.1 Call clear-down - MNO.....	151
10.4.17	CTP 2.5.1 Support call-back - MNO .....	152
10.4.18	CTP 2.6.1 Maintain registration for 1-12 hours - MNO .....	152
10.4.19	CTP 2.7.1 Maintain call records - MNO.....	152
10.5	Use case conformance tests for mobile network operator systems to comply to Standards for TPS-eCall.....	153
10.5.1	Conformance requirement.....	153
10.5.2	Use case test objectives by stage.....	153
10.6	State transition test scripts for mobile network operators to demonstrate compliance with TPS-eCall Standards.....	153
10.6.1	CTP 2.11.1 MNO supports general TPS-eCall relevant requirements.....	153
10.6.2	CTP 2.11.2 Support call-back - MNO.....	153
11	Conformance tests for PSAP systems.....	154
11.1	Test objectives and purposes.....	154
11.2	Taxonomy of testing and referenced tests.....	154
11.2.1	Taxonomy of testing .....	154
11.2.2	Referenced tests.....	154
11.3	Use case conformance tests for PSAP systems to comply to Standards for pan European eCall.....	154
11.3.1	Conformance requirement.....	154
11.3.2	Use case test objectives by stage.....	154
11.4	State transition conformance tests for PSAPs - PE eCall.....	155
11.4.1	General .....	155
11.4.2	CTP 3.1.0.1 Provide MNOs with appropriate routing data - Member State/ PSAP PE eCall .....	157
11.4.3	CTP 3.1.0.2 Maintain map geo-information - PSAP PE eCall.....	158
11.4.4	CTP 3.1.1.1 Receive automatically initiated eCall - PSAP PE eCall .....	159
11.4.5	CTP 3.1.1.2 Receive manually initiated eCall - PSAP PE eCall.....	160
11.4.6	CTP 3.1.2 Receive TS12 data - Caller ID and location - PSAP PE eCall.....	161
11.4.7	CTP 3.1.3.1 Recognise eCall and route to in-band modem - PSAP PE eCall.....	162
11.4.8	CTP 3.1.3.2 PSAP equipment failure - PSAP PE eCall .....	163
11.4.9	CTP 3.1.3.3 PSAP modem failure before link layer ACK is sent PSAP PE eCall .....	163

11.4.10	CTP 3.1.4	eCall received at in-band modem - PSAP PE eCall .....	163
11.4.11	CTP 3.1.5.1	Validate initiation signal - PSAP PE eCall.....	164
11.4.12	CTP 3.1.5.2	Route to operator after timer T4 expiration - PSAP PE eCall .....	165
11.4.13	CTP 3.1.6.1	Request MSD after reception of initiation signal - PSAP PE eCall .....	166
11.4.14	CTP 3.1.6.2	Request MSD immediately - PSAP PE eCall.....	167
11.4.15	CTP 3.1.7.1	Receive MSD - PSAP PE eCall.....	168
11.4.16	CTP 3.1.7.2	Verify status bit in AL-ACK upon positive ACK- PSAP PE eCall...	169
11.4.17	CTP 3.1.7.3	Verify MSD transfer upon timer T8 expiration - PSAP PE eCall..	169
11.4.18	CTP 3.1.7.4	Verify transfer of corrupted MSD - PSAP PE eCall.....	170
11.4.19	CTP 3.1.7.5	Verify PSAP behaviour when MSD format check fails - PSAP PE eCall .....	171
11.4.20	CTP 3.1.7.6	Verify PSAP behaviour when MSD contains unknown optional additional data set - PSAP PE eCall .....	172
11.4.21	CTP 3.1.7.7	Verify PSAP behaviour when MSD contains ASN.1 extended data-elements - PSAP PE eCall .....	173
11.4.22	CTP 3.1.7.8	Verify PSAP behaviour when MSD contains ASN.1 extended data-values - PSAP PE eCall.....	174
11.4.23	CTP 3.1.7.9	Compliance with MSD version 2 - PSAP PE eCall .....	175
11.4.24	CTP 3.1.7.10	Compliance with MSD version 3 - PSAP PE eCall .....	177
11.4.25	CTP 3.1.8	ACK - PSAP PE eCall .....	178
11.4.26	CTP 3.1.9	Route voice and MSD to operator - PSAP PE eCall.....	178
11.4.27	CTP 3.1.10	Display TS12 data and MSD to operator - PSAP PE eCall.....	179
11.4.28	CTP 3.1.11	Decode VIN - PSAP PE eCall .....	180
11.4.29	CTP 3.1.12	Talk to vehicle occupants - PSAP PE eCall .....	181
11.4.30	CTP 3.1.13	Request new MSD before call clear-down - PSAP PE eCall .....	182
11.4.31	CTP 3.1.14.1	Call clear-down - PSAP PE eCall.....	183
11.4.32	CTP 3.1.14.2	Verify status bit in AL-ACK upon clear-down - PSAP PE eCall ....	184
11.4.33	CTP 3.1.15	Call-back to vehicle - PSAP PE eCall .....	185
11.4.34	CTP 3.1.16	Request new/updated MSD after call clear-down - PSAP PE eCall .....	186
11.5		State transition conformance tests for PSAPs - TPS-eCall .....	187
11.5.1		General.....	187
11.5.2	CTP 3.2.0.1	TPSP - PSAP agreement - PSAP TPS eCall.....	188
11.5.3	CTP 3.2.0.2	Provide areas of responsibility and contact numbers to approved TPSPs -PSAP TPS-eCall.....	189
11.5.4	CTP 3.2.0.3	Agreement on necessary language support - PSAP TPS eCall.....	191
11.5.5	CTP 3.2.0.4	Agree electronic data connection and provide details to approved TPSPs - PSAP TPS eCall.....	192
11.5.6	CTP 3.2.0.5	Provide PSAP data addresses and security access to approved TPSPs - PSAP TPS eCall .....	194
11.5.7	CTP 3.2.1	Receive eCall notification from TPSP (not TS12) - PSAP TPS eCall .....	195
11.5.8	CTP 3.2.2	Route call to operator - PSAP TPS eCall.....	196
11.5.9	CTP 3.2.3	Connection, TSD transmission, display relevant information to PSAP operator - PSAP TPS-eCall.....	197
11.5.10	CTP 3.2.4	PSAP Operator: Talk with TPSP operator and receive relevant information - PSAP TPS eCall.....	199
11.5.11	CTP 3.2.5	Talk to vehicle occupants - PSAP TPS-eCall.....	200
11.5.12	CTP 3.2.6	Request new TSD before call clear-down - PSAP TPS-eCall.....	201
11.5.13	CTP 3.2.7	Inform TPSP that call can be ended - PSAP TPS eCall .....	202
11.5.14	CTP 3.2.8	Call clear-down with TPSP - PSAP TPS-eCall.....	203
11.5.15	CTP 3.2.9	Call-back to TPSP - PSAP TPS-eCall.....	204
11.5.16	CTP 3.2.10	Call-back to vehicle - PSAP TPS eCall .....	205

11.5.17	CTP 3.2.11	Call cleardown with vehicle - PSAP TPS eCall .....	206
12		State transition conformance tests for TPS-eCall .....	207
12.1		Related specifications and conformance requirements.....	207
12.2		TPSP general tests (applicable to both TPS-eCall responder and TPS-eCall notifier) .....	207
12.2.1		General .....	207
12.2.2	CTP 4.0.1	Agree service level agreement and/or Standard ways of working with PSAPs - TPSP .....	209
12.2.3	CTP 4.0.2	Receive PSAP areas of responsibility and contact numbers - TPSP ....	210
12.2.4	CTP 4.0.3	Agree necessary language support - TPSP .....	211
12.2.5	CTP 4.0.4	Agree electronic data connection details with PSAPs - TPSP .....	213
12.2.6	CTP 4.0.5	Evidence quality procedures - TPSP.....	214
12.2.7	CTP 4.0.6	Verify automatic call distribution (ACD) system - TPSP .....	217
12.2.8	CTP 4.0.7	Check link from MNO - TPSP .....	218
12.2.9	CTP 4.0.8	Deal with transmission failures - TPSP .....	219
12.2.10	CTP 4.0.9	Update GIS - TPSP.....	220
12.2.11	CTP 4.0.10	Protection of privacy - TPSP .....	221
12.3		TPS-eCall responder tests - TPS-R .....	222
12.3.1		General .....	222
12.3.2	CTP 4.1.1	Receive TPS-eCall from vehicle - TPS-R.....	223
12.3.3	CTP 4.1.2	Process incoming call - TPS-R.....	226
12.3.4	CTP 4.1.3	Talk with vehicle occupants and receive relevant information - TPS-R .....	228
12.3.5	CTP 4.1.4	Trigger PSAP notification - TPS-R .....	231
12.3.6	CTP 4.1.5	Make voice connection between vehicle and PSAP if required - TPS-R .....	231
12.3.7	CTP 4.1.6	Confirmation received from PSAP that call with vehicle can be ended - TPS-R.....	232
12.3.8	CTP 4.1.7	Call cleardown with vehicle - TPS-R.....	233
12.3.9	CTP 4.1.8	Call-back to vehicle - TPS-R .....	234
12.4		TPS-eCall notifier tests - TPS-N.....	235
12.4.1		General .....	235
12.4.2	CTP 4.2.1	Emergency situation likely to require assistance - TPS-N.....	236
12.4.3	CTP 4.2.2	Establish contact with PSAP - TPS-N.....	236
12.4.4	CTP 4.2.3	Talk with PSAP operator and notify relevant information - TPS-N .....	241
12.4.5	CTP 4.2.4	Establish voice link between PSAP and vehicle occupants if required by PSAP - TPS-N.....	243
12.4.6	CTP 4.2.5	Respond to electronic data update request - TPS-N .....	245
12.4.7	CTP 4.2.6	PSAP informs that call can be ended - TPS-N .....	245
12.4.8	CTP 4.2.7	Call cleardown to PSAP - TPS-N.....	245
12.4.9	CTP 4.2.9	Call-back from PSAP - TPS-N .....	245
13		Marking, labelling and packaging.....	246
14		Declaration of patents and intellectual property .....	246
		Annex A Void.....	247
		Annex B Void.....	248
		Annex C Void .....	249
		Annex D Void .....	250
		Annex E Void.....	251
		Annex F (informative) MSD examples for special PSAP tests.....	252
		Bibliography.....	264