DIN EN 17905:2024-02 (E)

Intelligent transport systems - eSafety - eCall HLAP in hybrid circuit switched/packet switched network environments

Contents

Page

European foreword 3

Introduction 4

1 Scope 5

2 Normative references 5

3 Terms and definitions 6

4 Symbols and abbreviations 9

5 Conformance 9

6 General overview of the eCall session for Pan European eCall 10

7 Requirements 11
7.1 General 11
7.2 General requirements 11
7.2.1 Enabled IVS 11
7.2.2 Enabled PSAP 12
7.3 Procedures following power-up of the in-vehicle system: self-test 12
7.4 Activation 13
7.5 Call setup (IVS) 13
7.5.1 General 13
7.5.2 eCall activation 13
7.5.3 eCall in progress 13
7.5.4 Domain selection 13
7.5.5 Fallback 15
7.5.6 Domain handover 15
7.6 PSAP application features 16
7.6.1 General 16
7.6.2 Logging of MSD transfer type 16
7.6.3 MSD (update) request 16
7.6.4 Information to operator about hybrid situation 17
7.7 Handling non equipped situations / error cases 17
7.7.1 Network registration fails 17
7.7.2 Other issues 17

8 Third party services supported eCall (TPS-eCall) 17

9 Defences against attack (Security provisions) 17

10 Quality of service requirements 17

11 Test and conformance requirements 17

12 Marking, labelling and packaging 18

13 Declaration of patents and intellectual property 18

Annex A (informative) Transitional Use Cases 19

Bibliography 21