

# DIN EN 17905:2024-02 (E)

## Intelligent transport systems - eSafety - eCall HLAP in hybrid circuit switched/packet switched network environments

---

<b>Contents</b>		<b>Page</b>
European foreword .....		3
Introduction .....		4
1	Scope .....	5
2	Normative references .....	5
3	Terms and definitions .....	6
4	Symbols and abbreviations .....	9
5	Conformance .....	9
6	General overview of the eCall session for Pan European eCall .....	10
7	Requirements .....	11
7.1	General .....	11
7.2	General requirements .....	11
7.2.1	Enabled IVS .....	11
7.2.2	Enabled PSAP .....	12
7.3	Procedures following power-up of the in-vehicle system: self-test .....	12
7.4	Activation .....	13
7.5	Call setup (IVS) .....	13
7.5.1	General .....	13
7.5.2	eCall activation .....	13
7.5.3	eCall in progress .....	13
7.5.4	Domain selection .....	13
7.5.5	Fallback .....	15
7.5.6	Domain handover .....	15
7.6	PSAP application features .....	16
7.6.1	General .....	16
7.6.2	Logging of MSD transfer type .....	16
7.6.3	MSD (update) request .....	16
7.6.4	Information to operator about hybrid situation .....	17
7.7	Handling non equipped situations / error cases .....	17
7.7.1	Network registration fails .....	17
7.7.2	Other issues .....	17
8	Third party services supported eCall (TPS-eCall) .....	17
9	Defences against attack (Security provisions) .....	17
10	Quality of service requirements .....	17
11	Test and conformance requirements .....	17
12	Marking, labelling and packaging .....	18
13	Declaration of patents and intellectual property .....	18

<b>Annex A (informative) Transitional Use Cases .....</b>	<b>19</b>
<b>Bibliography .....</b>	<b>21</b>