

ISO 22733-2:2023-11 (E)

Road vehicles - Test method to evaluate the performance of autonomous emergency braking systems - Part 2: Car to pedestrian

Contents		Page
Foreword		v
Introduction		vi
1	Scope	1
2	Normative references	1
3	Terms and definitions	1
4	Reference system and variables	4
4.1	Coordinate system	4
4.2	Lateral path errors	5
4.3	Profiles for impact speed determination	5
5	Variables to be measured	6
6	Measuring equipment	7
6.1	Description	7
6.2	Transducer installation	7
6.3	Calibration	7
6.4	Data processing	8
7	Test conditions	8
7.1	General	8
7.2	General data	8
7.3	Test track	8
7.4	Weather conditions	8
7.5	Surroundings	8
7.6	VUT	8
7.6.1	General vehicle condition	8
7.6.2	AEBS settings	8
7.6.3	Deployable pedestrian protection systems	8
7.6.4	Tyres	8
7.6.5	Braking system	9
7.6.6	Other influencing system	9
7.6.7	Loading conditions	9
8	Test procedures	9
8.1	Test preparation	9
8.1.1	Brake conditioning	9
8.1.2	Tyre conditioning	9
8.2	Test scenarios	9
8.3	Test conduct	13
8.4	Test execution	13
8.4.1	Speeds	13
8.4.2	Validity criteria	14
8.4.3	End of test conditions	14
9	Performance metrics	14
9.1	Performance metrics for test until collision	14
9.1.1	Speed of VUT (V_{VUT}) and speed of VUT at which collision is last avoided (V_{VUT}^{cla})	15
9.1.2	Impact speed of VUT at which collision first occurs: V_{IMPACT}	15
9.1.3	Activation time of AEBS (T_{AEB}) and activation time of AEBS at which collision is last avoided (T_{AEB}^{cla})	15

9.1.4	Activation time of FCW (T_{FCW}) and activation time of FCW at which collision is last avoided ($(T_{FCW})_{cla}$)	15
9.1.5	Mean longitudinal acceleration of the VUT (A_{VUT}) and mean longitudinal acceleration of the VUT at which collision is last avoided ($(A_{VUT})_{cla}$)	15
9.1.6	Maximum yaw rate of the VUT ($(\dot{\psi}_{VUT})_{max}$) and maximum yaw rate of the VUT at which collision is last avoided ($(\dot{\psi}_{VUT})_{max,cla}$)	15
9.1.7	Lateral path error of the VUT (Y_{VUT}) and lateral path error of the VUT at which collision is last avoided ($(Y_{VUT})_{cla}$)	15
9.1.8	Maximum steering wheel velocity of VUT ($(\dot{\Omega}_{VUT})_{max}$) and maximum steering wheel velocity at which collision is last avoided ($(\dot{\Omega}_{VUT})_{max,cla}$)	15
9.2	Performance metrics for test until the designated maximum speed where no collision occurs	16
9.2.1	Speed of VUT (V_{VUT}) until the designated maximum speed ($(V_{VUT})_{ds}$)	16
9.2.2	Activation time of AEBS (T_{AEB}) and activation time of AEBS at the designated maximum speed ($(T_{AEB})_{dms}$)	16
9.2.3	Activation time of FCW (T_{FCW}) and activation time of FCW at the designated maximum speed ($(T_{FCW})_{dms}$)	16
9.2.4	Mean longitudinal acceleration of the VUT (A_{VUT}) and mean longitudinal acceleration of the VUT at the designated maximum speed ($(A_{VUT})_{dms}$)	16
9.2.5	Maximum yaw rate of the VUT ($(\dot{\psi}_{VUT})_{max}$) and maximum yaw rate of the VUT at the designated speed ($(\dot{\psi}_{VUT})_{max,dms}$)	17
9.2.6	Lateral offset of the VUT (Y_{VUT}) and lateral offset of the VUT at the designated maximum speed ($(Y_{VUT})_{dms}$)	17
9.2.7	Maximum steering wheel velocity of VUT ($(\dot{\Omega}_{VUT})_{max}$) and maximum steering wheel velocity at the designated maximum speed ($(\dot{\Omega}_{VUT})_{max,dms}$)	17
9.3	Performance metrics for test until the designated maximum speed where collision occurs	17
9.3.1	Speed of VUT (V_{VUT}) and speed of VUT at which collision is last avoided ($(V_{VUT})_{cla}$)	18
9.3.2	Impact speed of VUT at which collision first occurs: V_{IMPACT}	18
9.3.3	Activation time of AEBS (T_{AEB}) and activation time of AEBS at which collision is last avoided ($(T_{AEB})_{cla}$)	18
9.3.4	Activation time of FCW (T_{FCW}) and activation time of FCW at which collision is last avoided ($(T_{FCW})_{cla}$)	18
9.3.5	Mean longitudinal acceleration of the VUT (A_{VUT}) and mean longitudinal acceleration of the VUT at which collision is last avoided ($(A_{VUT})_{cla}$)	18
9.3.6	Maximum yaw rate of the VUT ($(\dot{\psi}_{VUT})_{max}$) and maximum yaw rate of the VUT at which collision is last avoided: ($(\dot{\psi}_{VUT})_{max,cla}$)	18
9.3.7	Lateral offset of the VUT (Y_{VUT}) and lateral offset of the VUT at which collision is last avoided ($(Y_{VUT})_{cla}$)	18
9.3.8	Maximum steering wheel velocity of VUT ($(\dot{\Omega}_{VUT})_{max}$) and maximum steering wheel velocity at which collision is last avoided ($(\dot{\Omega}_{VUT})_{max,cla}$)	18
Bibliography		20