

# ISO 15765-5:2023-11 (E)

## Road vehicles - Diagnostic communication over Controller Area Network (DoCAN) - Part 5: Specification for an in-vehicle network connected to the diagnostic link connector

---

<b>Contents</b>		<b>Page</b>
Foreword .....		iv
Introduction .....		v
<b>1</b>	<b>Scope .....</b>	<b>1</b>
<b>2</b>	<b>Normative references .....</b>	<b>1</b>
<b>3</b>	<b>Terms and definitions .....</b>	<b>1</b>
<b>4</b>	<b>Symbols and abbreviated terms .....</b>	<b>2</b>
<b>4.1</b>	<b>Symbols .....</b>	<b>2</b>
<b>4.2</b>	<b>Abbreviated terms .....</b>	<b>2</b>
<b>5</b>	<b>Conventions .....</b>	<b>4</b>
<b>6</b>	<b>In-vehicle network to external test equipment connection .....</b>	<b>4</b>
<b>6.1</b>	<b>Connectivity scenarios between external test equipment and vehicle .....</b>	<b>4</b>
<b>6.2</b>	<b>Technical requirements overview .....</b>	<b>4</b>
<b>6.3</b>	<b>ASP -- Data.req, Data.ind and Data.conf service interface .....</b>	<b>5</b>
<b>6.4</b>	<b>ASP -- Parameter mapping and configuration of OSI layers .....</b>	<b>5</b>
<b>6.5</b>	<b>Transport layer (TL) .....</b>	<b>6</b>
<b>6.5.1</b>	<b>TL - Data interface primitive parameter mapping .....</b>	<b>6</b>
<b>6.5.2</b>	<b>TL - Message segmentation .....</b>	<b>6</b>
<b>6.5.3</b>	<b>TL - ISO 15765-2 segment flow control .....</b>	<b>6</b>
<b>6.6</b>	<b>Network layer (NL) .....</b>	<b>6</b>
<b>6.6.1</b>	<b>NL - Data interface primitive parameter mapping .....</b>	<b>6</b>
<b>6.6.2</b>	<b>NL - ISO 15765-2 network layer services .....</b>	<b>7</b>
<b>6.6.3</b>	<b>NL - ISO 15765-2 network layer timing parameters .....</b>	<b>7</b>
<b>6.6.4</b>	<b>NL - ISO 15765-2 uniqueness of node diagnostic address .....</b>	<b>7</b>
<b>6.6.5</b>	<b>NL - ISO 15765-2 supported addressing formats .....</b>	<b>7</b>
<b>6.7</b>	<b>Data link layer (DLL) .....</b>	<b>8</b>
<b>6.7.1</b>	<b>DLL - Data interface primitive parameter mapping .....</b>	<b>8</b>
<b>6.7.2</b>	<b>DLL - Service interface parameter requirements .....</b>	<b>9</b>
<b>6.7.3</b>	<b>DLL - Device acceptance of CAN identifier .....</b>	<b>10</b>
<b>6.8</b>	<b>Physical layer (PHY) .....</b>	<b>10</b>
<b>6.8.1</b>	<b>PHY - Classical CAN .....</b>	<b>10</b>
<b>6.8.2</b>	<b>PHY - CAN FD .....</b>	<b>12</b>
<b>6.8.3</b>	<b>PHY - Physical media attachment (PMA) requirements .....</b>	<b>14</b>
<b>6.8.4</b>	<b>PHY - Physical media dependent (PMD) sub-layer requirements .....</b>	<b>15</b>
<b>Annex A (informative)</b>	<b>Compatibility between test equipment and in-vehicle network connected to diagnostic link connector .....</b>	<b>17</b>
<b>Bibliography .....</b>		<b>18</b>