ISO 24581:2024-09 (E)

Road vehicles - General requirements and test methods of in-vehicle optical harnesses for up to 100 Gbit/s communication

Contents

Page

Foreword vi

Introduction vii

1 Scope 1

2 Normative references 1

3 Termsanddefinitions 2

4 Abbreviated terms 2

5 Optical channel 3
5.1 General 3
5.2 Optical harness 4
5.3 Optical harness application examples 5

6 Opticalfibreandopticalfibrecable 6
6.1 General 6
6.2 Optical fibre 6
6.2.1 GI-MMF 6
6.2.2 Buffered optical fibre structure 6
6.2.3 Requirements of optical fibre 7
6.3 Optical fibre cable 8
6.3.1 Cable structure 8
6.3.2 Requirements and test methods for optical fibre cable 8
6.3.3 Cable attenuation 9
6.3.4 High storage temperature exposure 10
6.3.5 Low storage temperature exposure 11
6.3.6 Operation temperature exposure 12
6.3.7 Minimum attenuation increase by the residual bending stress 14
6.3.8 Maximum bending attenuation 15
6.3.9 Tensile strength 17
6.3.10 Crush toughness 19
6.3.11 Impact resistance 20
6.3.12 Static torsion toughness 22
6.3.13 Resistance to flame propagation 23

7 Optical connector 25
7.1 General 25
7.2 Optical header connector 26
7.2.1 General 26
7.2.2 Dimension criteria 26
7.2.3 Mechanical coding 26
7.2.4 Requirements of optical header connector 26
7.2.5 High storage temperature exposure 27
7.2.6 Low storage temperature exposure 28
7.2.7 Operating temperature range (Informative) 29
7.3 Optical fibre cable plug 29
7.3.1 General 29
7.3.2 Dimension criteria 29

7.3.3 Mechanical coding 29
7.3.4 Requirements of optical cable plug 29
7.3.5 High storage temperature exposure 30
7.3.6 Low storage temperature exposure 31
7.3.7 Operating temperature range 32
7.4 Optical cable socket 32
7.4.1 General 32
7.4.2 Dimension criteria 32
7.4.3 Mechanical coding 32

7.4.4 Requirements of optical cable socket 33
7.4.5 High storage temperature exposure 33
7.4.6 Low storage temperature exposure 34
7.4.7 Operating temperature range 35

8 Optical harness performance 35
8.1 General 35
8.2 Measurement point 35
8.3 Substituted fibre optic transceiver 36
8.3.1 General 36
8.3.2 Substituted transmitter 36
8.3.3 Substituted receiver 37
8.4 Substitution method 38
8.4.1 General 38
8.4.2 Test procedure 38
8.5 Methodology 39
8.5.1 Measurement light source setup 39
8.5.2 Measurement equipment setup 39
8.6 Requirements of optical harness 40
8.6.1 Optical characteristics 40
8.6.2 Mechanical characteristics 41
8.6.3 Temperature environmental characteristics 41
8.7 Examination for optical in-line connection performance 41
8.7.1 Coupling attenuation at optical in-line connector 41
8.7.2 Optical return loss of optical in-line connector 43
8.7.3 High storage temperature exposure of optical in-line connector 43
8.7.4 Low storage temperature exposure of optical in-line connector 45
8.7.5 Operating temperature exposure of optical in-line connection 45
8.7.6 Vibration resistance of optical in-line connector 47
8.7.7 Minimum tensile strength of the coupling mechanism 48
8.7.8 Maximum insertion force 49
8.7.9 Maximum lock cancellation force for release 51
8.7.10 Durability of repeated mating and un-mating 52
8.7.11 Minimum cable retention 52
8.8 Examination for optical harness performance 54
8.8.1 Optical harness attenuation 54
8.8.2 High storage temperature exposure of optical harness 55
8.8.3 Low storage temperature exposure of optical harness 56
8.8.4 High operating temperature exposure of optical harness 57
8.8.5 Low operating temperature exposure of optical harness 58
8.9 Eye safety 59
8.9.1 General 59
8.9.2 Requirement 59

9 Combined environmental examination 60
9.1 General 60
9.2 Requirements of optical harness 61
9.2.1 Sequentially environmental examination 61
9.2.2 Specific environmental examination 61
9.3 Examination for sequentially environmental examination 61
9.3.1 General 61
9.3.2 Flow chart 62

9.3.3 Operation test after durability of mate and un-mate 62
9.3.4 Operation test after high temperature exposure 63
9.3.5 Operation test after high temperature exposure with vibration 63
9.3.6 Operation test after heat shock 63
9.3.7 Operation test after humidity/temperature cycle procedure 64
9.3.8 Operation test after specific vibration 64
9.3.9 Requirement of sequentially environmental examination 65
9.4 Examination for specific environmental examination 65

9.4.1 General 65
9.4.2 Operation test after specific physical shock 65
9.4.3 Operation test after chemical durability procedure 66
9.4.4 Operation test after noxious gas exposure 67
9.4.5 Operation test after specific dust condition exposure 67
9.4.6 Operation test after specific drop impact procedure 68
9.4.7 Requirements of specific environmental examination 68

Annex A (informative) System parameters of different transmission applications 70

Annex B (informative) Optical harness design guideline 72

Annex C (informative) Dimensions and reference planes of optical connectors 74

Annex D (informative) Modal noise penalty 80

Bibliography 84