ISO 15638-23:2025-04 (E)

Intelligent transport systems - Framework for collaborative telematics applications for regulated commercial freight vehicles (TARV) - Part 23: Tyre pressure monitoring (TPM)

Contents

Page

Foreword vi

Introduction vii

1 Scope 1

2 Normative references 1

3 Terms and definitions 2

4 Symbols and abbreviated terms 7

5 Conformance 8

6 General overview and framework requirements 9

6.1 General 9

6.2 TARV general principals 9

6.3 Tyre pressure monitoring systems (TPMS) 9

6.3.1 General 9

6.3.2 Types of TPMS 9

6.3.3 TPMS regulations and International Standards 10

6.3.4 Technological and legislational feasibility of TPMS for commercial vehicles. 13

6.3.5 Conformance requirements for TARV-TPM systems 13

6.3.6 Unique identification of wheels 13

6.4 TARV-TPM application profiles 17

6.4.1 General 17

6.4.2 Minimum functionalities 18

6.4.3 Application profile A1: the cyclical initiation of TPM message by on-board equipment (TPM-C) 18

6.4.4 Application profile A2: the exceptional initiation of TPM message by on-board equipment (TPM-E) 18

6.4.5 Application profile A3: the provision of TPM data as the result of an off-board request (TPM-R) 18

6.4.6 Application profile A4: the provision of TPM data as the result of an off-board reading of tyre pressures of vehicles which can potentially be unequipped (TPM-O) 19

6.5 TARV-TPM communication profiles 19

6.5.1 General 19

6.5.2 Overview of Communication profile C1: remote inspection addressed via an ITS-station instigating a download of data to an application service provider via a C-ITS-station (as defined in ISO 15638-2/ISO 21217) 19

6.5.3 Overview of Communication profile C2: remote inspection addressed via a packet switched cellular network (3G LTE, 4G LTE, 5G SRE) instigating a download of data to an application service provider via a wireless communications interface. 21

6.5.4 Overview of Communication profiles C3 and C4: short-range wireless communication interrogator instigating a physical roadside inspection (primary:-:secondary) 23

6.5.5 Overview of Communication profile C3: roadside inspection using a short-range wireless communication interrogator, instigating a download of data to an application service provider — Communication profile C3a 25

6.5.6 Overview of Communication Profile C4: Roadside inspection using a short-range wireless communication interrogator, instigating a physical roadside inspection (primary-:-secondary) — Communication profile C4a 26

6.5.7 Communication profile C5: roadside inspection using in-road equipment 27
6.6 Communications requirements 27
6.6.1 General communications requirements 27
6.6.2 Communications profile C1 requirements 28
6.6.3 Communications profile C2 requirements 28
6.6.4 Communications profiles C3 and C4 provisions 28
6.6.5 Communication profile C5 requirements 29

7 Requirements for services using generic vehicle data 29

8 Application services that require data in addition to basic vehicle data 29
8.1 General 29
8.2 Quality of service requirements 29
8.3 Test requirements 29
8.4 Marking, labelling and packaging 29

9 Common features of regulated TARV application services 30
9.1 General 30
9.2 Communication profiles C1 and C2 30
9.3 Communication profiles C3 and C4 31
9.4 Common role of the jurisdiction, approval authority, service provider and user 32
9.5 Common characteristics for instantiations of regulated application services 32
9.6 Common sequence of operations for regulated application services 32
9.7 Quality of service 32
9.8 Information security 32
9.9 Structure of TPM data 32
9.10 Data naming content and quality 33
9.11 Software engineering quality systems 33
9.12 Quality monitoring station 33
9.13 Audits 33
9.14 Data access control policy 33
9.15 Approval of IVSs and service providers 33

10 Tyre pressure monitoring (TPM) 34
10.1 TARV-TPM service description and scope 34
10.1.1 Generic TARV-TPM use case via the application service provider 34
10.1.2 TPM-tyre pressure monitoring system on-board (TPM-C, TPM-E, TPM-R) 35
10.1.3 Storage of the TPM data on-board the vehicle 35
10.1.4 Off-board tyre pressure monitoring system roadway (TPM-O) 35
10.1.5 TPM inspection and communication profiles 35
10.1.6 Use case of tyre pressure monitoring inspection by an inspector of the jurisdiction using short-range equipment (Communication profiles C3 and C4) 36
10.2 Description of TARV-TPM regulated application service 36
10.3 Concept of operations for TARV-TPM 38
10.3.1 General 38
10.3.2 Statement of the goals and objectives of the TARV-TPM system 38
10.3.3 Strategies, tactics, policies and constraints affecting the TARV-TPM system 38
10.3.4 Organizations, activities and interactions among participants and stakeholders of TARV-TPM 39
10.3.5 Statement of responsibilities and authorities delegated for TARV-TPM 40
10.3.6 Equipment required for TARV-TPM 42
10.3.7 Operational processes for the TARV-TPM system 43
10.3.8 Role of the jurisdiction for TARV-TPM 44
10.3.9 Role of the TARV-TPM prime service provider 44
10.3.10 Role of the TARV-TPM application service provider 44
10.3.11 Role of the TARV-TPM user 44
10.3.12 Generic characteristics for all instantiations of the TARV tyre pressure monitoring (TPM) application service 44
10.4 Sequence of operations for TARV-TPM 45
10.4.1 General 45
10.5 TARV-TPM service elements (SE) 46
10.5.1 TARV-TPM SE 1: Establish "tyre pressure monitoring" regulations, requirements and approval arrangements 46
10.5.2 TARV-TPM SE2: Request system approval 47
10.5.3 TARV-TPM SE3: User (operator) contracts with prime service provider 47
10.5.4 TARV-TPM SE4: User (operator) equips vehicle with a tyre pressure monitoring system 47

10.5.5 TARV-TPM SE5: User contracts with application service provider 47
10.5.6 TARV-TPM SE6: Application service provider uploads software into the TARV-equipped vehicles of the operator 47
10.5.7 TARV-TPM SE7: Create data 47
10.5.8 TARV-TPM-C SE8: Pre-programmed cyclical interval sending tyre pressure monitoring data to application service provider (Communication profiles C1 and C2) 47
10.5.9 SE9: TPM-R "Interrogated" request for tyre pressure monitoring data 48
10.5.10 TARV-TPM SE11: End of session 50
10.5.11 Provision of TPM data as the result of an off-board reading of tyre pressures of vehicles which are potentially unequipped (TPM-O): Application profile A4 50
10.6 Generic TARV-TPM data naming, content and quality 50
10.7 TPM data content 50
10.8 TARV-TPM application-service-specific provisions for quality of service 50
10.9 TARV-TPM application-service-specific provisions for test requirements 51
10.10 TARV-TPM application-specific rules for the approval of IVSs and service providers 51
11 Declaration of patents and intellectual property 51
Annex A (informative) **TPM communication and transaction profiles 52**
Annex B (normative) **Communication profile for 5,8 GHz DSRC communications 54**
Annex C (normative) **TARV-TPM data definition 55**
Bibliography 73