

ISO 17987-2:2025-06 (E)

Road vehicles - Local Interconnect Network (LIN) - Part 2: Transport protocol and network layer services

Contents		Page
Foreword		vi
Introduction		vii
1	Scope	1
2	Normative references	2
3	Terms, definitions, symbols and abbreviated terms	2
3.1	Terms and definitions	2
3.2	Symbols	3
3.3	Abbreviated terms	4
4	Conventions	5
5	Network management	5
5.1	Network management general information	5
5.2	LIN node communication state diagram	5
5.3	Wake up	6
5.3.1	Wake up general information	6
5.3.2	Commander generated wake up	6
5.3.3	Responder generated wake up	6
5.4	Go-to-sleep	7
6	Network layer overview	8
6.1	General	8
6.2	Format description of network layer services	8
6.3	Internal operation of network layer	9
6.4	Service data unit specification	10
6.4.1	General	10
6.4.2	N_AI, address information	10
6.4.3	<Length>	11
6.4.4	<MessageData>	11
6.4.5	<N_Result>	11
6.5	Services provided by network layer to higher layers	12
6.5.1	Specification of network layer service primitives	12
6.5.2	N_USData.request	13
6.5.3	N_USData.confirm	13
6.5.4	N_USData_FF.indication	13
6.5.5	N_USData.indication	14
7	Transport layer protocol	14
7.1	Protocol functions	14
7.2	Single frame transmission	14
7.3	Multiple frame transmission	15
7.4	Transport layer protocol data units	17
7.4.1	Protocol data unit types	17
7.4.2	SF N_PDU	17
7.4.3	FF N_PDU	17
7.4.4	CF N_PDU	17
7.4.5	Protocol data unit field description	17

7.5	Protocol control information specification	18
7.5.1	N_PCI	18
7.5.2	SingleFrame N_PCI parameter definition	19
7.5.3	FirstFrame N_PCI parameter definition	20
7.5.4	ConsecutiveFrame N_PCI parameter definition	20
7.6	Network layer timing	21
7.6.1	Timing constraints	21
7.6.2	Network layer timeouts	25
7.6.3	Network layer error handling	25
7.6.4	Unexpected arrival of N_PDU	26
8	Data link layer usage	27
8.1	General	27
8.2	Data link layer service parameters	27
8.3	Data link layer interface services	28
8.3.1	L_Data.request	28
8.3.2	L_Data.confirm	28
8.3.3	L_Data.indication	28
8.4	Mapping of the N_PDU fields	28
8.5	Transport layer PDU structure and communication	29
8.5.1	PDU structure	29
8.5.2	Communication	32
9	Diagnostic communication requirements	32
9.1	Definition of diagnostic classes	32
9.1.1	General	32
9.1.2	Diagnostic class I	32
9.1.3	Diagnostic class II	32
9.1.4	Diagnostic class III	32
9.1.5	Summary of responder node diagnostic classes	33
9.2	Diagnostic messages	33
9.3	Using the transport layer	33
9.4	Responder node diagnostic timing requirements	35
9.5	Response pending	36
9.6	Transport protocol handling in commander node	37
9.6.1	General	37
9.6.2	Diagnostic request schedule	37
9.6.3	Diagnostic response schedule	38
9.6.4	Diagnostic schedule execution	38
9.7	Transmission handler requirements	43
9.7.1	General	43
9.7.2	Commander node transmission handler	43
9.7.3	Responder node transmission handler	46
9.8	Diagnostic service prioritization	48
10	LINnodecapabilitylanguage(NCL)	48
10.1	General	48
10.2	Plug and play workflow concept	49
10.2.1	General	49
10.2.2	LIN node generation	50
10.2.3	LIN cluster design	50
10.2.4	Debugging	51
11	Nodecapabilityfile(NCF)	51
11.1	General	51
11.2	Overview of NCF syntax	51
11.3	Global structure definition	51
11.3.1	General	51
11.3.2	Node capability file marker	51
11.3.3	Language version number definition	52
11.3.4	NCF revision	52

11.3.5	Big-endian signal encoding variant	52
11.4	Node definition	52
11.4.1	General	52
11.4.2	General node definition	52
11.4.3	General	52
11.4.4	Diagnostic definition	53
11.4.5	Frame definition	54
11.4.6	Signal encoding type definition	55
11.4.7	Status management	56
11.4.8	Free text definition	56
11.5	NCF example	56
12	LINdescriptionfile(LDF)	57
12.1	General	57
12.2	Overview of LDF syntax	57
12.3	LDF definition	58
12.3.1	General	58
12.3.2	Global structure definition	58
12.3.3	Signal definition	60
12.3.4	Node definition	62
12.3.5	Frame definition	66
12.3.6	Schedule table definition	68
12.3.7	Signal encoding type definition	70
12.3.8	Signal representation definition	72
12.4	LDF example	72
	Bibliography	75