

ISO 17978-3:2026-03 (E)

Road vehicles - Service-oriented vehicle diagnostics (SOVD) - Part 3: Application programming interface (API)

Contents

Page

- Foreword..... **vii**
- Introduction..... **viii**
- 1 Scope..... 1**
- 2 Normative references..... 1**
- 3 Terms and definitions..... 2**
- 4 Symbols and abbreviated terms..... 3**
 - 4.1 Symbols..... 3
 - 4.2 Abbreviated terms..... 3
- 5 SOVD API general aspects..... 5**
 - 5.1 Use cases overview..... 5
 - 5.2 Accessing the API..... 5
 - 5.2.1 HTTP REST based approach..... 5
 - 5.2.2 Server-sent events..... 7
 - 5.3 Entities..... 9
 - 5.3.1 General..... 9
 - 5.3.2 EntityTypes and collections..... 10
 - 5.3.3 Entity hierarchy and relations..... 11
 - 5.3.4 Entity identifier and path..... 13
 - 5.3.5 Location of the SOVD server..... 13
 - 5.3.6 Multi-SOVD server environments..... 13
 - 5.4 Resources..... 14
 - 5.4.1 General..... 14
 - 5.4.2 Standardized resource collections..... 14
 - 5.4.3 Standardized resources..... 15
 - 5.4.4 Restricting access to entities and resources by authentication..... 16
 - 5.4.5 Custom specific resource collections and types..... 16
 - 5.5 Illustration of SOVD concepts for entities and resources..... 17
 - 5.6 SOVD API versioning..... 18
 - 5.7 Internationalization and localization..... 18
 - 5.7.1 Internationalization..... 18
 - 5.7.2 Unit definitions..... 18
 - 5.7.3 Internationalization of enumerations..... 20
 - 5.7.4 Other localization topics (numbers and dates)..... 20
 - 5.8 Response status codes..... 21
 - 5.8.1 General..... 21
 - 5.8.2 Generic definition of status codes..... 21
 - 5.8.3 Definition of error details..... 22
 - 5.8.4 SOVD error codes for common cases..... 22
 - 5.9 Common primitive data types..... 23
 - 5.10 Definition of JSON schema and objects for vehicle responses..... 24
 - 5.11 Discovery of the SOVD server for the co-located use case cluster..... 26
 - 5.11.1 General concept..... 26
 - 5.11.2 Network connection..... 26
 - 5.11.3 Address an SOVD server using mDNS..... 26
 - 5.11.4 Discovery of the SOVD server using DNS-SD..... 26
 - 5.11.5 Example..... 27
 - 5.12 Discovery of the SOVD server for the remote use case cluster..... 27
- 6 Capability description..... 27**
 - 6.1 General..... 27

| | | |
|----------|---|-----------|
| 6.2 | Capability description structure..... | 28 |
| 6.2.1 | General..... | 28 |
| 6.2.2 | Info object..... | 28 |
| 6.2.3 | Path item object..... | 28 |
| 6.2.4 | Operation object..... | 30 |
| 6.2.5 | Schema object..... | 30 |
| 6.2.6 | Header object..... | 31 |
| 6.2.7 | Predefined query parameter..... | 31 |
| 6.2.8 | x-sovd-tags object..... | 32 |
| 6.3 | Online and offline capability descriptions..... | 33 |
| 6.3.1 | General..... | 33 |
| 6.3.2 | Offline capability description..... | 33 |
| 6.3.3 | Online capability description..... | 33 |
| 6.4 | Variant handling in offline capability description..... | 33 |
| 6.4.1 | General..... | 33 |
| 6.4.2 | Extension: x-sovd-applicability | 34 |
| 6.4.3 | Usage of x-sovd-applicability by the SOVD client..... | 35 |
| 7 | SOVD REST API..... | 36 |
| 7.1 | General..... | 36 |
| 7.2 | Definition of conventions for API methods..... | 36 |
| 7.2.1 | Query parameters..... | 36 |
| 7.2.2 | Request body..... | 36 |
| 7.3 | Timeout definitions..... | 36 |
| 7.4 | API methods for access of supported SOVD server versions..... | 37 |
| 7.4.1 | General..... | 37 |
| 7.4.2 | Read all supported versions of the SOVD server..... | 37 |
| 7.5 | API methods for access to capability description content..... | 38 |
| 7.5.1 | General..... | 38 |
| 7.5.2 | Retrieve online capability description..... | 39 |
| 7.6 | API methods for discovery of Entities and resources..... | 40 |
| 7.6.1 | General..... | 40 |
| 7.6.2 | Query for Entities from an SOVD server..... | 40 |
| 7.6.3 | Query for capabilities of an entity..... | 46 |
| 7.7 | Enhancement of API methods for tagged Entities and resources..... | 49 |
| 7.7.1 | General..... | 49 |
| 7.7.2 | Query for tagged Entities and resources..... | 49 |
| 7.7.3 | Retrieve tags from entity or a resource..... | 50 |
| 7.7.4 | Query for tagged capabilities of an entity..... | 52 |
| 7.8 | API methods for fault handling..... | 53 |
| 7.8.1 | General..... | 53 |
| 7.8.2 | Query for faults from an entity..... | 53 |
| 7.8.3 | Read a fault resource..... | 57 |
| 7.8.4 | Delete all faults of an entity..... | 59 |
| 7.8.5 | Delete single fault of an entity..... | 60 |
| 7.9 | API methods for data resource read/write access..... | 61 |
| 7.9.1 | General..... | 61 |
| 7.9.2 | Retrieve of data resource categories and groups of an entity..... | 62 |
| 7.9.3 | Query for data from an entity..... | 65 |
| 7.9.4 | Read a data resource..... | 67 |
| 7.9.5 | Read multiple data values from an entity..... | 70 |
| 7.9.6 | Write a data resource..... | 75 |
| 7.10 | API methods for cyclic-subscriptions..... | 77 |
| 7.10.1 | General..... | 77 |
| 7.10.2 | Query for cyclic-subscriptions from an entity..... | 77 |
| 7.10.3 | Issue a new cyclic-subscription..... | 78 |
| 7.10.4 | Retrieve details of a cyclic-subscription..... | 82 |
| 7.10.5 | Update a cyclic-subscription..... | 83 |
| 7.10.6 | Delete a cyclic-subscription..... | 84 |
| 7.11 | API methods for triggers..... | 85 |
| 7.11.1 | General..... | 85 |
| 7.11.2 | Issue a new trigger..... | 87 |
| 7.11.3 | Query for triggers from an entity..... | 93 |

| | | |
|---------|--|-----|
| 7.11.4 | Retrieve details of a trigger | 95 |
| 7.11.5 | Update a trigger | 96 |
| 7.11.6 | Delete a trigger | 98 |
| 7.11.7 | Trigger value reception | 99 |
| 7.12 | API methods for configuration | 100 |
| 7.12.1 | General | 100 |
| 7.12.2 | Query for configurations from an entity | 100 |
| 7.12.3 | Read a configuration resource | 102 |
| 7.12.4 | Write a configuration resource | 105 |
| 7.12.5 | Reset configuration | 108 |
| 7.13 | API methods for clearing data | 110 |
| 7.13.1 | General | 110 |
| 7.13.2 | Retrieve list of supported clear-data types | 111 |
| 7.13.3 | Start clearing of data | 112 |
| 7.13.4 | Retrieve status of clearing data | 114 |
| 7.14 | API methods for control of operations | 116 |
| 7.14.1 | General | 116 |
| 7.14.2 | Ensuring co-located diagnostics | 116 |
| 7.14.3 | Query for operations from an entity | 116 |
| 7.14.4 | Query for executions of an operation | 118 |
| 7.14.5 | Retrieve details of an operation | 119 |
| 7.14.6 | Start execution of an operation | 122 |
| 7.14.7 | Read the status of an operation execution | 125 |
| 7.14.8 | Terminate the execution of an operation | 126 |
| 7.14.9 | Support for execute / freeze / reset and custom capabilities | 127 |
| 7.15 | API methods for script execution | 129 |
| 7.15.1 | General | 129 |
| 7.15.2 | Upload a script | 130 |
| 7.15.3 | Query for scripts from an entity | 132 |
| 7.15.4 | Retrieve details of a script | 133 |
| 7.15.5 | Remove a script | 135 |
| 7.15.6 | Start execution of a script | 136 |
| 7.15.7 | Query for executions of a Script | 139 |
| 7.15.8 | Read the status of a script execution | 140 |
| 7.15.9 | Terminate the script execution | 141 |
| 7.15.10 | Remove the execution of a script | 143 |
| 7.16 | API methods for support of target modes | 144 |
| 7.16.1 | General | 144 |
| 7.16.2 | Query for modes of an entity | 144 |
| 7.16.3 | Retrieve details of a mode | 146 |
| 7.16.4 | Explicit control of entity states via their defined modes | 147 |
| 7.16.5 | Hint-based control of entity states via their defined modes | 149 |
| 7.17 | API methods for locking | 149 |
| 7.17.1 | General | 149 |
| 7.17.2 | Acquire a lock on an entity | 152 |
| 7.17.3 | Query for locks of an entity | 154 |
| 7.17.4 | Retrieve details of a lock | 155 |
| 7.17.5 | Modify the expiration time of a lock on an entity | 156 |
| 7.17.6 | Release an acquired lock on an entity | 158 |
| 7.18 | API methods for software update | 159 |
| 7.18.1 | General | 159 |
| 7.18.2 | Query for updates from an entity | 161 |
| 7.18.3 | Retrieve details of an update | 163 |
| 7.18.4 | Automated installation of an update | 165 |
| 7.18.5 | Prepare installation of an update | 166 |
| 7.18.6 | Execute installation of an update | 168 |
| 7.18.7 | Read the status of an update | 170 |
| 7.18.8 | Delete update package from an SOVD server | 172 |
| 7.18.9 | Register an update at the SOVD server | 173 |

| | | |
|---|---|------------|
| 7.19 | API methods for restarting an entity | 174 |
| 7.19.1 | General | 174 |
| 7.19.2 | Read the status of an entity | 175 |
| 7.19.3 | Start an entity | 176 |
| 7.19.4 | Restart an entity | 178 |
| 7.19.5 | Forced Restart an entity | 179 |
| 7.19.6 | Shutdown an entity | 180 |
| 7.19.7 | Forced Shutdown an entity | 181 |
| 7.20 | API methods for handling of bulk-data | 183 |
| 7.20.1 | General | 183 |
| 7.20.2 | Retrieve bulk-data categories of an entity | 184 |
| 7.20.3 | Retrieve details of bulk-data resource | 186 |
| 7.20.4 | Download and upload bulk-data | 188 |
| 7.20.5 | Delete bulk-data | 192 |
| 7.21 | API methods for logging | 194 |
| 7.21.1 | General | 194 |
| 7.21.2 | Retrieve resources of an SOVD log | 195 |
| 7.21.3 | Read log entries from an SOVD log | 196 |
| 7.21.4 | Configure SOVD log | 199 |
| 7.21.5 | Retrieve the current SOVD log configuration from an entity | 200 |
| 7.21.6 | Reset SOVD logging configuration to default | 202 |
| 7.22 | API methods for communication-logs | 203 |
| 7.22.1 | General | 203 |
| 7.22.2 | Query for communication-logs from an entity | 203 |
| 7.22.3 | Configure communication-logs for an entity | 204 |
| 7.22.4 | Read the status of a communication-log | 206 |
| 7.22.5 | Control a communication-log | 207 |
| 7.22.6 | Delete communication-log | 208 |
| 7.23 | Authentication of SOVD clients (informative) | 210 |
| 7.23.1 | Online and offline authentication and authorization | 210 |
| 7.23.2 | Securing connectionc | 215 |
| 7.23.3 | Verifying SOVD client credentials and requesting a token at the backend | 215 |
| 7.23.4 | Verifying SOVD client credentials | 215 |
| 7.23.5 | Requesting a token | 216 |
| 7.23.6 | Request header for access-restricted resources | 217 |
| 7.23.7 | Validating a token | 218 |
| 8 | Classic diagnostic adapter | 218 |
| 8.1 | General | 218 |
| 8.2 | Access to UDS based entities | 218 |
| 8.3 | Specific mapping of UDS services to SOVD modes | 219 |
| 8.3.1 | Mapping of DiagnosticSessionControl (10 ₁₆) subfunctions to SOVD modes | 219 |
| 8.3.2 | Mapping of SecurityAccess (27 ₁₆) subfunctions to SOVD modes | 220 |
| 8.3.3 | Mapping of Authentication (29 ₁₆) to SOVD modes | 220 |
| 8.3.4 | Mapping of CommunicationControl (28 ₁₆) subfunctions to SOVD modes | 220 |
| 8.3.5 | Mapping of ControlDTC Setting (85 ₁₆) subfunctions to SOVD modes | 220 |
| 8.4 | Mapping of UDS services to data resources | 220 |
| 8.5 | Mapping of UDS services to fault resources | 221 |
| 8.6 | Mapping of UDS services to operation resources | 221 |
| 8.6.1 | Mapping of Routine (31 ₁₆) and InputOutputControlByIdentifier (2F ₁₆) services to operation resources | 221 |
| 8.6.2 | DEPRECATED — Mapping of EcuReset service (11 ₁₆) to operation resources | 221 |
| 8.7 | Mapping of EcuReset service (11 ₁₆) to restart an entity resource | 221 |
| Annex A (normative) Access to legally required diagnostics | | 222 |
| Annex B (informative) SOVD API common example | | 225 |
| Bibliography | | 235 |