

# ISO 3808:2002-11 (E)

## Road vehicles - Unscreened high-voltage ignition cables - General specifications, test methods and requirements

---

<b>Contents</b>		<b>Page</b>
<b>1</b>	<b>Scope .....</b>	<b>1</b>
<b>2</b>	<b>Normative references .....</b>	<b>1</b>
<b>3</b>	<b>General cable specifications .....</b>	<b>1</b>
<b>3.1</b>	<b>Cable classes .....</b>	<b>1</b>
<b>3.2</b>	<b>Cable types .....</b>	<b>1</b>
<b>3.3</b>	<b>Cable outside diameter .....</b>	<b>2</b>
<b>4</b>	<b>Tests and requirements .....</b>	<b>2</b>
<b>4.1</b>	<b>General test conditions .....</b>	<b>2</b>
<b>4.2</b>	<b>Cable dimensions .....</b>	<b>2</b>
<b>4.3</b>	<b>Cable resistance .....</b>	<b>2</b>
<b>4.4</b>	<b>Insulation faults .....</b>	<b>3</b>
<b>4.5</b>	<b>Thirty minutes test voltage and breakdown voltage .....</b>	<b>3</b>
<b>4.6</b>	<b>Capacitance .....</b>	<b>4</b>
<b>4.7</b>	<b>Resistance to corona effect .....</b>	<b>5</b>
<b>4.8</b>	<b>Pressure at high temperature .....</b>	<b>5</b>
<b>4.9</b>	<b>Thermal overload .....</b>	<b>6</b>
<b>4.10</b>	<b>Shrinkage by heat .....</b>	<b>7</b>
<b>4.11</b>	<b>Resistance to flame propagation .....</b>	<b>7</b>
<b>4.12</b>	<b>Flexibility at low temperatures .....</b>	<b>8</b>
<b>4.13</b>	<b>Mechanical strength .....</b>	<b>8</b>
<b>4.14</b>	<b>Insulation stripping .....</b>	<b>9</b>
<b>4.15</b>	<b>Fluid compatibility .....</b>	<b>9</b>
<b>4.16</b>	<b>Accelerated life tests .....</b>	<b>10</b>
	<b>Annex A Test apparatus .....</b>	<b>13</b>