

# ISO 15830-1:2005-12 (E)

## Road vehicles - Design and performance specifications for the WorldSID 50th percentile male side-impact dummy - Part 1: Terminology and rationale

---

| <b>Contents</b>   |   | <b>Page</b> |
|---|---|-------------|
| Foreword .....  |   | x           |
| Introduction .....  |   | xi          |
| 1   | Scope .....   | 1           |
| 2   | Normative references .....  | 1           |
| 3   | Terms and definitions .....   | 2           |
| 4   | Symbols, subscripts and abbreviated terms .....                                   | 4           |
| 4.1   | Symbols .....   | 4           |
| 4.2   | Subscripts .....  | 5           |
| 4.3   | Abbreviated terms .....   | 5           |
| Annex A (informative) Rationale regarding background and goals for WorldSID ..... |   | 7           |
| A.1   | Historical background .....   | 7           |
| A.1.1   | General .....   | 7           |
| A.1.2   | Need for an International Standard side impact dummy .....                        | 7           |
| A.1.3   | Benefits and economic impact of an International Standard side impact dummy ..... | 8           |
| A.1.4   | Survey of and general differences from previous side impact dummies .....         | 8           |
| A.1.5   | Summary of WorldSID development process .....                                     | 10          |
| A.2   | Technical targets for the WorldSID .....  | 11          |
| A.2.1   | General .....   | 11          |
| A.2.2   | Functional description .....  | 13          |
| A.2.3   | Interface references .....  | 14          |
| A.2.4   | Loading conditions and interaction needs .....                                    | 14          |
| A.2.5   | Anthropometry needs .....   | 14          |
| A.2.6   | Biofidelity .....   | 26          |
| A.2.7   | Instrumentation needs .....   | 27          |
| A.2.8   | Repeatability and reproducibility needs .....                                     | 29          |
| A.2.9   | Durability needs .....  | 29          |
| A.2.10  | Sensitivity needs .....   | 29          |
| A.2.11  | Handling needs .....  | 29          |
| A.2.12  | Verification, calibration and certification needs .....                           | 30          |
| A.2.13  | Other needs .....   | 30          |
| Annex B (informative) Rationale regarding performance of the WorldSID .....       |   | 32          |
| B.1   | Performance basis of the WorldSID .....   | 32          |
| B.2   | Anthropometry performance .....   | 32          |
| B.2.1   | Overall dummy landmarks .....   | 32          |
| B.2.2   | Range of motion .....   | 33          |
| B.2.3   | Head .....  | 34          |
| B.2.4   | Neck anthropometry .....  | 34          |
| B.2.5   | Shoulder/thorax/abdomen anthropometry .....                                       | 34          |
| B.2.6   | Full arms .....   | 34          |
| B.2.7   | Half arms .....   | 35          |
| B.2.8   | Lumbar spine .....  | 35          |
| B.2.9   | Pelvis .....  | 35          |

|   |   |    |
|---|---|----|
| B.2.10  | Upper leg .....   | 35 |
| B.2.11  | Lower leg .....   | 35 |
| B.2.12  | Clothing .....  | 36 |
| B.3   | Biofidelity performance .....                                 | 36 |
| B.3.1   | ISO/TR 9790[13] ratings procedures .....                      | 36 |
| B.3.2   | Head .....  | 37 |
| B.3.3   | Neck .....  | 37 |
| B.3.4   | Shoulder .....  | 38 |
| B.3.5   | Thorax .....  | 39 |
| B.3.6   | Abdomen .....   | 41 |
| B.3.7   | Pelvis .....  | 42 |
| B.3.8   | Overall dummy .....   | 44 |
| B.4   | Available instrumentation .....                               | 44 |
| B.4.1   | General .....   | 44 |
| B.4.2   | Head .....  | 45 |
| B.4.3   | Neck .....  | 46 |
| B.4.4   | Upper torso .....   | 46 |
| B.4.5   | Arm .....   | 46 |
| B.4.6   | Lower torso .....   | 46 |
| B.4.7   | Lower extremities .....                                       | 47 |
| B.5   | Repeatability and reproducibility performance .....           | 47 |
| B.5.1   | General .....   | 47 |
| B.5.2   | Head .....  | 47 |
| B.5.3   | Neck .....  | 47 |
| B.5.4   | Shoulder .....  | 47 |
| B.5.5   | Thorax .....  | 48 |
| B.5.6   | Abdomen .....   | 48 |
| B.5.7   | Pelvis .....  | 49 |
| B.6   | Durability performance .....                                  | 49 |
| B.7   | Sensitivity performance .....                                 | 49 |
| B.8   | Handling performance .....                                    | 50 |
| B.9   | Verification, calibration and certification performance ..... | 50 |
| Annex C (informative) Resolution establishing WorldSID task group ..... |   | 51 |
| Annex D (informative) Biofidelity test data .....                       |   | 52 |
| D.1   | Head .....  | 52 |
| D.2   | Neck .....  | 53 |
| D.2.1   | Neck test 1 - 7,2 G sled test .....                           | 53 |
| D.2.2   | Neck test 2 - 6,7 G sled test .....                           | 54 |
| D.2.3   | Neck test 3 - 12,2 G sled test .....                          | 54 |
| D.3   | Shoulder .....  | 55 |
| D.3.1   | Shoulder test 1 - 4,5 m/s pendulum test .....                 | 55 |
| D.3.2   | Shoulder test 2 - 7,2 G sled test .....                       | 56 |
| D.3.3   | Shoulder test 3 - 12,2 G sled test .....                      | 56 |
| D.3.4   | Shoulder test 4 - 8,9 m/s padded sled test .....              | 57 |
| D.4   | Thorax .....  | 58 |
| D.4.1   | Thorax test 1 - 4,3 m/s pendulum test .....                   | 58 |
| D.4.2   | Thorax test 2 - 6,7 m/s pendulum test .....                   | 60 |
| D.4.3   | Thorax test 3 - 1 m rigid drop test .....                     | 61 |
| D.4.4   | Thorax test 4 - 2,0 m padded drop test .....                  | 62 |
| D.4.5   | Thorax test 5 - 6,8 m/s rigid sled test .....                 | 62 |
| D.4.6   | Thorax test 6 - 8,9 m/s padded sled test .....                | 65 |
| D.5   | Abdomen .....   | 66 |
| D.5.1   | Abdomen test 1 - 1,0 m drop onto rigid armrest test .....     | 66 |
| D.5.2   | Abdomen test 2 .....  | 67 |
| D.5.3   | Abdomen test 3 - 6,8 m/s rigid sled test .....                | 67 |
| D.5.4   | Abdomen test 4 - 8,9 m/s rigid sled test .....                | 68 |
| D.5.5   | Abdomen test 5 - 8,9 m/s padded sled test .....               | 69 |
| D.6   | Pelvis .....  | 70 |
| D.6.1   | Pelvis test 1 - 6,0 m/s pendulum test .....                   | 70 |

|  |   |    |
|--|---|----|
| D.6.2  | Pelvis test 2 - 10,0 m/s pendulum test .....                                    | 70 |
| D.6.3  | Pelvis test 3 - 0,5 m rigid drop test .....                                     | 71 |
| D.6.4  | Pelvis test 4 - 1,0 m rigid drop test .....                                     | 72 |
| D.6.5  | Pelvis test 7 - 6,8 m/s rigid sled test .....                                   | 73 |
| D.6.6  | Pelvis test 8 - 8,9 m/s rigid sled test .....                                   | 74 |
| D.6.7  | Pelvis test 10 - 6,8 m/s Wayne State rigid sled test .....                      | 76 |
| D.6.8  | Pelvis test 11 - 8,9 m/s Wayne State rigid sled test .....                      | 77 |
| D.6.9  | Pelvis test 12 - 8,9 m/s 0,1 N/mm <sup>2</sup> (15 psi) padded sled test .....  | 79 |
| D.6.10   | Pelvis test 13 - 8,9 m/s 0,16 N/mm <sup>2</sup> (23 psi) padded sled test ..... | 80 |
| D.7  | Overall biofidelity rating .....  | 82 |
| Annex E (informative) Repeatability and reproducibility data .....   |   | 84 |
| E.1  | Head .....  | 84 |
| E.2  | Neck .....  | 85 |
| E.3  | Shoulder .....  | 85 |
| E.4  | Thorax .....  | 87 |
| E.4.1  | Thorax with arm .....   | 87 |
| E.4.2  | Thorax without arm .....  | 88 |
| E.5  | Abdomen .....   | 89 |
| E.6  | Pelvis .....  | 89 |
| Bibliography .....   |   | 92 |
| Figures Figure A.1 -- Reynolds pelvis co-ordinate system .....   |   | 19 |
| Figure A.2 -- Angular shift from AMVO to Reynolds co-ordinate system .....   |   | 19 |
| Figure A.3 -- Bone and surface landmark coordinates given by Reynolds and AMVO projected on XY plane   |   |    |
| Figure A.4 -- Bone and surface landmark coordinates given by Reynolds and AMVO projected on XZ plane   |   |    |
| Figure A.5 -- Bone and surface landmark coordinates given by Reynolds and AMVO projected on YZ plane   |   |    |
| Figure A.6 -- Humos and Reynolds bone markers projected on xy plane .....  |   | 21 |
| Figure A.7 -- Humos and Reynolds bone markers projected on xz plane .....  |   | 21 |
| Figure A.8 -- Humos and Reynolds bone markers projected on yz plane .....  |   | 22 |
| Figure A.9 -- Location of Reynolds' pelvis landmarks (Reynolds, et al.[36]) .....  |   | 22 |
| Figure A.10 -- An example of a mean seat pressure distribution obtained from 5 different subjects seated in a truck seat (Seat Angle: 4°, Back Seat Angle: 18°; Pressure Mapping of Buttock on Left and Pressure Mapping of Back on Right) ..... |   | 24 |
| Figure A.11 -- Cross sections of pelvis area at iliocristale, ASIS, great trochanter and pubis level (from HUMOS) .....  |   | 24 |
| Figure D.1 -- Head test 1 - 200 mm lateral head drop (right side) - resultant acceleration .....   |   | 52 |
| Figure D.2 -- Head test 1 - 200 mm lateral head drop (left side) - resultant acceleration .....  |   | 52 |
| Figure D.3 -- Shoulder test 1 - pendulum force .....   |   | 55 |
| Figure D.4 -- Shoulder test 1 - shoulder rib deflection .....  |   | 55 |
| Figure D.5 -- Shoulder test 4 - shoulder and thoracic plate force .....  |   | 57 |
| Figure D.6 -- Shoulder test 4 - shoulder and thoracic plate force additional results .....   |   | 57 |
| Figure D.7 -- Thorax test 1 - pendulum force .....   |   | 58 |
| Figure D.8 -- Thorax test 1 - T1 lateral acceleration .....  |   | 59 |

|   |    |
|---|----|
| Figure D.9 -- Thorax test 2 - pendulum force .....  | 60 |
| Figure D.10 -- Thorax test 3 - plate force .....  | 61 |
| Figure D.11 -- Thorax test 3 - rib displacement .....                                     | 61 |
| Figure D.12 -- Thorax test 5 - plate force .....  | 62 |
| Figure D.13 -- Thorax test 5 - T1 acceleration .....                                      | 63 |
| Figure D.14 -- Thorax test 5 - T12 acceleration .....                                     | 63 |
| Figure D.15 -- Thorax test 5 - rib acceleration .....                                     | 64 |
| Figure D.16 -- Thorax test 6 - shoulder and thoracic plate force .....                    | 65 |
| Figure D.17 -- Thorax test 6 - shoulder and thoracic plate force additional results ..... | 65 |
| Figure D.18 -- Abdomen test 1 - armrest force .....                                       | 66 |
| Figure D.19 -- Abdomen test 3 - plate force .....   | 67 |
| Figure D.20 -- Abdomen test 4 - plate force .....   | 68 |
| Figure D.21 -- Abdomen test 5 - plate force .....   | 69 |
| Figure D.22 -- Abdomen test 5 - plate force additional results .....                      | 69 |
| Figure D.23 -- Pelvis test 1 and 2 - pendulum force .....                                 | 70 |
| Figure D.24 -- Pelvis test 3 - pelvis acceleration .....                                  | 71 |
| Figure D.25 -- Pelvis test 4 - pelvis acceleration .....                                  | 72 |
| Figure D.26 -- Pelvis test 7 - pelvis force .....   | 73 |
| Figure D.27 -- Pelvis test 7 - pelvis acceleration .....                                  | 73 |
| Figure D.28 -- Pelvis test 8 - pelvis force .....   | 74 |
| Figure D.29 -- Pelvis test 8 - pelvis acceleration .....                                  | 75 |
| Figure D.30 -- Pelvis test 10 - pelvis force .....  | 76 |
| Figure D.31 -- Pelvis test 10 - pelvis acceleration .....                                 | 76 |
| Figure D.32 -- Pelvis test 11 - pelvis force .....  | 77 |
| Figure D.33 -- Pelvis test 11 - pelvis acceleration .....                                 | 78 |
| Figure D.34 -- Pelvis test 12 - pelvis force .....  | 79 |
| Figure D.35 -- Pelvis test 12 - pelvis acceleration .....                                 | 79 |
| Figure D.36 -- Pelvis test 13 - pelvis force .....  | 80 |
| Figure D.37 -- Pelvis test 13 - pelvis acceleration .....                                 | 81 |
| Tables Table 1 -- Symbols and their meanings .....  | 4  |
| Table 2 -- Subscripts and their meanings .....  | 5  |

|   |           |
|---|-----------|
| <b>Table 3 -- Abbreviated terms .....</b>   | <b>5</b>  |
| <b>Table A.1 -- ISO biofidelity rating scale .....</b>                                      | <b>9</b>  |
| <b>Table A.2 -- Biofidelity comparison of side impact dummies .....</b>                     | <b>9</b>  |
| <b>Table A.3 -- Landmarks .....</b>   | <b>15</b> |
| <b>Table A.4 -- General head anthropometry reference data (Source: AMVO Data Set) .....</b> | <b>16</b> |
| <b>Table A.5 -- General neck anthropometry reference data (Source: AMVO Data Set) .....</b> | <b>17</b> |
| <b>Table A.6 -- Segment masses .....</b>  | <b>17</b> |
| <b>Table A.7 -- Mass properties of the WorldSID half arm .....</b>                          | <b>18</b> |
| <b>Table A.8 -- Target data for pelvis external dimensions .....</b>                        | <b>19</b> |
| <b>Table A.9 -- Other pelvis bony landmarks (Reynolds, et al.[36]) .....</b>                | <b>23</b> |
| <b>Table A.10 -- Target WorldSID instrumentation listing .....</b>                          | <b>27</b> |
| <b>Table A.11 -- WorldSID part coding system .....</b>                                      | <b>30</b> |
| <b>Table B.1 -- Actual dummy versus design target landmarks .....</b>                       | <b>32</b> |
| <b>Table B.2 -- Actual dummy range of motion vs. design target .....</b>                    | <b>33</b> |
| <b>Table B.3 -- Actual dummy head anthropometry vs. design target .....</b>                 | <b>34</b> |
| <b>Table B.4 -- Overall neck biofidelity .....</b>  | <b>38</b> |
| <b>Table B.5 -- Overall shoulder biofidelity .....</b>                                      | <b>39</b> |
| <b>Table B.6 -- Summary of thorax biofidelity ratings .....</b>                             | <b>40</b> |
| <b>Table B.7 -- Summary of abdomen biofidelity ratings .....</b>                            | <b>42</b> |
| <b>Table B.8 -- Overall pelvis biofidelity .....</b>  | <b>43</b> |
| <b>Table B.9 -- Overall WorldSID biofidelity ratings .....</b>                              | <b>44</b> |
| <b>Table B.10 -- General summary of WorldSID permissible instrumentation units .....</b>    | <b>45</b> |
| <b>Table B.11 -- Head test repeatability results .....</b>                                  | <b>47</b> |
| <b>Table B.12 -- Neck test repeatability results .....</b>                                  | <b>47</b> |
| <b>Table B.13 -- Shoulder repeatability results .....</b>                                   | <b>48</b> |
| <b>Table B.14 -- Thorax with arm repeatability results .....</b>                            | <b>48</b> |
| <b>Table B.15 -- Thorax no arm repeatability results .....</b>                              | <b>48</b> |
| <b>Table B.16 -- Abdomen repeatability results .....</b>                                    | <b>49</b> |
| <b>Table B.17 -- Pelvis repeatability results .....</b>                                     | <b>49</b> |
| <b>Table D.1 -- Head test 1 - 200 mm rigid lateral test results .....</b>                   | <b>53</b> |
| <b>Table D.2 -- Neck test 1 - 7,2 G sled test results .....</b>                             | <b>53</b> |

|  |    |
|--|----|
| Table D.3 -- Neck test 2 - 6,7 G sled test results .....                         | 54 |
| Table D.4 -- Neck test 3 - 12,2 G sled test results .....                        | 54 |
| Table D.5 -- Shoulder test 1 - 7,2 G sled test results .....                     | 56 |
| Table D.6 -- Shoulder test 2 - 7,2 G sled test results .....                     | 56 |
| Table D.7 -- Shoulder test 3 - 12,2 G sled test results .....                    | 56 |
| Table D.8 -- Shoulder test 4 - 8,9 G sled test results .....                     | 58 |
| Table D.9 -- Thorax test 1 - test results .....                                  | 59 |
| Table D.10 -- Thorax test 2 - 6,7 m/s test results .....                         | 60 |
| Table D.11 -- Thorax test 3 - 1 m rigid drop test results .....                  | 62 |
| Table D.12 -- Thorax test 5 - 6,8 m/s sled test results .....                    | 64 |
| Table D.13 -- Thorax test 6 - 8,9 m/s sled test results .....                    | 66 |
| Table D.14 -- Abdomen test 1 - 1 m rigid armrest test results .....              | 66 |
| Table D.15 -- Abdomen test 3 - 6,8 m/s plate force sled test results .....       | 67 |
| Table D.16 -- Abdomen test 4 - 8,9 m/s rigid sled test results .....             | 68 |
| Table D.17 -- Abdomen test 5 - 8,9 m/s sled test results .....                   | 70 |
| Table D.18 -- Pelvis test 1 - 6,0 m/s pendulum test results .....                | 70 |
| Table D.19 -- Pelvis test 2 - 10,0 m/s pendulum test results .....               | 71 |
| Table D.20 -- Pelvis test 3 - 0,5 m acceleration drop test results .....         | 71 |
| Table D.21 -- Pelvis test 4 - 1,0 m rigid drop test results .....                | 72 |
| Table D.22 -- Pelvis test 7 - 6,8 m/s rigid sled test results .....              | 74 |
| Table D.23 -- Pelvis test 8 - 8,9 m/s rigid sled test results .....              | 75 |
| Table D.24 -- Pelvis test 10 - 6,8 m/s Wayne State rigid sled test results ..... | 77 |
| Table D.25 -- Pelvis test 11 - 8,9 m/s Wayne State rigid sled test results ..... | 78 |
| Table D.26 -- Pelvis test 12 - 8,9 m/s sled test results .....                   | 80 |
| Table D.27 -- Pelvis test 13 - 8,9 m/s padded sled test results .....            | 81 |
| Table D.28 -- Overall biofidelity rating .....                                   | 82 |
| Table E.1 -- Lateral head repeatability and reproducibility .....                | 84 |
| Table E.2 -- Frontal head repeatability and reproducibility .....                | 84 |
| Table E.3 -- Neck repeatability and reproducibility data .....                   | 85 |
| Table E.4 -- Shoulder repeatability and reproducibility .....                    | 85 |
| Table E.5 -- Thorax with arm repeatability and reproducibility .....             | 87 |

**Table E.6 -- Thorax without arm repeatability and reproducibility ..... 88**  
**Table E.7 -- Abdomen repeatability and reproducibility ..... 89**  
**Table E.8 -- Pelvis repeatability and reproducibility ..... 90**