

# ISO 20176:2006-04 (E)

## Road vehicles - H-point machine (HPM II) - Specifications and procedure for H-point determination

---

| <b>Contents</b>    |                                                                              | <b>Page</b> |
|--------------------|------------------------------------------------------------------------------|-------------|
| Foreword .....     |                                                                              | vi          |
| Introduction ..... |                                                                              | vii         |
| <b>1</b>           | <b>Scope .....</b>                                                           | <b>1</b>    |
| <b>2</b>           | <b>Normative references .....</b>                                            | <b>1</b>    |
| <b>3</b>           | <b>Definitions .....</b>                                                     | <b>2</b>    |
| 3.1                | H-point .....                                                                | 2           |
| 3.2                | H-point travel path .....                                                    | 2           |
| 3.3                | SgRP (Seating Reference Point), R-point, design H-point .....                | 2           |
| 3.4                | AHP (Accelerator Heel Point) .....                                           | 2           |
| 3.5                | PRP (Pedal Reference Point) .....                                            | 2           |
| 3.6                | FRP (Floor Reference Point, rear passenger) .....                            | 3           |
| <b>4</b>           | <b>Measurement procedure for the three-dimensional H-point machine .....</b> | <b>3</b>    |
| 4.1                | Summary of installation procedure .....                                      | 3           |
| 4.1.1              | Measured versus design values .....                                          | 3           |
| 4.2                | Prepare vehicle and seat .....                                               | 3           |
| 4.2.1              | Vehicle .....                                                                | 3           |
| 4.2.2              | Seat .....                                                                   | 4           |
| 4.3                | Determine the H-point travel path (optional) .....                           | 4           |
| 4.4                | Adjust seat to design intent .....                                           | 5           |
| 4.4.1              | Move seat to design intent position .....                                    | 5           |
| 4.4.2              | Torso angle and cushion angle .....                                          | 5           |
| 4.4.3              | Seat in front of test seat .....                                             | 6           |
| 4.5                | Install HPM cushion and back pan assembly .....                              | 7           |
| 4.5.1              | Install the cushion pan .....                                                | 7           |
| 4.5.2              | Install the back pan .....                                                   | 7           |
| 4.5.3              | Level the HPM .....                                                          | 7           |
| 4.6                | Load the HPM .....                                                           | 7           |
| 4.6.1              | Load the cushion pan .....                                                   | 8           |
| 4.6.2              | Load the back pan .....                                                      | 8           |
| 4.7                | Soak time .....                                                              | 8           |
| 4.8                | Record measurements--digitise HPM points .....                               | 9           |
| 4.8.1              | H-point .....                                                                | 9           |
| 4.8.2              | Torso angle and cushion angle .....                                          | 9           |
| 4.8.3              | Lumbar support prominence .....                                              | 9           |
| <b>5</b>           | <b>Optional measurements for driver seat .....</b>                           | <b>9</b>    |
| 5.1                | Leg and shoe installations .....                                             | 9           |
| 5.1.1              | Mark accelerator pedal centreline .....                                      | 9           |
| 5.1.2              | Install the shoe fixture .....                                               | 9           |
| 5.1.3              | Install the shoe tool .....                                                  | 9           |
| 5.1.4              | Install leg segments .....                                                   | 10          |
| 5.2                | Record measurements .....                                                    | 10          |
| 5.2.1              | Pedal Plane Angle .....                                                      | 11          |
| 5.2.2              | Pedal Reference Point .....                                                  | 11          |
| 5.2.3              | Accelerator Heel Point .....                                                 | 11          |
| 5.2.4              | AHP to PRP lateral offset .....                                              | 12          |

|                                                                                             |                                                                       |           |
|---------------------------------------------------------------------------------------------|-----------------------------------------------------------------------|-----------|
| 5.2.5                                                                                       | Knee angle and ankle angle .....                                      | 12        |
| 5.2.6                                                                                       | Thigh angle and hip angle .....                                       | 12        |
| 6                                                                                           | Optional measurements for 2nd or succeeding row passenger seats ..... | 12        |
| 6.1                                                                                         | Leg and shoe installation .....                                       | 12        |
| 6.1.1                                                                                       | Install the shoe tool .....                                           | 12        |
| 6.1.2                                                                                       | Install leg segments .....                                            | 13        |
| 6.2                                                                                         | Record measurements for rear passengers .....                         | 15        |
| 6.2.1                                                                                       | Floor Reference Point (FRP) .....                                     | 15        |
| 6.2.2                                                                                       | Floor Plane Angle .....                                               | 15        |
| 6.2.3                                                                                       | Knee clearance and leg room .....                                     | 15        |
| 7                                                                                           | Additional optional measurements .....                                | 15        |
| 7.1                                                                                         | Effective head room .....                                             | 15        |
| 7.1.1                                                                                       | Install the head room fixture .....                                   | 15        |
| 7.1.2                                                                                       | Measure effective head room .....                                     | 16        |
| 8                                                                                           | Remove the HPM .....                                                  | 16        |
| <b>Annex A (Normative) Description of the Three-Dimensional H-Point Machine (HPM) .....</b> |                                                                       | <b>17</b> |
| A.1                                                                                         | Availability .....                                                    | 17        |
| A.2                                                                                         | Major components .....                                                | 17        |
| A.2.1                                                                                       | Back pan assembly .....                                               | 17        |
| A.2.2                                                                                       | Cushion pan .....                                                     | 17        |
| A.2.3                                                                                       | Lower leg segment .....                                               | 18        |
| A.2.4                                                                                       | Thigh segment .....                                                   | 18        |
| A.2.5                                                                                       | Shoe tool and shoe fixture .....                                      | 19        |
| A.2.6                                                                                       | Spring loaded probe .....                                             | 19        |
| A.2.7                                                                                       | Inclinometer (electronic level) .....                                 | 20        |
| A.2.8                                                                                       | Weights .....                                                         | 20        |
| A.2.9                                                                                       | Head room fixture .....                                               | 20        |
| A.3                                                                                         | Reference points and angles .....                                     | 20        |
| A.3.1                                                                                       | Pivot locations .....                                                 | 20        |
| A.3.2                                                                                       | Support points .....                                                  | 20        |
| A.3.3                                                                                       | Divot points .....                                                    | 21        |
| A.3.4                                                                                       | Key reference points and lines .....                                  | 22        |
| A.3.5                                                                                       | Posture angles and LSP .....                                          | 23        |
| <b>Annex B (Informative) HPM Specification and Tolerances .....</b>                         |                                                                       | <b>25</b> |
| B.1                                                                                         | Tolerances .....                                                      | 25        |
| B.2                                                                                         | Reference posture for specifications .....                            | 25        |
| B.3                                                                                         | Shoe tool dimensions .....                                            | 26        |
| B.4                                                                                         | Lengths .....                                                         | 26        |
| B.5                                                                                         | Widths .....                                                          | 26        |
| B.6                                                                                         | Heights .....                                                         | 27        |
| B.7                                                                                         | Radii .....                                                           | 27        |
| B.8                                                                                         | Weight, HPM only .....                                                | 27        |
| B.9                                                                                         | Support points .....                                                  | 28        |
| B.10                                                                                        | Divot point locations .....                                           | 28        |
| B.11                                                                                        | Muslin cloth .....                                                    | 29        |
| B.12                                                                                        | Check that HPM is within tolerance specifications .....               | 29        |
| <b>Annex C (Informative) HPM Field Checking Procedure .....</b>                             |                                                                       | <b>30</b> |
| C.1                                                                                         | Purpose .....                                                         | 30        |
| C.2                                                                                         | Equipment required for checking .....                                 | 30        |
| C.2.1                                                                                       | User provided equipment .....                                         | 30        |
| C.2.2                                                                                       | Checking fixtures .....                                               | 30        |
| C.2.3                                                                                       | Measurement equipment .....                                           | 31        |
| C.3                                                                                         | HPM measurement locations .....                                       | 32        |

|              |                                                                          |           |
|--------------|--------------------------------------------------------------------------|-----------|
| <b>C.4</b>   | <b>Summary of measurements and tolerances .....</b>                      | <b>33</b> |
| <b>C.5</b>   | <b>Checking procedures .....</b>                                         | <b>34</b> |
| <b>C.5.1</b> | <b>Cushion pan .....</b>                                                 | <b>34</b> |
| <b>C.5.2</b> | <b>LSP scale checks at -15, +25, and 0 .....</b>                         | <b>36</b> |
| <b>C.5.3</b> | <b>Back pan .....</b>                                                    | <b>36</b> |
| <b>C.5.4</b> | <b>Head room probe .....</b>                                             | <b>38</b> |
| <b>C.5.5</b> | <b>Thigh segment .....</b>                                               | <b>39</b> |
| <b>C.5.6</b> | <b>Leg .....</b>                                                         | <b>39</b> |
| <b>C.5.7</b> | <b>Data Form .....</b>                                                   | <b>41</b> |
| <br>         |                                                                          |           |
| <b>D.1.1</b> | <b>File format .....</b>                                                 | <b>42</b> |
| <b>D.1.2</b> | <b>Datum lines .....</b>                                                 | <b>42</b> |
| <br>         |                                                                          |           |
|              | <b>Bibliography .....</b>                                                | <b>44</b> |
| <br>         |                                                                          |           |
|              | <b>Annex D (Informative) H-Point Design (HPD) tool description .....</b> | <b>42</b> |
| <b>D.1</b>   | <b>H-Point Design tool (HPD) .....</b>                                   | <b>42</b> |