ISO 6722:2006-08 (E)

Road vehicles - 60 V and 600 V single-core cables - Dimensions, test methods and requirements

Contents

Page

Foreword v

1 Scope 1

2 Normative references 1

3 Terms and definitions 2

4 General 2
4.1 Caution 2
4.2 Conductors 2
4.3 Tests 3
4.4 General test conditions 3
4.5 Ovens 3
4.6 Representative conductor sizes for testing 3
4.7 Recommended colours 3

5 Dimensions 5
5.1 Outside cable diameter 5
5.2 Insulation thickness 5
5.3 Conductor diameter 6

6 Electrical characteristics 7
6.1 Conductor resistance 7
6.2 Withstand voltage 8
6.3 Insulation faults 10
6.4 Insulation volume resistivity 11

7 Mechanical characteristics 11
7.1 Pressure test at high temperature 11
7.2 Strip force 13

8 Low-temperature characteristics 14
8.1 Winding 14
8.2 Impact 16

9 Resistance to abrasion 18
9.1 Usage of test 18
9.2 Sandpaper abrasion 18
9.3 Scrape abrasion 20

10 Heat ageing 22
10.1 Long-term ageing, 3 000 h 22
10.2 Short-term ageing, 240 h 23
10.3 Thermal overload 23
10.4 Shrinkage by heat 24

11 Resistance to chemicals 25
11.1 Compliance 25
11.2 Fluid compatibility 25
11.3 Durability of cable marking 27

11.4 Resistance to ozone 27
11.5 Resistance to hot water 28
11.6 Temperature and humidity cycling 29

12 Resistance to flame propagation 31
12.1 Test sample 31
12.2 Apparatus 31
12.3 Procedure 31
12.4 Requirement 31

Annex A (informative) Conductors 32

Annex B (informative) Recommended colours 33

Annex C (informative) High-volume cable constructions 34

Annex D (informative) Sources for reference materials 36

Bibliography 37