

ISO 6722:2006-08 (E)

Road vehicles - 60 V and 600 V single-core cables - Dimensions, test methods and requirements

Contents		Page
Foreword		v
1 Scope	1	
2 Normative references	1	
3 Terms and definitions	2	
4 General	2	
4.1 Caution	2	
4.2 Conductors	2	
4.3 Tests	3	
4.4 General test conditions	3	
4.5 Ovens	3	
4.6 Representative conductor sizes for testing	3	
4.7 Recommended colours	3	
5 Dimensions	5	
5.1 Outside cable diameter	5	
5.2 Insulation thickness	5	
5.3 Conductor diameter	6	
6 Electrical characteristics	7	
6.1 Conductor resistance	7	
6.2 Withstand voltage	8	
6.3 Insulation faults	10	
6.4 Insulation volume resistivity	11	
7 Mechanical characteristics	11	
7.1 Pressure test at high temperature	11	
7.2 Strip force	13	
8 Low-temperature characteristics	14	
8.1 Winding	14	
8.2 Impact	16	
9 Resistance to abrasion	18	
9.1 Usage of test	18	
9.2 Sandpaper abrasion	18	
9.3 Scrape abrasion	20	
10 Heat ageing	22	
10.1 Long-term ageing, 3 000 h	22	
10.2 Short-term ageing, 240 h	23	
10.3 Thermal overload	23	
10.4 Shrinkage by heat	24	
11 Resistance to chemicals	25	
11.1 Compliance	25	
11.2 Fluid compatibility	25	
11.3 Durability of cable marking	27	

11.4	Resistance to ozone	27
11.5	Resistance to hot water	28
11.6	Temperature and humidity cycling	29
12	Resistance to flame propagation	31
12.1	Test sample	31
12.2	Apparatus	31
12.3	Procedure	31
12.4	Requirement	31
	Annex A (informative) Conductors	32
	Annex B (informative) Recommended colours	33
	Annex C (informative) High-volume cable constructions	34
	Annex D (informative) Sources for reference materials	36
	Bibliography	37