ISO 16474-3:2021 (E)

Paints and varnishes — Methods of exposure to laboratory light sources — Part 3: Fluorescent UV lamps

Contents

Foreword

Introduction

1 Scope

2 Normative references

3 Terms and definitions

4 Principle

5 Apparatus

- 5.1 Laboratory light source
- 5.2 Test chamber
- 5.3 Radiometer
- 5.4 Black-standard/black-panel thermometer
- 5.5 Wetting and humidity
- 5.5.1 General
- 5.5.2 Spray and condensation system
- 5.6 Specimen holders
- 5.7 Apparatus to assess changes in properties

6 Test specimens (panels)

- 6.1 General
- 6.2 Preparation and coating
- 6.3 Drying and conditioning
- 6.4 Thickness of coating
- 6.5 Number of test panels

7 Test conditions

- 7.1 General
- 7.2 Radiation
- 7.3 Temperature
- 7.4 Relative humidity of chamber air
- 7.5 Condensation and spray cycles
- 7.6 Complex cycles with dark periods
- 7.7 Sets of exposure conditions

8 Procedure and mounting of the test specimens

- 8.1 General
- 8.2 Exposure
- 8.3 Measurement of radiant exposure
- 8.4 Determination of changes in properties after exposure

9 Test report

Annex A (informative) Spectral distribution of radiation for typical fluorescent UV lamps

- A.1 General
- A.2 Representative spectral irradiance data
- A.2.1 Type 1A (UVA-340) and type 1B (UVA-351) fluorescent UV lamps
- A.2.2 Type 2 (UVB-313) fluorescent UV lamps

Page count: 16