ISO/TR 5602:2021-11 (E)

Sources of error in the use of electrochemical impedance spectroscopy for the investigation of coatings and other materials

Contents

Page

Foreword v

Introduction vi

1 Scope 1

2 Normative references 1

3 Termsanddefinitions 1

4 Error in the make-up of the measuring cell 1
4.1 Roughness of the surface 1
4.2 O-ring -- Considerations about the precise determination of the exposed area 3
4.3 Faulty cell make-up 7
4.3.1 Optically detectable leaks 7
4.3.2 Optically non-detectable causes 7
4.4 Reference electrodes 9
4.4.1 General information on the distance between the reference and working electrodes 9
4.4.2 Shielding 11
4.4.3 Air bubble in the reference electrode 11
4.4.4 Poisoning of the reference electrode 11
4.4.5 Bleeding of the reference electrode 11
4.5 Counter electrodes 11
4.5.1 Relative sizes 11
4.5.2 Reactive counter electrodes 11
4.6 Gas inclusions in the measuring cell 11

5 Faults caused by electronics incl. shielding 12
5.1 Faraday cage 12
5.2 Extended cable (without active shielding) 15
5.3 Cable breaks 16
5.4 Contact resistances between metallic contacts and the working electrode/counter electrode 17
5.5 Inductivities 18
5.6 Measurement range switching 19
5.7 Scattering signals in power supply 20
5.8 Insufficient signal-to-noise ratio 22
5.9 Influence of peripheral devices 22

6 Parameter selection, measurement range limits 24
6.1 Open-lead test 24
6.2 Note on dummy cells - ISO 16773-3 24
6.3 Unsuitable amplitude 24
6.4 Insufficient frequency range 26
6.5 Repetition rate for subsequent measurements 27

7 Non-stationary measurement conditions 28
7.1 General 28
7.2 Temperature fluctuations 29
7.3 Electrolytic conductivity 31
7.4 Swelling 31

7.5 Drifting OCP 31
7.6 Corroding working electrode 33
7.7 Reactive counter electrodes 33
7.8 Gas formation at the counter electrode 33

8 Design and selection of equivalent circuit diagrams 34
8.1 Constant phase element 34
8.2 Multiple possibilities for the selection of equivalent circuits 35
8.3 Warburg impedance 37

9 Significanceofmeasurementvaluesfromequivalentcircuits 37
9.1 Measurement uncertainty 37
9.2 Plausibility analysis 38

10 Interpretation of the measurement values of various coating systems 39
10.1 Pre-treatment 39
10.2 Film thickness and measurement surface 40
10.3 Number of layers 41
10.4 Conditioning 45
10.5 Generic type of binder 45

11 Presentation of data 45

Annex A (informative) Calculation of the coating capacitance 48

Annex B (informative)Furtherinformationontheinfluenceofthedouble-layercapacitance 49

Annex C (informative) Estimation of the order of magnitude of an apparent capacitance caused by corrosion 50

Bibliography 52