

DIN EN 15287-2:2008-06 (E)

Chimneys - Design, installation and commissioning of chimneys - Part 2: Chimneys for roomsealed appliances

Contents		Page
Foreword		5
1 Scope		6
2 Normative references		6
3 Terms and definitions		7
4 Design		9
4.1 General		9
4.2 Data requirements		9
4.2.1 Sources of data and information		9
4.2.2 Heating appliance information		9
4.2.3 Chimney system product specification		10
4.2.4 Building construction and chimney system route information		10
4.2.5 Local conditions		13
4.3 Design requirements		14
4.3.1 General		14
4.3.2 Chimney system designation		14
4.3.3 Properties of construction of the chimney		16
4.3.4 Chimney system sizing and characteristics for roomsealed applications		19
4.3.5 Chimney system route		19
4.3.6 Connecting flue pipe and connection air supply pipe route		19
4.3.7 Resistance to fire (external to external)		20
4.3.8 Distance to combustible material (Resistance to fire internal to external)		20
4.3.9 Accidental human contact		21
4.3.10 Accidental ignition of extraneous loose material		21
4.3.11 Supports		21
4.3.12 Joints		22
4.3.13 Chimney offset		22
4.3.14 Access for inspection, cleaning and measuring		22
4.3.15 Distance between openings in the chimney system		22
4.3.16 Back ventilation		23
4.3.17 Location of chimney outlet		23
4.3.18 External parts		24
4.3.19 Weatherproofing		24
4.3.20 Lightning protection		25
4.3.21 Earthing of chimney systems		25
4.3.22 Silencer		25
4.3.23 Condensate drainage system		25
4.3.24 Rain cap		25
4.3.25 Rainwater disposal		26
4.3.26 Terminals		26
4.4 Chimney plate and additional information		26
5 Installation		27
5.1 General		27
5.2 Construction of relined or converted chimney systems		27
5.3 Chimney plate		27
6 Commissioning/handover		28

Annex A (normative) Determination of the chimney and connecting flue pipe system designation and essential additional information for custom built, relined and converted chimney systems, for concentric flue/air supply duct configuration	29
A.1 General	29
A.2 Temperature class	29
A.3 Pressure class	40
A.4 Resistance to condensate class	40
A.5 Corrosion resistance class	40
A.6 Sootfire resistance class	40
A.7 Distance to combustible material	41
A.8 Thermal resistance of the flue duct	41
A.9 Coefficient of flow resistance of the flue duct	41
A.10 Thermal resistance of the air supply duct	41
A.11 Coefficient of flow resistance of the air supply duct	41
Annex B (informative) Information for the heating appliance(s)	42
Annex C (informative) Example of system chimney product designation	44
Annex D (informative) Correlation between designation parameters for clay/ceramic flue liners and clay/ceramic flue blocks and concrete flue blocks	45
Annex E (informative) Designation of metal system chimneys and correlation between metal liner material designation and corrosion load in Member States (MS)	47
Annex F (informative) Example of chimney system designation for roomsealed applications	53
Annex G (informative) Example for chimney system plate	54
G.1 Example of a concentric chimney system configuration plate	54
G.2 Example of a separate chimney system configuration plate	54
Annex H (normative) Determination of the chimney designation for a completed metal system chimney	55
H.1 General	55
H.2 Corrosion resistance class	55
Annex I (informative) Example of the determination of the designation of a converted/relined chimney system	56
I.1 Input data for a typical converted/relined chimney	56
I.1.1 Existing chimney	56
I.1.2 Liner	56
I.1.3 Insulation	56
I.2 Temperature class designation	57
I.2.1 General	57
I.2.2 Material characteristic	57
I.2.3 Fire protection	58
I.2.4 Human contact	59
I.2.5 Determination of temperature class	59
I.2.6 Check of mean temperatures	59
I.3 Pressure class designation	61
I.4 Resistance to condensate class designation	61
I.5 Corrosion resistance class designation	61
I.6 Sootfire resistance class	61
I.7 Distance to combustible material	61
I.8 Designation of the converted/relined chimney	62
I.9 Chimney plate of the converted/relined chimney in this annex	62

Annex J (informative) Example for the determination of the designation of a custom built chimney system	63
J.1 Input data for a custom-built chimney system	63
J.1.1 Liner	63
J.1.2 Insulation	63
J.1.3 Air supply duct	63
J.1.4 Combustible wall	63
J.2 Temperature class designation	64
J.2.1 General	64
J.2.2 Material characteristic	64
J.2.3 Resistance to fire	64
J.2.4 Human contact	66
J.2.5 Determination of temperature class	66
J.2.6 Check of mean temperatures	66
J.3 Pressure class designation	68
J.4 Resistance to condensate class designation	68
J.5 Corrosion resistance class designation	68
J.6 Sootfire resistance class	68
J.7 Distance to combustible material	68
J.8 Designation of the custom-built chimney	69
J.9 Chimney plate for the custom-built chimney in this annex	69
Annex K (informative) Location of outlets of chimney systems	70
Annex L (informative) Method for calculating the temperature of adjacent materials	75
L.1 Method for the calculation of the temperature of adjacent materials	75
L.2 Example for calculation of the temperature of adjacent materials	77
Annex M (informative) Checking, handling and site storage of materials and components	79
M.1 General	79
M.2 Checking, handling and site storage of materials and components	79
M.2.1 Checking on delivery of materials	79
M.2.2 Checking before installation	79
M.2.3 Check of existing chimney	79
M.2.4 Site handling and storage	79
M.2.5 Coordination of work	80
Annex N (informative) Chimney commissioning	81
N.1 General	81
N.2 Physical checks	81
N.3 Operational checks	82
N.3.1 Flue flow test	82
N.3.2 Smoke test	82
N.3.3 Gas tightness test	83
Method B: O₂ measurement in concentric air supply ducts for gas	83
Annex O (informative) Recommendations for inspection, cleaning and maintenance	85
O.1 General	85
O.2 Inspection and cleaning	85
O.3 Maintenance	85
Bibliography	86