

# DIN 4140:2008-03 (E)

## Insulation work on industrial installations and building equipment - Execution of thermal and cold insulations

---

| <b>Contents</b> |   | <b>Page</b> |
|-----------------|---|-------------|
| Foreword .....  |   | 6           |
| 1               | Scope .....   | 6           |
| 2               | Normative references .....  | 6           |
| 3               | Terms and definitions .....   | 10          |
| 4               | General requirements .....  | 15          |
| 4.1             | Principles .....  | 15          |
| 4.2             | Preconditions for construction .....  | 15          |
| 4.3             | Preconditions for beginning insulation work .....                           | 15          |
| 4.4             | Requirements for building materials and components .....                    | 17          |
| 4.5             | Requirements relating to execution .....                                    | 18          |
| 4.5.1           | General .....   | 18          |
| 4.5.2           | Prevention of convection .....  | 18          |
| 4.5.3           | Protection against ingress of water .....                                   | 19          |
| 4.5.4           | Removal of condensation from the inside of claddings of hot objects .....   | 20          |
| 4.5.5           | Thermal stress in reinforcing profiles .....                                | 20          |
| 4.5.6           | Longitudinal thermal expansion .....  | 20          |
| 4.5.7           | Inclusion of meteorological and traffic loads .....                         | 21          |
| 4.5.8           | Contact prevention .....  | 21          |
| 4.6             | Protection against corrosion .....  | 21          |
| 4.7             | Fire protection .....   | 22          |
| 5               | Insulation of hot objects .....   | 22          |
| 5.1             | Insulation materials and their workmanship .....                            | 22          |
| 5.1.1           | General .....   | 22          |
| 5.1.2           | Insulation with mineral wool (MW) .....                                     | 23          |
| 5.1.3           | Insulation with calcium-magnesium-silicate fibre (CMS) .....                | 25          |
| 5.1.4           | Insulation with ceramic fibres .....  | 25          |
| 5.1.5           | Insulation with calcium silicate (CS) .....                                 | 26          |
| 5.1.6           | Insulation with silicate wool .....   | 26          |
| 5.1.7           | Insulation with microporous insulants .....                                 | 27          |
| 5.1.8           | Insulation with polyurethane/polyisocyanurate rigid foam (PUR/PIR) .....    | 28          |
| 5.1.9           | Insulation with polyurethane in-situ foam (PUR) .....                       | 29          |
| 5.1.10          | Insulation with expanded polystyrene foam (EPS) .....                       | 29          |
| 5.1.11          | Insulation with extruded polystyrene foam (XPS) .....                       | 29          |
| 5.1.12          | Insulation with cellular glass (CG) .....                                   | 30          |
| 5.1.13          | Insulation with flexible elastomeric foam (FEF) .....                       | 31          |
| 5.1.14          | Insulation with polyethylene foam (PEF) .....                               | 31          |
| 5.1.15          | Insulation with phenolic foam (PF) .....                                    | 32          |
| 5.1.16          | Insulation with melamine resin foam .....                                   | 32          |
| 5.1.17          | Insulation with expanded perlite (EP) .....                                 | 32          |
| 5.2             | Means of fastening insulation .....   | 32          |
| 5.3             | Expansion joints .....  | 32          |
| 5.4             | Examples of hot insulation systems .....                                    | 32          |
| 5.5             | Hot insulation systems with sound insulation requirements .....             | 32          |
| 5.6             | Examples of hot insulation systems with sound insulation requirements ..... | 33          |
| 6               | Cold insulation .....   | 33          |

|        |   |    |
|--------|---|----|
| 6.1    | Insulation materials and their workmanship .....                              | 33 |
| 6.1.1  | General .....   | 33 |
| 6.1.2  | Cold insulation with mineral wool (MW) and other fibrous insulants .....      | 33 |
| 6.1.3  | Cold insulation with polyurethane/polyisocyanurate rigid foam (PUR/PIR) ..... | 34 |
| 6.1.4  | Cold insulation with polyurethane in-situ foam (PUR) .....                    | 34 |
| 6.1.5  | Cold insulation with expanded polystyrene foam (EPS) .....                    | 34 |
| 6.1.6  | Cold insulation with extruded polystyrene foam (XPS) .....                    | 34 |
| 6.1.7  | Cold insulation with cellular glass (CG) .....                                | 34 |
| 6.1.8  | Cold insulation with elastomeric foam (FEF) .....                             | 34 |
| 6.1.9  | Cold insulation with polyethylene foam (PEF) .....                            | 35 |
| 6.1.10 | Cold insulation with phenolic foam (PF) .....                                 | 35 |
| 6.1.11 | Cold insulation with expanded perlite (EP) .....                              | 35 |
| 6.2    | Means of fastening cold insulation systems .....                              | 35 |
| 6.2.1  | General .....   | 35 |
| 6.2.2  | Adhesives .....   | 35 |
| 6.2.3  | Mechanical fastening .....  | 36 |
| 6.3    | Vapour retarders .....  | 36 |
| 6.3.1  | Materials for vapour retarders .....  | 36 |
| 6.3.2  | Execution .....   | 36 |
| 6.4    | Expansion joints .....  | 37 |
| 6.5    | Examples of cold insulation systems .....                                     | 38 |
| 6.6    | Cold insulation with sound insulation requirements .....                      | 38 |
| 6.7    | Examples of cold insulation systems with sound insulation requirements .....  | 38 |
| 7      | Insulation of installations with alternating temperatures .....               | 38 |
| 8      | Other components of insulation systems .....                                  | 39 |
| 8.1    | Supporting structures .....   | 39 |
| 8.1.1  | General .....   | 39 |
| 8.1.2  | Dimensioning and design .....   | 39 |
| 8.2    | Spacer-ring constructions .....   | 39 |
| 8.2.1  | General .....   | 39 |
| 8.2.2  | Dimensioning .....  | 39 |
| 8.2.3  | Spacer-ring constructions for hot insulations .....                           | 40 |
| 8.2.4  | Spacer-ring constructions for cold insulations .....                          | 40 |
| 8.3    | Claddings .....   | 41 |
| 8.3.1  | General .....   | 41 |
| 8.3.2  | Claddings made of flat sheets .....   | 42 |
| 8.3.3  | Claddings made of profiled sheet metal .....                                  | 44 |
| 8.3.4  | Execution .....   | 44 |
| 8.3.5  | Cladding sheets .....   | 45 |
| 8.3.6  | Claddings for prefabricated insulated pipe systems .....                      | 47 |
| 8.3.7  | Mastic .....  | 47 |
| 8.3.8  | Bitumen-based claddings .....   | 47 |
| 8.3.9  | Cladding of rigid plastic sheeting .....                                      | 47 |
| 8.3.10 | Claddings of embossed aluminium foils .....                                   | 48 |
| 8.3.11 | Other casings .....   | 48 |
| 8.4    | Insulation of pipe fittings .....   | 48 |
| 8.4.1  | General .....   | 48 |
| 8.4.2  | Removable boxes and caps .....  | 49 |
| 8.4.3  | Cold insulation for expansion compensators .....                              | 51 |
| 8.4.4  | Cold insulation on flanges .....  | 51 |
| 8.4.5  | Cold insulation at fittings .....   | 52 |
| 8.4.6  | Name plates .....   | 53 |
| 8.4.7  | Cooling zones/tracer heating systems located on the outside .....             | 53 |
| 8.5    | Bolsters .....  | 54 |
| 8.5.1  | General .....   | 54 |
| 8.5.2  | Materials for bolsters .....  | 54 |
| 8.5.3  | Execution of supports in cold insulations .....                               | 54 |
|        | Annex A (informative) Design of hot and cold insulation systems .....         | 57 |

|  |           |
|--|-----------|
| <b>Annex B (informative) Reference values for insulation material properties .....</b>   | <b>67</b> |
| <b>Annex C (informative) Means of fastening for insulation materials .....</b>   | <b>74</b> |
| <b>Annex D (informative) Examples of cold insulation design .....</b>  | <b>76</b> |
| <b>Bibliography .....</b>  | <b>85</b> |
| <b>Figures Figure 1 - Minimum distances between insulated objects and between insulated objects and other components of vessels, installations, columns and tanks .....</b>                      | <b>16</b> |
| <b>Figure 2 - Minimum distances between insulated objects and between insulated objects and other components of pipe systems .....</b>   | <b>16</b> |
| <b>Figure 3 - Minimum dimensions and distances of insulated objects; pipes with flanges .....</b>  | <b>17</b> |
| <b>Figure 4 - Fastening using pins and clips (using the example of boiler or duct wall insulation a) with and b) without air gap) .....</b>  | <b>27</b> |
| <b>Figure 5 - Expansion joint in vertical position (insulation material: cellular glass) .....</b>   | <b>37</b> |
| <b>Figure 6 - Expansion joints in objects in horizontal position .....</b>   | <b>38</b> |
| <b>Figure 7 - Number and location of lever fasteners for removable boxes .....</b>   | <b>50</b> |
| <b>Figure 8 - Cold insulation for expansion compensator .....</b>  | <b>51</b> |
| <b>Figure 9 - Cold insulation of flanges .....</b>   | <b>52</b> |
| <b>Figure 10 - Cold insulation of pipe fitting .....</b>   | <b>53</b> |
| <b>Figure 11 - Loose support for horizontal and vertical pipes, pipe insulation of polyurethane (PUR) in-situ foam or polyurethane (PUR) semi-sections (with or without shiplap edges) .....</b> | <b>55</b> |
| <b>Figure 12 - Loose supports for horizontal and vertical pipes, bolsters made of section segments, pipe insulation made of polyurethane (PUR) in-situ foam .....</b>                            | <b>55</b> |
| <b>Figure 13 - Pipe supports .....</b>   | <b>56</b> |
| <b>Figure D.1 - Supports for horizontal vessels (insulated bolsters in the saddle) .....</b>   | <b>76</b> |
| <b>Figure D.2 - Supports for horizontal vessels .....</b>  | <b>76</b> |
| <b>Figure D.3 - Loose support with sliding board - Detail from Figure D.2 .....</b>  | <b>77</b> |
| <b>Figure D.4 - Fixed points without sliding board - Detail from Figure D.2 .....</b>  | <b>77</b> |
| <b>Figure D.5 - Support for vertical vessels with outriggers .....</b>   | <b>77</b> |
| <b>Figure D.6 - Support for vertical vessels .....</b>   | <b>77</b> |
| <b>Figure D.7 - Anchoring at the fixed point - Detail from Figure D.4 .....</b>  | <b>78</b> |
| <b>Figure D.8 - Detail from Figures D.5 and D.6 .....</b>  | <b>78</b> |
| <b>Figure D.9 - Horizontal section through column with penetrations .....</b>  | <b>79</b> |
| <b>Figure D.10 - Supports for vessels with even base (with surface completely resting on insulation material) .....</b>  | <b>80</b> |
| <b>Figure D.11 - Supports for vessels with even base (ring support) .....</b>  | <b>81</b> |

|  |           |
|--|-----------|
| <b>Figure D.12 - Supports for double-wall tank .....</b>   | <b>82</b> |
| <b>Figure D.13 - Supports for double-wall tank (outer tank closed) .....</b>   | <b>83</b> |
| <b>Figure D.14 - Support for spherical tank .....</b>  | <b>84</b> |
| <b>Tables Table 1 - Contact corrosion of metal combinations .....</b>  | <b>22</b> |
| <b>Table 2 - Standard fastenings for mats .....</b>  | <b>23</b> |
| <b>Table 3 - Materials for spacer-ring constructions and bolsters in cold insulations systems<br/>(reference values) .....</b>     | <b>41</b> |
| <b>Table 4 - Allowable temperatures for cladding materials .....</b>   | <b>42</b> |
| <b>Table 5 - Sheet thicknesses, overlaps and fasteners for claddings made of flat sheets .....</b>                                 | <b>43</b> |
| <b>Table 6 - Sheet thicknesses and overlaps for claddings not subjected to mechanical stressing .....</b>                          | <b>43</b> |
| <b>Table 7 - Sheet thicknesses for flat claddings with a maximum cross-sectional dimension &gt; 1 500<br/>mm or 1 500 mm .....</b> | <b>43</b> |
| <b>Table 8 - Commonly used sheet metal for claddings .....</b>   | <b>46</b> |
| <b>Table 9 - Sheet thicknesses for removable boxes and caps made of steel and lengths of lever<br/>fasteners .....</b>             | <b>50</b> |
| <b>Table 10 - Sheet thicknesses for removable boxes and caps of aluminium sheet and lengths of<br/>lever fasteners .....</b>       | <b>50</b> |
| <b>Table A.1 - Design of hot insulation systems .....</b>  | <b>57</b> |
| <b>Table A.2 - Design of hot insulation systems with sound insulation requirements .....</b>                                       | <b>62</b> |
| <b>Table A.3 - Design of cold insulation systems .....</b>   | <b>64</b> |
| <b>Table A.4 - Design of cold insulation systems with sound insulation requirements .....</b>                                      | <b>66</b> |
| <b>Table B.1 - Reference values for insulation material properties .....</b>   | <b>67</b> |
| <b>Table C.1 - Means of fastening for insulation materials .....</b>   | <b>74</b> |