

DIN EN 15620:2010-05 (E)

Steel static storage systems - Adjustable pallet racking - Tolerances, deformations and clearances

Contents		Page
Foreword		5
Introduction		6
1	Scope	7
2	Normative references	7
3	Terms and definitions	8
4	Racking classes	13
4.1	General	13
4.2	Class 100, Stacker crane	13
4.3	Class 200, Stacker crane	14
4.4	Class 300, Very narrow aisle	14
4.4.1	General	14
4.4.2	Class 300A, Very narrow aisle	15
4.4.3	Class 300B, Very narrow aisle	15
4.5	Class 400, Wide aisle and narrow aisle	15
4.5.1	Class 400, Wide aisle	15
4.5.2	Class 400, Narrow aisle	15
5	Wide aisle and narrow aisle - Class 400	17
5.1	Floor tolerances	17
5.1.1	Definition of E	17
5.1.2	Limiting values for E	18
5.2	Installation tolerances	19
5.3	Deformation limits	22
5.3.1	Floor deformations	22
5.3.2	Beam deformation limits in the Y direction	22
5.3.3	Frame deformations in the X and Z directions	22
5.4	Clearances for unit loads and truck handling equipment	22
5.4.1	Clearances relating to the placement of unit loads	22
5.4.2	Horizontal lateral and vertical clearances in a bay	23
5.4.3	Horizontal clearance in the depth	25
5.4.4	Aisle width dimensions	27
5.4.5	Clearances for gangways	28
6	Very narrow aisle - Class 300	29
6.1	Floor tolerances	29
6.1.1	Definition of E, Z and ZSLOPE	29
6.1.2	Definition dZ and dX	29
6.1.3	Definition d Z and d X	30
6.1.4	Limiting values of properties	31
6.2	Installation tolerances	32
6.2.1	General	32
6.2.2	Tolerance field of frames in X direction	36
6.3	Deformation limits	36
6.3.1	Floor deformations	36
6.3.2	Beam deformation limits in the Y direction	36
6.3.3	Frame deformations	37

6.3.4	Guide rail deformation	37
6.4	Clearances for unit loads and truck handling equipment	37
6.4.1	Clearances relating to the placement of unit loads	37
6.4.2	Horizontal and vertical clearances in a bay	38
6.4.3	Horizontal clearance in the depth	39
6.5	Aisle width dimensions	42
6.5.1	Minimum aisle clearance for truck and load	42
6.5.2	Lowest unit load	42
6.6	Pick up and deposit stations	42
7	Stacker crane classes 100 and 200	42
7.1	Floor tolerances	42
7.1.1	Interdependence of rack and crane on local floor level variation	42
7.1.2	Floor Levelness for stacker crane floors	42
7.2	Installation tolerances	43
7.2.1	General	43
7.2.2	Tolerance field of frames in X direction	48
7.2.3	Rail fabrication and assembly tolerances	48
7.3	Deformation limits	49
7.3.1	Slab deformation due to settling and slab deflection	49
7.3.2	Beam deformation limitations in the Y direction	49
7.3.3	Top guide rail deformations	50
7.3.4	Frame deformations in the X and Z directions	51
7.3.5	Frame deformations in the X and Z directions for clad rack buildings and wind loads	52
7.3.6	Elastic shortening of uprights	54
7.4	Clearances for unit loads and crane handling equipment	54
7.5	Safety backstop deformations	54
7.5.1	Deformations	54
7.5.2	Clearances	54
8	Warehouse tolerances and deformations	54
Annex A (informative) Adjustable pallet racking components		55
Annex B (informative) General safety philosophy		57
B.1	General	57
B.2	Wide and narrow aisle width manoeuvring clearance	58
B.3	Intrusive stacking	58
B.4	Environments with additional risk	59
B.5	Truck requirements	59
B.6	Floor tolerances and deformations	60
B.6.1	General	60
B.6.2	Sloping floors	61
B.6.3	MHE lean	61
Annex C (informative) Racking measurement surveys		63
C.1	General	63
C.2	Agreed grid lines and datum's	63
C.3	Principal grid lines and datum's	63
C.4	Measurement survey reports	63
C.4.1	General	63
C.4.2	Measuring conditions	63
Annex D (informative) Effects of beam hogging and sagging deformations on clearances		64
D.1	Effects of beam hogging and sagging deformations on clearances X3, X4 and Y1, Y2 and Y3 for non cantilevered beams	64
D.2	Effects of beam hogging and sagging deformations on X3 X4 and Y1, Y2 and Y3 for cantilevered beams (P and D stations)	68

Annex E (informative) Additional information for determining dimensions and clearances in the depth of the rack (Z direction)	69
E.1 Placement tolerances in the depth of the rack	69
E.2 Larger values of Z2a and Z2b	70
Annex F (informative) Additional information for very narrow aisle trucks in adjustable pallet racking	72
F.1 General	72
F.2 Considerations for the Z direction	72
F.3 Considerations in the Y direction	73
F.4 Height selection device	73
F.5 Pick up and deposit (P and D) stations	73
Annex G (informative) Consideration of tolerances and deformations in determining clearances	74
G.1 General	74
G.2 Storage systems other than single deep adjustable pallet racking	74
Annex H (informative) Top guide rail tolerance recommendations	75
Bibliography	76