

DIN EN ISO 10077-1:2010-05 (E)

Thermal performance of windows, doors and shutters - Calculation of thermal transmittance - Part 1: General (ISO 10077-1:2006 + Cor. 1:2009) (includes Corrigendum AC:2009)

| Contents | | Page |
|--|--|-------------|
| Foreword | | 3 |
| Introduction | | 4 |
| 1 | Scope | 5 |
| 2 | Normative references | 6 |
| 3 | Terms, definitions, symbols and units | 6 |
| 3.1 | Terms and definitions | 6 |
| 3.2 | Symbols and units | 7 |
| 3.3 | Subscripts | 7 |
| 4 | Geometrical characteristics | 7 |
| 4.1 | Glazed area, opaque panel area | 7 |
| 4.2 | Total visible perimeter of the glazing | 7 |
| 4.3 | Frame areas | 8 |
| 4.4 | Window area | 9 |
| 5 | Calculation of thermal transmittance | 11 |
| 5.1 | Windows | 11 |
| 5.2 | Glazing | 14 |
| 5.3 | Windows with closed shutters | 15 |
| 5.4 | Doors | 16 |
| 6 | Input data | 18 |
| 7 | Report | 18 |
| 7.1 | Contents of report | 18 |
| 7.2 | Drawing of sections | 18 |
| 7.3 | Drawing of the whole window or door | 19 |
| 7.4 | Values used in the calculation | 19 |
| 7.5 | Presentation of results | 19 |
| Annex A (normative) Internal and external surface thermal resistances | | 20 |
| Annex B (normative) Thermal conductivity of glass | | 21 |
| Annex C (informative) Thermal resistance of air spaces between glazing and thermal transmittance of coupled, double or triple glazing | | 22 |
| Annex D (informative) Thermal transmittance of frames | | 24 |
| Annex E (normative) Linear thermal transmittance of frame/glazing junction | | 30 |
| Annex F (informative) Thermal transmittance of windows | | 32 |
| Annex G (informative) Additional thermal resistance for windows with closed shutters | | 37 |
| Annex H (informative) Permeability of shutters | | 38 |
| Bibliography | | 40 |