

# ISO 4898:2010-03 (E)

## Rigid cellular plastics - Thermal insulation products for buildings - Specifications

---

| <b>Contents</b>  |   | <b>Page</b> |
|--|---|-------------|
| Foreword .....   |   | iv          |
| <b>1</b>   | <b>Scope .....</b>  | <b>1</b>    |
| <b>2</b>   | <b>Normative references .....</b>                         | <b>1</b>    |
| <b>3</b>   | <b>Terms and definitions .....</b>                        | <b>2</b>    |
| <b>4</b>   | <b>Sizes and dimensional-tolerance requirements .....</b> | <b>3</b>    |
| <b>5</b>   | <b>Physical-property requirements .....</b>               | <b>4</b>    |
| <b>5.1</b>   | <b>Categories .....</b>                                   | <b>4</b>    |
| <b>5.2</b>   | <b>Subcategories .....</b>                                | <b>4</b>    |
| <b>5.3</b>   | <b>Limiting quality values .....</b>                      | <b>4</b>    |
| <b>5.4</b>   | <b>Burning characteristics .....</b>                      | <b>4</b>    |
| <b>6</b>   | <b>Sampling .....</b>                                     | <b>4</b>    |
| <b>7</b>   | <b>Conditioning .....</b>                                 | <b>5</b>    |
| <b>7.1</b>   | <b>Sample panels .....</b>                                | <b>5</b>    |
| <b>7.2</b>   | <b>Specimens .....</b>                                    | <b>5</b>    |
| <b>8</b>   | <b>Test methods .....</b>                                 | <b>5</b>    |
| <b>8.1</b>   | <b>Linear dimensions .....</b>                            | <b>5</b>    |
| <b>8.2</b>   | <b>Density .....</b>                                      | <b>5</b>    |
| <b>8.3</b>   | <b>Compressive strength .....</b>                         | <b>5</b>    |
| <b>8.4</b>   | <b>Thermal conductivity and resistance .....</b>          | <b>6</b>    |
| <b>8.5</b>   | <b>Dimensional stability .....</b>                        | <b>6</b>    |
| <b>8.6</b>   | <b>Compressive creep at elevated temperature .....</b>    | <b>6</b>    |
| <b>8.7</b>   | <b>Water vapour permeability .....</b>                    | <b>6</b>    |
| <b>8.8</b>   | <b>Water absorption .....</b>                             | <b>6</b>    |
| <b>8.9</b>   | <b>Bending load at break .....</b>                        | <b>7</b>    |
| <b>9</b>   | <b>Conformity control .....</b>                           | <b>7</b>    |
| <b>10</b>  | <b>Labelling and marking of products .....</b>            | <b>7</b>    |
| <b>11</b>  | <b>Reporting requirements .....</b>                       | <b>7</b>    |
| <b>Annex A (normative) Amendments to ISO 12576-1 .....</b> |   | <b>12</b>   |
| <b>Bibliography .....</b>                                  |   | <b>14</b>   |