DIN 18008-1:2010-12 (E)

Glass in building - Design and construction rules - Part 1: Terms and general bases

Contents

Page

Foreword 4

1 Scope 5

2 Normative references 5

3 Terms and definitions, symbols and units 6
3.1 Terms and definitions 6
3.2 Symbols 6

4 Safety concept 7
4.1 General 7
4.2 Design by testing 7

5 Construction materials 7
5.1 Glass 7
5.1.1 Products 7
5.1.2 Material properties 8
5.1.3 Strength properties and fracture pattern 8
5.1.4 Edge damage 8
5.2 Interlayers in contact with the glass 8

6 Actions 9
6.1 External loads 9
6.2 Insulating glass units 9
6.2.1 Pressure differences 9
6.2.2 Combinations of actions 9

7 Determination of stresses and deformations 10
7.1 General 10
7.2 Shear interaction 10
7.3 Insulating glass units 10

8 Verification of load-bearing capacity and serviceability 11
8.1 General 11
8.2 Design values 11
8.3 Ultimate limit states 11
8.4 Serviceability limit states 13

9 Verification of residual load-bearing capacity 13
9.1 General 13
9.2 Structural provisions and verifications 13

10 General structural provisions 14
10.1 Glass support 14
10.2 Glass drill holes and recesses 14

Annex A (informative) Explanations regarding the minimum values of climatic actions 15

A.1 Action combination "summer" 15
A.1.1 Installation conditions: 15
A.1.2 Conditions of production: 15

A.2 Action combination "winter" 15
A.2.1 Installation conditions: 15
A.2.2 Conditions of production: 15

Tables Table 1 -- Symbols, designations and units 6

Table 2 -- Material properties for different types of glass 8

Table 3 -- Combinations of actions 9

Table 4 -- Consideration of special temperature conditions present at the place of installation 10

Table 5 -- Factors 12

Table 6 -- Calculation values for modification factor kmod 12