DIN EN ISO 19142:2011-04 (E)

Geographic information - Web Feature Service (ISO 19142:2010)

Contents

Page

Foreword 10

Introduction 11

1 Scope 12

2 Conformance 13

3 Normative references 14

4 Terms and definitions 15

5 Conventions 19
5.1 Abbreviated terms 19
5.2 Use of examples 20
5.3 XML schemas 20
5.4 UML Notation 20
5.4.1 Class diagrams 20
5.4.2 State machine notation 21

6 Basic service elements 22
6.1 Introduction 22
6.2 Version numbering and negotiation 22
6.2.1 Version number form and value 22
6.2.2 Appearance in service metadata and in requests 22
6.2.3 Version number negotiation 22
6.2.4 Request encoding 22
6.2.5 KVP parameter encoding rules 23
6.3 Namespaces 24
6.4 Service bindings 24

7 Common elements 24
7.1 Encoding of features 24
7.2 Resource identifiers 24
7.2.1 Assigning resource identifiers 24
7.2.2 Encoding resource identifiers 25
7.2.3 Version identification 25
7.3 Property references 25
7.3.1 XPath subset 25
7.3.2 Accessor function 25
7.4 Predicate expression encoding 26
7.5 Exception reporting 26
7.6 Common request parameters 28
7.6.1 Introduction 28
7.6.2 Base request type 28
7.6.3 Standard presentation parameters 30
7.6.4 Standard resolve parameters 33
7.6.5 Standard input parameters 36
7.6.6 Additional common keywords for KVP-encoded requests 37
7.7 Standard response parameters 38
7.7.1 Parameter semantics 38
7.7.2 XML encoding 38

7.7.3 KVP encoding 38
7.7.4 Parameter discussion 38
7.8 Use of the schemaLocation attribute 41
7.9 Query expressions 41
7.9.1 Introduction 41
7.9.2 Ad hoc query expression 41
7.9.3 Stored query expression 51

8 GetCapabilities operation 53
8.1 Introduction 53
8.2 Request 54
8.2.1 Request semantics 54
8.2.2 XML encoding 54
8.2.3 KVP encoding 54
8.3 Response 54
8.3.1 Response semantics 54
8.3.2 XML encoding 55
8.3.3 Capabilities document 56
8.3.4 FeatureTypeList section 59
8.3.5 Parameters domains and constraints 59
8.4 Extension points 63
8.5 Exceptions 65

9 DescribeFeatureType operation 65
9.1 Introduction 65
9.2 Request 65
9.2.1 Request semantics 65
9.2.2 XML Encoding 65
9.2.3 KVP Encoding 66
9.2.4 Parameter discussion 66
9.3 Response 67
9.3.1 Introduction 67
9.3.2 Supporting multiple namespaces 67
9.4 Exceptions 68

10 GetPropertyValue operation 68
10.1 Introduction 68
10.2 Request 68
10.2.1 Request semantics 68
10.2.2 XML Encoding 69
10.2.3 KVP Encoding 69
10.2.4 Parameter discussion 69
10.3 Response 71
10.3.1 Response semantics 71
10.3.2 XML encoding 71
10.3.3 State parameter 72
10.3.4 Standard response parameters 72
10.4 Exceptions 72

11 GetFeature operation 73
11.1 Introduction 73
11.2 Request 73
11.2.1 Request semantics 73
11.2.2 XML encoding 74
11.2.3 KVP encoding 74
11.2.4 Parameter discussions 75
11.3 Response 75
11.3.1 Response semantics 75
11.3.2 XML encoding 76
11.3.3 Parameter discussions 77
11.3.4 Additional objects 80
11.3.5 GetFeatureById response 80

11.4 Exceptions 81

12 LockFeature operation 81
12.1 Introduction 81
12.2 Request 81
12.2.1 Request semantics 81
12.2.2 XML encoding 82
12.2.3 KVP encoding 82
12.2.4 Parameter discussions 83
12.2.5 State machine for WFS locking 83
12.3 Response 85
12.3.1 Response semantics 85
12.3.2 XML encoding 85
12.4 Exceptions 86

13 GetFeatureWithLock operation 86
13.1 Introduction 86
13.2 Request 86
13.2.1 Request semantics 86
13.2.2 XML encoding 86
13.2.3 KVP encoding 87
13.2.4 Parameter discussion 87
13.3 Response 88
13.3.1 Introduction 88
13.3.2 lockId parameter 88
13.4 Exceptions 88

14 Stored query management 88
14.1 Introduction 88
14.2 Defining stored queries 89
14.2.1 XML encoding 89
14.2.2 Parameter discussion 89
14.3 ListStoredQueries operation 92
14.3.1 Request semantics 92
14.3.2 XML encoding 93
14.3.3 KVP encoding 93
14.3.4 Response 93
14.3.5 Exceptions 94
14.4 DescribeStoredQueries operations 94
14.4.1 Request semantics 94
14.4.2 XML encoding 94
14.4.3 KVP encoding 95
14.4.4 Response 95
14.5 CreateStoredQuery operation 96
14.5.1 Request semantics 96
14.5.2 XML encoding 96
14.5.3 KVP encoding 96
14.5.4 Parameter discussions 96
14.5.5 Response 97
14.6 DropStoredQuery operations 97
14.6.1 Request semantics 97
14.6.2 XML encoding 98
14.6.3 KVP encoding 98
14.6.4 Response 98
14.7 Exceptions 98

15 Transaction operation 99
15.1 Introduction 99
15.2 Request 99
15.2.1 Request semantics 99
15.2.2 XML encoding 100
15.2.3 Parameter discussions 101

15.2.4 Insert action 102
15.2.5 Update action 103
15.2.6 Replace action 105
15.2.7 Delete action 105
15.2.8 Native action 106
15.3 Response 107
15.3.1 Response semantics 107
15.3.2 TransactionResponse element 107
15.3.3 TransactionSummary element 108
15.3.4 InsertResults element 108
15.3.5 UpdateResults element 109
15.3.6 ReplaceResults element 109
15.4 Exceptions 109

Annex A (normative) Conformance testing 110

A.1 Conformance classes 110
A.1.1 Simple WFS 110
A.1.2 Basic WFS 110
A.1.3 Transactional WFS 110
A.1.4 Locking WFS 111
A.1.5 HTTP GET 111
A.1.6 HTTP POST 111
A.1.7 SOAP 111
A.1.8 Inheritance 112
A.1.9 Remote resolve 112
A.1.10 Response paging 112
A.1.11 Standard joins 112
A.1.12 Spatial joins 112
A.1.13 Temporal joins 113
A.1.14 Feature versions 113
A.1.15 Manage stored queries 113
A.2 Basic tests 113
A.2.1 Version negotiation 113
A.2.2 Lists version number 2.0.0 as a supported request version number 114
A.2.3 Invalid version number 114
A.2.4 Version negotiation for the GetCapabilities request 114
A.2.5 Response to XML- and KVP-encoded. requests 114
A.2.6 Parameter ordering and case 115
A.2.7 Unrecognized parameters 115
A.2.8 Server operates on GML features 115
A.2.9 Feature identifiers 116
A.2.10 Invariant identifier 116
A.2.11 Versioning 116
A.2.12 XPath subset 117
A.2.13 Predicate encoding 117
A.2.14 Exception reporting 117
A.2.15 Common request parameters 118
A.2.16 Standard presentation parameters 119
A.2.17 Standard resolve parameters 120
A.2.18 Standard input parameters 123
A.2.19 Standard response parameters 124
A.2.20 Response paging 125
A.2.21 schemaLocation parameter 126
A.2.22 Query expressions 126
A.2.23 Declaring conformance 131

Annex B (informative) Examples 132

B.1 Exception report example 132
B.2 DescribeFeatureType examples 132
B.2.1 Example 1 132

B.2.2 Example 2 135
B.3 GetFeature examples 139
B.3.1 Introduction 139
B.3.2 Example 1 139
B.3.3 Example 2 139
B.3.4 Example 3 140
B.3.5 Example 4 140
B.3.6 Example 5 142
B.3.7 Example 6 142
B.3.8 Example 7 142
B.3.9 Example 8 143
B.3.10 Example 9 145
B.3.11 Example 10 147
B.3.12 Example 11 148
B.3.13 Example 12 149
B.3.14 Example 13 150
B.3.15 Example 14 153
B.3.16 Example 15 154
B.3.17 Example 16 154
B.3.18 Example 17 155
B.3.19 Example 18 156
B.3.20 Example 19 156
B.4 GetPropertyValue examples 157
B.4.1 Introduction 157
B.4.2 Example 1 158
B.4.3 Example 2 160
B.4.4 Example 3 160
B.4.5 Example 4 162
B.4.6 Example 5 163
B.4.7 Example 6 1564
B.4.8 Example 7 165
B.4.9 Example 8 165
B.4.10 Example 9 166
B.5 LockFeature examples 167
B.5.1 Example 1 167
B.5.2 Example 2 168
B.5.3 Example 3 168
B.5.4 Example 4 169
B.6 Transaction examples 170
B.6.1 Insert example 170
B.6.2 Update examples 171
B.6.3 Delete examples 173
B.6.4 Mixed transaction example 174
B.6.5 Transaction response example 177
B.7 GetCapabilities example 178
B.8 KVP examples 193
B.8.1 Conventions 193
B.8.2 DescribeFeatureType examples 193
B.8.3 GetPropertyValue examples 194
B.8.4 GetFeature examples 196
B.8.5 LockFeature examples 201

Annex C (informative) Consolidated XML schema 203

C.1 Introduction 203
C.2 wfs.xsd 203

Annex D (normative) Service bindings 214

D.1 Introduction 214
D.2 HTTP GET and POST binding 214
D.3 HTTP status codes 214

D.4 SOAP binding 215
D.4.1 Introduction 215
D.4.2 SOAP Envelope 216
D.4.3 SOAP Header 216
D.4.4 SOAP Body 216
D.4.5 Encoding XML Schema in a SOAP Body 217
D.4.6 SOAP Fault 218
D.4.7 SOAP HTTP Binding 219

Annex E (normative) Web Service Description Language (WSDL) 219

E.1 Introduction 220
E.2 WFS Operations in WSDL 220
E.3 SOAP Binding 220
E.4 Binding style 221
E.5 Service 222
E.6 Service description using WSDL 222
E.6.1 Introduction 222
E.6.2 wfs-xml-interfaces.wsdl 222
E.6.3 wfs-kvp-interfaces.wsdl 224
E.6.4 wfs-responses.wsdl 226
E.6.5 wfs-http-bindings.wsdl 226
E.6.6 wfs-kvp-bindings.wsdl 229
E.6.7 wfs-soap-bindings.wsdl 230
E.6.8 Ancillary files 232
E.6.9 Examples (informative) 237

Annex F (informative) Abstract model 240

F.1 Overview 240
F.2 Abstract Resource Model 240
F.2.1 Introduction 240
F.2.2 Basic Accessor Functions 244
F.3 Mapping of the General Feature Model (GFM) to the WFS Abstract Model 242
F.4 Identifiers 242
F.5 valueOf() function 242
F.6 WFS Operations 242
F.6.1 Introduction 242
F.6.2 featureTypeNameList() function 243
F.6.3 featureType() function 243
F.6.4 Query function 243
F.6.5 propertyValue() function 244
F.6.6 lock() function 245
F.6.7 transaction() function 245
F.6.8 Stored query operations 246
F.7 WFS Operations 247
F.8 Conceptual schema 247

Bibliography 249

Figures Figure 1 -- UML notation in class diagrams 20

Figure 2 -- Summary of UML state diagram notations 21

Figure 3 -- BaseRequest 28

Figure 4 -- StandardPresentationParameters 30

Figure 5 -- StandardResolveParameters 33

Figure 6 -- StandardInputParameters 36

Figure 7 -- StandardResponseParameters 38

Figure 8 -- Ad hoc query expression 42

Figure 9 -- Query projection clause 46

Figure 10 -- Query sorting clause 50

Figure 11 -- StoredQuery 52

Figure 12 -- GetCapabilities request 54

Figure 13 -- GetCapabilities response 54

Figure 14 -- DescribeFeatureType request 65

Figure 15 -- GetPropertyValue request 68

Figure 16 -- GetPropertyValue response 71

Figure 17 -- GetFeature request 74

Figure 18 -- GetFeature response 76

Figure 19 -- LockFeature request 81

Figure 20 -- State diagram for a WFS lock 84

Figure 21 -- LockFeature response 85

Figure 22 -- GetFeatureWithLock request 86

Figure 23 -- ListStoredQueries request 92

Figure 24 -- ListStoredQueriesResponse 93

Figure 25 -- DescribeStoredQueries request 94

Figure 26 -- DescribeStoredQueriesResponse 95

Figure 27 -- CreateStoredQuery request 96

Figure 28 -- CreateStoredQuery response 97

Figure 29 -- DropStoredQuery request 97

Figure 30 -- Transaction request 90

Figure 31 -- Transaction response 107

Figure F.1 -- Web Feature Service interfaces overview 248

Tables Table 1 -- Conformance Classes 13

Table 2 -- Operation request encoding 23

Table 3 -- WFS exception codes 27

Table 4 -- KVP encoding of the base request type 29

Table 5 -- KVP encoding of standard presentation parameters 30

Table 6 -- KVP encoding of standard resolve parameters 34

Table 7 -- Additional common keywords for KVP-encoded. WFS requests 37

Table 8 -- Keywords for Ad hoc query KVP encoding 43

Table 9 -- KVP encoding of projection clause 46

Table 10 -- Keywords for Stored query KVP encoding 52

Table 11 -- Elements to describe feature types 58

Table 12 -- Parameter domains for WFS operations 59

Table 13 -- Service constraints 61

Table 14 -- Operation Constraints 62

Table 15 -- DescribeFeatureType KVP encoding 66

Table 16 -- Keywords for GetPropertyValue KVP encoding 69

Table 17 -- Keywords for GetFeature KVP encoding 75

Table 18 -- Keywords for LockFeature KVP encoding 82

Table 19 -- Additional keywords for GetFeatureWithLock KVP encoding 87

Table 20 -- Keywords for ListStoredQueries KVP encoding 93

Table 21 -- Keywords for DescribeStoredQueries KVP encoding 95

Table 22 -- Keywords for DropStoredQuery KVP encoding 98

Table D.1 -- Request encoding and transport methods 214

Table D.2 -- Correlate OWS and WFS exception codes to HTTP status codes 215

Table F.1 -- Mapping the WFS Abstract Model operations to WFS operations 248