

# DIN EN ISO 19142:2011-04 (E)

## Geographic information - Web Feature Service (ISO 19142:2010)

---

<b>Contents</b>		<b>Page</b>
Foreword .....		10
Introduction .....		11
1	Scope .....	12
2	Conformance .....	13
3	Normative references .....	14
4	Terms and definitions .....	15
5	Conventions .....	19
5.1	Abbreviated terms .....	19
5.2	Use of examples .....	20
5.3	XML schemas .....	20
5.4	UML Notation .....	20
5.4.1	Class diagrams .....	20
5.4.2	State machine notation .....	21
6	Basic service elements .....	22
6.1	Introduction .....	22
6.2	Version numbering and negotiation .....	22
6.2.1	Version number form and value .....	22
6.2.2	Appearance in service metadata and in requests .....	22
6.2.3	Version number negotiation .....	22
6.2.4	Request encoding .....	22
6.2.5	KVP parameter encoding rules .....	23
6.3	Namespaces .....	24
6.4	Service bindings .....	24
7	Common elements .....	24
7.1	Encoding of features .....	24
7.2	Resource identifiers .....	24
7.2.1	Assigning resource identifiers .....	24
7.2.2	Encoding resource identifiers .....	25
7.2.3	Version identification .....	25
7.3	Property references .....	25
7.3.1	XPath subset .....	25
7.3.2	Accessor function .....	25
7.4	Predicate expression encoding .....	26
7.5	Exception reporting .....	26
7.6	Common request parameters .....	28
7.6.1	Introduction .....	28
7.6.2	Base request type .....	28
7.6.3	Standard presentation parameters .....	30
7.6.4	Standard resolve parameters .....	33
7.6.5	Standard input parameters .....	36
7.6.6	Additional common keywords for KVP-encoded requests .....	37
7.7	Standard response parameters .....	38
7.7.1	Parameter semantics .....	38
7.7.2	XML encoding .....	38

7.7.3	KVP encoding .....	38
7.7.4	Parameter discussion .....	38
7.8	Use of the schemaLocation attribute .....	41
7.9	Query expressions .....	41
7.9.1	Introduction .....	41
7.9.2	Ad hoc query expression .....	41
7.9.3	Stored query expression .....	51
8	GetCapabilities operation .....	53
8.1	Introduction .....	53
8.2	Request .....	54
8.2.1	Request semantics .....	54
8.2.2	XML encoding .....	54
8.2.3	KVP encoding .....	54
8.3	Response .....	54
8.3.1	Response semantics .....	54
8.3.2	XML encoding .....	55
8.3.3	Capabilities document .....	56
8.3.4	FeatureTypeList section .....	59
8.3.5	Parameters domains and constraints .....	59
8.4	Extension points .....	63
8.5	Exceptions .....	65
9	DescribeFeatureType operation .....	65
9.1	Introduction .....	65
9.2	Request .....	65
9.2.1	Request semantics .....	65
9.2.2	XML Encoding .....	65
9.2.3	KVP Encoding .....	66
9.2.4	Parameter discussion .....	66
9.3	Response .....	67
9.3.1	Introduction .....	67
9.3.2	Supporting multiple namespaces .....	67
9.4	Exceptions .....	68
10	GetPropertyValue operation .....	68
10.1	Introduction .....	68
10.2	Request .....	68
10.2.1	Request semantics .....	68
10.2.2	XML Encoding .....	69
10.2.3	KVP Encoding .....	69
10.2.4	Parameter discussion .....	69
10.3	Response .....	71
10.3.1	Response semantics .....	71
10.3.2	XML encoding .....	71
10.3.3	State parameter .....	72
10.3.4	Standard response parameters .....	72
10.4	Exceptions .....	72
11	GetFeature operation .....	73
11.1	Introduction .....	73
11.2	Request .....	73
11.2.1	Request semantics .....	73
11.2.2	XML encoding .....	74
11.2.3	KVP encoding .....	74
11.2.4	Parameter discussions .....	75
11.3	Response .....	75
11.3.1	Response semantics .....	75
11.3.2	XML encoding .....	76
11.3.3	Parameter discussions .....	77
11.3.4	Additional objects .....	80
11.3.5	GetFeatureById response .....	80

11.4	Exceptions .....	81
12	LockFeature operation .....	81
12.1	Introduction .....	81
12.2	Request .....	81
12.2.1	Request semantics .....	81
12.2.2	XML encoding .....	82
12.2.3	KVP encoding .....	82
12.2.4	Parameter discussions .....	83
12.2.5	State machine for WFS locking .....	83
12.3	Response .....	85
12.3.1	Response semantics .....	85
12.3.2	XML encoding .....	85
12.4	Exceptions .....	86
13	GetFeatureWithLock operation .....	86
13.1	Introduction .....	86
13.2	Request .....	86
13.2.1	Request semantics .....	86
13.2.2	XML encoding .....	86
13.2.3	KVP encoding .....	87
13.2.4	Parameter discussion .....	87
13.3	Response .....	88
13.3.1	Introduction .....	88
13.3.2	lockId parameter .....	88
13.4	Exceptions .....	88
14	Stored query management .....	88
14.1	Introduction .....	88
14.2	Defining stored queries .....	89
14.2.1	XML encoding .....	89
14.2.2	Parameter discussion .....	89
14.3	ListStoredQueries operation .....	92
14.3.1	Request semantics .....	92
14.3.2	XML encoding .....	93
14.3.3	KVP encoding .....	93
14.3.4	Response .....	93
14.3.5	Exceptions .....	94
14.4	DescribeStoredQueries operations .....	94
14.4.1	Request semantics .....	94
14.4.2	XML encoding .....	94
14.4.3	KVP encoding .....	95
14.4.4	Response .....	95
14.5	CreateStoredQuery operation .....	96
14.5.1	Request semantics .....	96
14.5.2	XML encoding .....	96
14.5.3	KVP encoding .....	96
14.5.4	Parameter discussions .....	96
14.5.5	Response .....	97
14.6	DropStoredQuery operations .....	97
14.6.1	Request semantics .....	97
14.6.2	XML encoding .....	98
14.6.3	KVP encoding .....	98
14.6.4	Response .....	98
14.7	Exceptions .....	98
15	Transaction operation .....	99
15.1	Introduction .....	99
15.2	Request .....	99
15.2.1	Request semantics .....	99
15.2.2	XML encoding .....	100
15.2.3	Parameter discussions .....	101

15.2.4	Insert action .....	102
15.2.5	Update action .....	103
15.2.6	Replace action .....	105
15.2.7	Delete action .....	105
15.2.8	Native action .....	106
15.3	Response .....	107
15.3.1	Response semantics .....	107
15.3.2	TransactionResponse element .....	107
15.3.3	TransactionSummary element .....	108
15.3.4	InsertResults element .....	108
15.3.5	UpdateResults element .....	109
15.3.6	ReplaceResults element .....	109
15.4	Exceptions .....	109
<b>Annex A (normative) Conformance testing .....</b>		<b>110</b>
A.1	Conformance classes .....	110
A.1.1	Simple WFS .....	110
A.1.2	Basic WFS .....	110
A.1.3	Transactional WFS .....	110
A.1.4	Locking WFS .....	111
A.1.5	HTTP GET .....	111
A.1.6	HTTP POST .....	111
A.1.7	SOAP .....	111
A.1.8	Inheritance .....	112
A.1.9	Remote resolve .....	112
A.1.10	Response paging .....	112
A.1.11	Standard joins .....	112
A.1.12	Spatial joins .....	112
A.1.13	Temporal joins .....	113
A.1.14	Feature versions .....	113
A.1.15	Manage stored queries .....	113
A.2	Basic tests .....	113
A.2.1	Version negotiation .....	113
A.2.2	Lists version number 2.0.0 as a supported request version number .....	114
A.2.3	Invalid version number .....	114
A.2.4	Version negotiation for the GetCapabilities request .....	114
A.2.5	Response to XML- and KVP-encoded requests .....	114
A.2.6	Parameter ordering and case .....	115
A.2.7	Unrecognized parameters .....	115
A.2.8	Server operates on GML features .....	115
A.2.9	Feature identifiers .....	116
A.2.10	Invariant identifier .....	116
A.2.11	Versioning .....	116
A.2.12	XPath subset .....	117
A.2.13	Predicate encoding .....	117
A.2.14	Exception reporting .....	117
A.2.15	Common request parameters .....	118
A.2.16	Standard presentation parameters .....	119
A.2.17	Standard resolve parameters .....	120
A.2.18	Standard input parameters .....	123
A.2.19	Standard response parameters .....	124
A.2.20	Response paging .....	125
A.2.21	schemaLocation parameter .....	126
A.2.22	Query expressions .....	126
A.2.23	Declaring conformance .....	131
<b>Annex B (informative) Examples .....</b>		<b>132</b>
B.1	Exception report example .....	132
B.2	DescribeFeatureType examples .....	132
B.2.1	Example 1 .....	132

B.2.2	Example 2 .....	135
B.3	GetFeature examples .....	139
B.3.1	Introduction .....	139
B.3.2	Example 1 .....	139
B.3.3	Example 2 .....	139
B.3.4	Example 3 .....	140
B.3.5	Example 4 .....	140
B.3.6	Example 5 .....	142
B.3.7	Example 6 .....	142
B.3.8	Example 7 .....	142
B.3.9	Example 8 .....	143
B.3.10	Example 9 .....	145
B.3.11	Example 10 .....	147
B.3.12	Example 11 .....	148
B.3.13	Example 12 .....	149
B.3.14	Example 13 .....	150
B.3.15	Example 14 .....	153
B.3.16	Example 15 .....	154
B.3.17	Example 16 .....	154
B.3.18	Example 17 .....	155
B.3.19	Example 18 .....	156
B.3.20	Example 19 .....	156
B.4	GetPropertyValue examples .....	157
B.4.1	Introduction .....	157
B.4.2	Example 1 .....	158
B.4.3	Example 2 .....	160
B.4.4	Example 3 .....	160
B.4.5	Example 4 .....	162
B.4.6	Example 5 .....	163
B.4.7	Example 6 .....	1564
B.4.8	Example 7 .....	165
B.4.9	Example 8 .....	165
B.4.10	Example 9 .....	166
B.5	LockFeature examples .....	167
B.5.1	Example 1 .....	167
B.5.2	Example 2 .....	168
B.5.3	Example 3 .....	168
B.5.4	Example 4 .....	169
B.6	Transaction examples .....	170
B.6.1	Insert example .....	170
B.6.2	Update examples .....	171
B.6.3	Delete examples .....	173
B.6.4	Mixed transaction example .....	174
B.6.5	Transaction response example .....	177
B.7	GetCapabilities example .....	178
B.8	KVP examples .....	193
B.8.1	Conventions .....	193
B.8.2	DescribeFeatureType examples .....	193
B.8.3	GetPropertyValue examples .....	194
B.8.4	GetFeature examples .....	196
B.8.5	LockFeature examples .....	201
Annex C (informative) Consolidated XML schema .....		203
C.1	Introduction .....	203
C.2	wfs.xsd .....	203
Annex D (normative) Service bindings .....		214
D.1	Introduction .....	214
D.2	HTTP GET and POST binding .....	214
D.3	HTTP status codes .....	214

D.4	SOAP binding .....	215
D.4.1	Introduction .....	215
D.4.2	SOAP Envelope .....	216
D.4.3	SOAP Header .....	216
D.4.4	SOAP Body .....	216
D.4.5	Encoding XML Schema in a SOAP Body .....	217
D.4.6	SOAP Fault .....	218
D.4.7	SOAP HTTP Binding .....	219
Annex E (normative) Web Service Description Language (WSDL) .....		219
E.1	Introduction .....	220
E.2	WFS Operations in WSDL .....	220
E.3	SOAP Binding .....	220
E.4	Binding style .....	221
E.5	Service .....	222
E.6	Service description using WSDL .....	222
E.6.1	Introduction .....	222
E.6.2	wfs-xml-interfaces.wsdl .....	222
E.6.3	wfs-kvp-interfaces.wsdl .....	224
E.6.4	wfs-responses.wsdl .....	226
E.6.5	wfs-http-bindings.wsdl .....	226
E.6.6	wfs-kvp-bindings.wsdl .....	229
E.6.7	wfs-soap-bindings.wsdl .....	230
E.6.8	Ancillary files .....	232
E.6.9	Examples (informative) .....	237
Annex F (informative) Abstract model .....		240
F.1	Overview .....	240
F.2	Abstract Resource Model .....	240
F.2.1	Introduction .....	240
F.2.2	Basic Accessor Functions .....	244
F.3	Mapping of the General Feature Model (GFM) to the WFS Abstract Model .....	242
F.4	Identifiers .....	242
F.5	valueOf() function .....	242
F.6	WFS Operations .....	242
F.6.1	Introduction .....	242
F.6.2	featureTypeNameList() function .....	243
F.6.3	featureType() function .....	243
F.6.4	Query function .....	243
F.6.5	propertyValue() function .....	244
F.6.6	lock() function .....	245
F.6.7	transaction() function .....	245
F.6.8	Stored query operations .....	246
F.7	WFS Operations .....	247
F.8	Conceptual schema .....	247
Bibliography .....		249
Figures Figure 1 -- UML notation in class diagrams .....		20
Figure 2 -- Summary of UML state diagram notations .....		21
Figure 3 -- BaseRequest .....		28
Figure 4 -- StandardPresentationParameters .....		30
Figure 5 -- StandardResolveParameters .....		33
Figure 6 -- StandardInputParameters .....		36

Figure 7 -- StandardResponseParameters .....	38
Figure 8 -- Ad hoc query expression .....	42
Figure 9 -- Query projection clause .....	46
Figure 10 -- Query sorting clause .....	50
Figure 11 -- StoredQuery .....	52
Figure 12 -- GetCapabilities request .....	54
Figure 13 -- GetCapabilities response .....	54
Figure 14 -- DescribeFeatureType request .....	65
Figure 15 -- GetPropertyValue request .....	68
Figure 16 -- GetPropertyValue response .....	71
Figure 17 -- GetFeature request .....	74
Figure 18 -- GetFeature response .....	76
Figure 19 -- LockFeature request .....	81
Figure 20 -- State diagram for a WFS lock .....	84
Figure 21 -- LockFeature response .....	85
Figure 22 -- GetFeatureWithLock request .....	86
Figure 23 -- ListStoredQueries request .....	92
Figure 24 -- ListStoredQueriesResponse .....	93
Figure 25 -- DescribeStoredQueries request .....	94
Figure 26 -- DescribeStoredQueriesResponse .....	95
Figure 27 -- CreateStoredQuery request .....	96
Figure 28 -- CreateStoredQuery response .....	97
Figure 29 -- DropStoredQuery request .....	97
Figure 30 -- Transaction request .....	90
Figure 31 -- Transaction response .....	107
Figure F.1 -- Web Feature Service interfaces overview .....	248
Tables Table 1 -- Conformance Classes .....	13
Table 2 -- Operation request encoding .....	23
Table 3 -- WFS exception codes .....	27
Table 4 -- KVP encoding of the base request type .....	29
Table 5 -- KVP encoding of standard presentation parameters .....	30

<b>Table 6 -- KVP encoding of standard resolve parameters .....</b>	<b>34</b>
<b>Table 7 -- Additional common keywords for KVP-encoded. WFS requests .....</b>	<b>37</b>
<b>Table 8 -- Keywords for Ad hoc query KVP encoding .....</b>	<b>43</b>
<b>Table 9 -- KVP encoding of projection clause .....</b>	<b>46</b>
<b>Table 10 -- Keywords for Stored query KVP encoding .....</b>	<b>52</b>
<b>Table 11 -- Elements to describe feature types .....</b>	<b>58</b>
<b>Table 12 -- Parameter domains for WFS operations .....</b>	<b>59</b>
<b>Table 13 -- Service constraints .....</b>	<b>61</b>
<b>Table 14 -- Operation Constraints .....</b>	<b>62</b>
<b>Table 15 -- DescribeFeatureType KVP encoding .....</b>	<b>66</b>
<b>Table 16 -- Keywords for GetPropertyValue KVP encoding .....</b>	<b>69</b>
<b>Table 17 -- Keywords for GetFeature KVP encoding .....</b>	<b>75</b>
<b>Table 18 -- Keywords for LockFeature KVP encoding .....</b>	<b>82</b>
<b>Table 19 -- Additional keywords for GetFeatureWithLock KVP encoding .....</b>	<b>87</b>
<b>Table 20 -- Keywords for ListStoredQueries KVP encoding .....</b>	<b>93</b>
<b>Table 21 -- Keywords for DescribeStoredQueries KVP encoding .....</b>	<b>95</b>
<b>Table 22 -- Keywords for DropStoredQuery KVP encoding .....</b>	<b>98</b>
<b>Table D.1 -- Request encoding and transport methods .....</b>	<b>214</b>
<b>Table D.2 -- Correlate OWS and WFS exception codes to HTTP status codes .....</b>	<b>215</b>
<b>Table F.1 -- Mapping the WFS Abstract Model operations to WFS operations .....</b>	<b>248</b>