

# DIN EN 1457-2:2012-04 (E)

## Chimneys - Clay/ceramic flue liners - Part 2: Flue liners operating under wet conditions - Requirements and test methods

---

<b>Contents</b>		<b>Page</b>
Foreword .....		5
1	Scope .....	6
2	Normative references .....	6
3	Terms and definitions .....	6
4	Flue liners and openings .....	8
4.1	Flue liner cross-sections .....	8
4.2	Inspection openings and chimney junctions .....	9
5	Types of flue liner .....	10
6	Materials .....	10
7	Tolerances on dimensions .....	11
7.1	Transverse dimension .....	11
7.2	Height .....	11
7.3	Angle of curvature .....	11
7.4	Straightness .....	11
7.5	Squareness of ends .....	11
7.6	Deviation from shape of cross section .....	11
7.7	Geometry of joints .....	11
8	Proof load .....	11
8.1	Straight flue liners .....	11
8.2	Curved flue liners .....	11
8.3	Minimum load for inspection opening sections .....	12
9	Gas tightness/leakage, thermal shock resistance and soot fire resistance for straight flue liners .....	12
9.1	Initial test .....	12
9.2	Final gas tightness after testing .....	13
9.2.1	General .....	13
9.2.2	Final gas tightness after sootfire testing .....	13
9.2.3	Final gas tightness after thermal shock testing .....	13
10	Durability .....	14
10.1	Corrosion resistance .....	14
10.2	Freeze/Thaw resistance .....	14
11	Water absorption and bulk density .....	14
11.1	General .....	14
11.2	Water absorption .....	14
11.3	Bulk density .....	14
12	Abrasion resistance .....	14
13	Condensate resistance and flow resistance .....	14
13.1	Condensate resistance .....	14

13.2	Flow resistance .....	15
14	Thermal resistance .....	15
15	Evaluation of conformity .....	15
15.1	General .....	15
15.2	Initial type testing .....	15
15.3	Further type tests .....	15
15.4	Factory production control .....	16
16	Test methods .....	16
16.1	Size .....	16
16.2	Height .....	16
16.3	Angle of curvature .....	17
16.4	Straightness .....	17
16.5	Squareness of ends .....	17
16.6	Deviation from shape of cross-section .....	18
16.7	Proof load .....	20
16.7.1	Test specimen .....	20
16.7.2	Testing equipment .....	20
16.7.3	Test procedure .....	20
16.8	Thermal testing .....	21
16.8.1	Test flue .....	21
16.8.2	Test equipment .....	21
16.8.3	Assembly of test flue .....	23
16.8.4	Thermal conditioning .....	23
16.8.5	Measurement of leakage rate .....	24
16.8.6	Expression of results .....	24
16.9	Corrosion resistance .....	24
16.9.1	Test specimens .....	24
16.9.2	Test equipment .....	25
16.9.3	Test procedure .....	25
16.9.4	Expression of results .....	26
16.10	Water absorption .....	26
16.10.1	Test specimen .....	26
16.10.2	Test equipment .....	26
16.10.3	Test procedure .....	26
16.10.4	Expression of results .....	26
16.11	Bulk density .....	26
16.11.1	Test specimen .....	26
16.11.2	Test equipment .....	27
16.11.3	Test procedure .....	27
16.11.4	Expression of results .....	27
16.12	Abrasion resistance .....	27
16.12.1	Test flue .....	27
16.12.2	Test equipment .....	27
16.12.3	Test procedure .....	28
16.12.4	Expression of results .....	28
16.13	Test method for the determination of water and vapour flow (indirect method) .....	29
16.13.1	Test installation .....	29
16.13.2	Test sample .....	30
16.13.3	Position of measuring points and records .....	30
16.13.4	Test procedure .....	31
16.13.5	Results .....	32
16.13.6	Measuring equipment -- Composition, measuring range, uncertainty .....	32
16.13.7	Test rig .....	33
17	Designation .....	34
18	Marking .....	35
Annex A (normative) Sampling procedures for an AQL of 10 % and inspection level S2 .....		36

<b>A.1</b>	<b>Acceptability determination .....</b>	<b>36</b>
<b>A.2</b>	<b>Normal inspection .....</b>	<b>36</b>
<b>A.3</b>	<b>Normal to reduced inspection .....</b>	<b>37</b>
<b>A.4</b>	<b>Reduced to normal inspection .....</b>	<b>38</b>
<b>A.5</b>	<b>Tightened inspection .....</b>	<b>38</b>
<b>A.6</b>	<b>Tightened to normal inspection .....</b>	<b>38</b>
<b>A.7</b>	<b>Discontinuation of inspection .....</b>	<b>39</b>
<b>Annex B (normative) Thermal resistance .....</b>		<b>40</b>
<b>B.1</b>	<b>Method 1: simplified calculation for flue liners without cavities .....</b>	<b>40</b>
<b>B.2</b>	<b>Method 2: thermal resistance of flue liners with or without cavities .....</b>	<b>40</b>
<b>B.3</b>	<b>Method Approximate thermal resistance values .....</b>	<b>45</b>
<b>Annex C (normative) Measurement of the coefficient of friction of chimneys .....</b>		<b>47</b>
<b>Annex ZA (informative) Clauses of this European Standard addressing the provisions of the EU Construction Products Directive .....</b>		<b>49</b>
<b>ZA.1 Scope and relevant characteristics .....</b>		<b>49</b>
<b>ZA.2 Procedure of attestation of conformity of clay/ceramic flue liners and fittings .....</b>		<b>50</b>
<b>ZA.3 CE Marking and labelling .....</b>		<b>52</b>
<b>Bibliography .....</b>		<b>55</b>