DIN EN 1996-1-1:2013-02 (E)

Eurocode 6: Design of masonry structures - Part 1-1: General rules for reinforced and unreinforced masonry str uctures (includes Amendment 1:2012)

Contents

Page

Foreword 6

Background to the Eurocode programme 6

Status and field of application of Eurocodes 7

National Standards implementing Eurocodes 8

Links between Eurocodes and harmonised technical specifications (ENs and ETAs) for products 8

Section 1 General 10

1.1 Scope 10
1.1.1 Scope of Eurocode 6 10
1.1.2 Scope of Part 1-1 of Eurocode 6 10
1.2 Normative references 11
1.2.1 General 11
1.2.2 Reference standards 11
1.3 Assumptions 13
1.4 Distinction between principles and application rules 13
1.5 Terms and Definitions 13
1.5.1 General 13
1.5.2 Terms relating to masonry 13
1.5.3 Terms relating to strength of masonry 13
1.5.4 Terms relating to masonry units 14
1.5.5 Terms relating to mortar 15
1.5.6 Terms relating to concrete infill 16
1.5.7 Terms relating to reinforcement 16
1.5.8 Terms relating to ancillary components 16
1.5.9 Terms relating to mortar joints 16
1.5.10 Terms relating to wall types 17
1.5.11 Miscellaneous terms 18
1.6 Symbols 18

Section 2 Basis of design 24

2.1 Basic requirements 24
2.1.1 General 24
2.1.2 Reliability 24
2.1.3 Design working life and durability 24
2.2 Principles of limit state design 24
2.3 Basic variables 25
2.3.1 Actions 25
2.3.2 Design values of actions 25
2.3.3 Material and product properties 25
2.4 Verification by the partial factor method 25
2.4.1 Design values of material properties 25
2.4.2 Combination of actions 25
2.4.3 Ultimate limit states 25
2.4.4 Serviceability limit states 26
2.5 Design assisted by testing 26

Section 3 Materials 27

3.1 Masonry Units 27
3.1.1 Types and grouping of masonry units 27
3.1.2 Properties of masonry units -compressive strength 28
3.2 Mortar 29
3.2.1 Types of masonry mortar 29
3.2.2 Specification of masonry mortar 29
3.2.3 Properties of mortar 29
3.3 Concrete infill 30
3.3.1 General 30
3.3.2 Specification for concrete infill 30
3.3.3 Properties of concrete infill 30
3.4 Reinforcing steel 30
3.4.1 General 30
3.4.2 Properties of reinforcing steel bars 31
3.4.3 Properties of bed joint ~~~~deleted textTMTMTMTM reinforcement 31
3.5 Prestressing steel 31
3.6 Mechanical properties of masonry 31
3.6.1 Characteristic compressive strength of masonry 31
3.6.2 Characteristic shear strength of masonry 35
3.6.3 Characteristic shear strength of the interface between masonry and prefabricated lintel . 37
3.6.4 Characteristic flexural strength of masonry 37
3.6.5 Characteristic anchorage strength of reinforcement 39
3.7 Deformation properties of masonry 40
3.7.1 Stress-strain relationship 40
3.7.2 Modulus of elasticity 41
3.7.3 Shear modulus 41
3.7.4 Creep, moisture expansion or shrinkage and thermal expansion 41
3.8 Ancillary components 42
3.8.1 Damp proof courses 42
3.8.2 Wall ties 42
3.8.3 Straps, hangers and brackets 42
3.8.4 Prefabricated lintels 42
3.8.5 Prestressing devices 43

Section 4 Durability 43

4.1 General 43
4.2 Classification of environmental conditions 43
4.3 Durability of masonry 43
4.3.1 Masonry units 43
4.3.2 Mortar 43
4.3.3 Reinforcing steel 43
4.3.4 Prestressing steel 45
4.3.5 Prestressing devices 45
4.3.6 Ancillary components and support angles 46
4.4 Masonry below ground 46

Section 5 Structural analysis 46

5.1 General 46
5.2 Structural behaviour in accidental situations (other than earthquakes and fire) 47
5.3 Imperfections 47
5.4 Second order effects 47
5.5 Analysis of structural members 48
5.5.1 Masonry walls subjected to vertical loading 48
5.5.2 Reinforced masonry members subjected to vertical loading 53
5.5.3 Masonry shear walls subjected to shear loading 56
5.5.4 Reinforced masonry members subjected to shear loading 58
5.5.5 Masonry walls subjected to lateral loading 58

Section 6 Ultimate Limit State 59

6.1 Unreinforced masonry walls subjected to mainly vertical loading 59
6.1.1 General 59
6.1.2 Verification of unreinforced masonry walls subjected to mainly vertical loading 60
6.1.3 Walls subjected to concentrated loads 63
6.2 Unreinforced masonry walls subjected to shear loading 65
6.3 Unreinforced masonry walls subjected to lateral loading 66
6.3.1 General 66
6.3.2 Walls arching between supports 67
6.3.3 Walls subjected to wind loading 68
6.3.4 Walls subjected to lateral loading from earth and water 68
6.3.5 Walls subjected to lateral loading from accidental situations 68
6.4 Unreinforced masonry walls subjected to combined vertical and lateral loading 69
6.4.1 General 69
6.4.2 Method using factor 69
6.4.3 Method using apparent flexural strength 69
6.4.4 Method using equivalent bending moment coefficients 69
6.5 Ties 69
6.6 Reinforced masonry members subjected to bending, bending and axial loading, or axial loading 70
6.6.1 General 70
6.6.2 Verification of reinforced masonry members subjected to bending and/or axial loading 70
6.6.3 Flanged Reinforced Members 73
6.6.4 Deep beams 74
6.6.5 Composite lintels 76
6.7 Reinforced masonry members subjected to shear loading 77
6.7.1 General 77
6.7.2 Verification of reinforced masonry walls subjected to horizontal loads in the plane of the wall 77
6.7.3 Verification of reinforced masonry beams subjected to shear loading 78
6.7.4 Verification of deep beams subjected to shear loading 79
6.8 Prestressed masonry 79
6.8.1 General 79
6.8.2 Verification of Members 80
6.9 Confined masonry 81
6.9.1 General 81
6.9.2 Verification of members 81

Section 7 Serviceability Limit State 81

7.1 General 81
7.2 Unreinforced masonry walls 81
7.3 Reinforced masonry members 82
7.4 Prestressed masonry members 82
7.5 Confined masonry members 82
7.6 Walls subjected to concentrated loads 83

Section 8 Detailing 83

8.1 Masonry details 83
8.1.1 Masonry materials 83
8.1.2 Minimum thickness of wall 83
8.1.3 Minimum area of wall 83
8.1.4 Bonding of masonry 83
8.1.5 Mortar joints 84
8.1.6 Bearings under concentrated loads 85
8.2 Reinforcement details 85
8.2.1 General 85
8.2.2 Cover to reinforcing steel 85
8.2.3 Minimum area of reinforcement 86

8.2.4 Size of reinforcing steel 86
8.2.5 Anchorage and laps 86
8.2.6 Restraint of compression reinforcing steel 89
8.2.7 Spacing of reinforcing steel 90
8.3 Prestressing details 90
8.4 Confined masonry details 90
8.5 Connection of walls 91
8.5.1 Connection of walls to floors and roofs 91
8.5.2 Connection between walls 92
8.6 Chases and recesses on walls 92
8.6.1 General 92
8.6.2 Vertical chases and recesses 93
8.6.3 Horizontal and inclined chases 93
8.7 Damp proof courses 94
8.8 Thermal and long term movement 94

Section 9 Execution 94

9.1 General 94
9.2 Design of structural members 95
9.3 Loading of masonry 95

Annex A (informative) Consideration of partial factors relating to Execution 96

Annex B (informative) Method for calculating the eccentricity of a stability core 97

Annex C (informative) A simplified method for calculating the out-of-plane eccentricity of loading on walls 99

Annex D (informative) Determination of 3 and 4 103

Annex E (informative) Bending moment coefficients, ~~~~2TMTMTMTM, in single leaf laterally loaded wall panels of thickness less than or equal to 250 mm 104

Annex F (informative) Limiting height and length to thickness ratios for walls under the serviceability limit state 109

Annex G (informative) Reduction factor for slenderness and eccentricity 111

Annex H (informative) Enhancement factor as given in 6.1.3 113

Annex I (informative) Adjustment of lateral load for walls supported on three or four edges subjected to out-of-plane horizontal loading and vertical loading 114

Annex J (informative) Reinforced masonry members subjected to shear loading: enhancement of fvd 115