

DIN EN 1996-1-1/NA:2012-05 (E)

National Annex - Nationally determined parameters - Eurocode 6: Design of masonry structures - Part 1-1: General rules for reinforced and unreinforced masonry structures

Contents	Page
Foreword	5
NA 1 Scope	6
NA 2.1 General	6
NA 2.2 National provisions	7
Re 1 General	7
NCI re 1.2 Normative references	7
NCI re 1.5 Terms and definitions	8
NCI re 1.6 Symbols	9
Re 2 Basis of design	10
NCI re 2.4.2 Combination of actions	10
NDP re 2.4.3 (1)P Ultimate limit states	10
NDP re 2.4.4 (1) Serviceability limit states	11
Re 3 Materials	11
NCI re 3.1.1 Types and grouping of masonry units	11
NCI re 3.1.2 Properties of masonry units - Compressive strength	12
NCI re 3.2.1 Types of masonry mortar	12
NDP re 3.2.2 (1) Specification of masonry mortar	12
NCI re 3.2.2 Specification of masonry mortar	12
NCI re 3.2.3.1 Compressive strength of masonry mortar	13
NCI re 3.3.3 (1)P Properties of concrete infill	13
NCI re 3.4.1 General	13
NCI re 3.5 Prestressing steel	13
NDP re 3.6.1.2 (1) Characteristic compressive strength of masonry other than shell-bedded masonry	13
NCI re 3.6.1.2 Characteristic compressive strength of masonry other than shell-bedded masonry	16

NCI re 3.6.2 Characteristic shear strength of masonry	17
NDP re 3.6.2 (3) Characteristic shear strength of masonry	17
NDP re 3.6.2 (4) Characteristic shear strength of masonry	18
NDP re 3.6.2 (6) Characteristic shear strength of masonry	18
NCI re 3.6.3 Characteristic flexural strength of masonry	18
NDP re 3.6.3 (3) Characteristic flexural strength of masonry	18
NCI re 3.6.4 Characteristic anchorage strength of reinforcement	19
NDP re 3.7.2 (2) Modulus of elasticity	19
NDP re 3.7.4 (2) Creep, moisture expansion or shrinkage and thermal expansion	19
NCI re 3.8.1 Damp proof courses	20
NCI re 3.8.2 Wall ties	20
NCI re 3.8.3 Straps, hangers and brackets	20
NCI re 3.8.4 Prefabricated lintels	20
NCI re 3.8.5 Prestressing devices	21
Re 4 Durability	21
NDP re 4.3.3 (3) Reinforcing steel	21
NDP re 4.3.3 (4) Reinforcing steel	21
NCI re 4.3.4 Prestressing steel	22
NCI re 4.3.5 Prestressing devices	22
NCI re 4.3.6 Ancillary components and support angles	22
Re 5 Structural analysis	22
NCI re 5.5.1.1 General	22
NCI re 5.5.1.2 Effective height of masonry walls	22
NCI re 5.5.1.3 Effective thickness of masonry walls	24
NDP re 5.5.1.3 (3) Effective thickness of masonry walls	24
NCI re 5.5.3 Masonry shear walls subjected to shear loading	25
NCI re 5.5.5 Masonry walls subjected to lateral loading	25
Re 6 Ultimate limit state	25
NCI re 6.1.1 General	25
NCI re 6.1.2.1 General	25
NCI re 6.1.2.2 Reduction factor for slenderness and eccentricity	25

NDP re 6.1.2.2 (2) Reduction factor for slenderness and eccentricity	27
NCI re 6.1.3 Walls subjected to concentrated loads	27
NCI re 6.2 Unreinforced masonry walls subjected to shear loading	28
NCI re 6.3.4 Walls subjected to lateral loading from earth and water	31
NCI re 6.6.1 General	32
NCI re 6.6.2 Verification of reinforced masonry members subjected to bending and/or axial loading	33
NCI re 6.6.4 Deep beams	33
NCI re 6.6.5 Composite lintels	33
NCI re 6.8.1 General	33
NCI re 6.8.2 Verification of members	33
Re 7 Serviceability limit state	33
NCI re 7.2 Unreinforced masonry walls	33
Re 8 Detailing	34
NCI re 8.1.1 Masonry materials	34
NDP re 8.1.2 (2) Minimum thickness of wall	34
NCI re 8.1.2 Minimum thickness of wall	34
NCI re 8.1.4.1 Manufactured units	35
NCI re 8.1.5 Mortar joints	35
NCI re 8.4 Confined masonry details	37
NCI re 8.5.1.1 General	37
NCI re 8.5.1.4 Ring ties and ring beams	37
NCI re 8.5.2.2 Cavity and veneer walls	37
NDP re 8.5.2.2 (2) Cavity and veneer walls	37
NDP re 8.5.2.3 (2) Double-leaf walls	39
NCI re 8.5.2.3 Double-leaf walls	39
NCI re 8.6.2 Vertical chases and recesses	39
NDP re 8.6.2 (1) Vertical chases and recesses	39
NDP re 8.6.3 (1) Horizontal and inclined chases	40
NCI re 8.7 Damp proof courses	40
Re 9 Execution	41
NCI re 9.1 General	41

NCI re Annex A Consideration of partial factors relating to execution	41
NCI re Annex B Method of calculating the eccentricity of a stability core	41
NCI re Annex C A simplified method of calculating the out-of-plane eccentricity of loading on walls	42
NCI re Annex D Determination of 3 and 4	45
NCI re Annex E Bending moment coefficients 2 in single leaf laterally loaded wall panels of thickness less than or equal to 250 mm	45
NCI re Annex F Limiting height and length to thickness ratios for walls under the serviceability limit state	47
NCI re Annex G Reduction factor for slenderness and eccentricity	47
NCI re Annex H Enhancement factor as given in 6.1.3	48
NCI re Annex I Adjustment of lateral load for walls supported on three or four edges subjected to out-of-plane horizontal loading and vertical loading	48
NCI re Annex J Reinforced masonry members subjected to shear loading: enhancement of f_{vd}	48
NCI Annex NA.K (informative) Supplementary provisions for the analysis of shear walls	49
NA.K.1 General	49
NA.K.2 In-plane resistance to bending compression	49
NA.K.3 In-plane shear resistance	50
NCI Annex NA.L (normative) Design of natural stone masonry	52
NA.L.1 General	52
NA.L.2 General principles	52
NA.L.3 Execution of natural stone masonry	52
NA.L.4 Types of masonry	53
NA.L.4.1 Loadbearing masonry	53
NA.L.4.2 Gravity masonry walls	53
NA.L.4.3 Facing masonry	53
NA.L.4.4 Outer leaves of veneer walls	53
NA.L.4.5 Dry stone masonry	54
NA.L.5 Types of bond	54
NA.L.5.1 General	54
NA.L.5.2 Polygonal masonry bonds	56
NA.L.5.3 Orthogonal masonry bonds	57
NA.L.6 Design of natural stone masonry	59

NA.L.6.1 General	59
NA.L.6.2 Analysis for axial and eccentric compression	60
NA.L.6.3 Tension and bending	60
NA.L.6.4 Analysis for shear	61
NCI Annex NA.M (normative) Amendments to the rules for the use of clay masonry units NA.M.1 General	62
Re DIN V 20000-401:2005-06, clause 3 Terms and definitions	62
Re DIN V 20000-401:2005-06, 4.2 Declared values	62
Re DIN V 20000-401:2005-06, 4.3.1 Dimensions	62
Re DIN V 20000-401:2005-06, 4.3.2.1 Mean value	62
Re DIN V 20000-401:2005-06, 4.3.2.2 Range	64
Re DIN V 20000-401:2005-06, 4.4.2 Percentage of voids	64
Re DIN V 20000-401:2005-06, 4.4.3 Grip holes	64
Re DIN V 20000-401:2005-06, 4.4.4 Thickness of webs and shells	65
Re DIN V 20000-401:2005-06, 4.4.5 Shape and geometry of the perforations	65
Re DIN V 20000-401:2005-06, 4.5.1.1 Gross dry density - General	66
Re DIN V 20000-401:2005-06, 4.5.2 Net dry density	66
Re DIN V 20000-401:2005-06, 4.6 Compressive strength normal to the bed joint	66
Re DIN V 20000-401:2005-06, 5.3 Calculation of structural stability	66
Re DIN V 20000-401:2005-06, 5.5 Thermal insulation	66
Re DIN V 20000-401:2005-06, Annex A	66