

DIN EN 13165:2013-03 (E)

Thermal insulation products for buildings - Factory made rigid polyurethane foam (PU) products - Specification

Contents		Page
Foreword		4
1	Scope	6
2	Normative references	6
3	Terms, definitions, symbols, units and abbreviated terms	7
3.1	Terms and definitions	7
3.2	Symbols, units and abbreviated terms	8
4	Requirements	10
4.1	General	10
4.2	For all applications	11
4.3	For specific applications	13
5	Test methods	17
5.1	Sampling	17
5.2	Conditioning	17
5.3	Testing	17
6	Designation code	20
7	Evaluation of conformity	21
7.1	General	21
7.2	Initial type testing	21
7.3	Factory production control	22
8	Marking and labelling	22
Annex A (normative)	Determination of the declared values of thermal resistance and thermal conductivity	23
A.1	General	23
A.2	Input data	23
A.3	Declared values	23
Annex B (normative)	Initial type testing (ITT) and factory production control (FPC)	25
Annex C (normative)	Determination of the aged values of thermal resistance and thermal conductivity	29
C.1	General	29
C.2	Sampling and test specimen preparation	29
C.3	Determination of the initial value of thermal conductivity	30
C.4	Determination of the accelerated aged value of thermal conductivity	31
C.5	Fixed increment procedure	33
C.6	Declaration of the aged values of thermal resistance and thermal conductivity	35
Annex D (normative)	PU multi-layered insulation products	36
D.1	General	36

D.2	Requirements	36
D.3	Test methods	37
D.4	Evaluation of conformity	37
Annex E (informative) Additional properties		38
E.1	General	38
E.2	Bending strength	38
E.3	Shear behaviour	38
E.4	Compressive stress at 2% deformation	38
E.5	Long term water absorption by diffusion	38
E.6	Freeze-thaw resistance	38
E.7	Apparent density	39
Annex ZA (informative) Clauses of this European Standard addressing the provisions of the EU Construction Products Directive		40
ZA.1 Scope and relevant characteristics		40
ZA.2 Procedures for attestation of conformity of factory made rigid polyurethane foam products ...		42
ZA.3 CE Marking and labelling		46
Bibliography		48
Tables Table 1 -- Tolerances on length and width		11
Table 2 -- Classes for thickness tolerances		12
Table 3 -- Deviation from flatness		12
Table 4 -- Test conditions for dimensional stability under specified temperature and humidity conditions		13
Table 5 -- Levels for dimensional stability for test conditions 1, 2, 3		13
Table 6 -- Levels for dimensional stability for test condition 4		14
Table 7 -- Levels for deformation under specified compressive load and temperature conditions ...		14
Table 8 -- Levels for compressive stress or compressive strength		15
Table 9 -- Levels for tensile strength perpendicular to faces		15
Table 10 -- Levels for one sided wetting behaviour		16
Table 11 -- Test methods, test specimens and conditions		19
Table A.1 -- Values for k for one sided 90 % tolerance interval with a confidence level of 90 %		24
Table B.1 -- Minimum number of tests for ITT and minimum product testing frequencies		25
Table B.2 -- Minimum product testing frequencies for the reaction to fire characteristics		27
Table C.1 -- Safety increments to be added to the measured accelerated aged value of thermal conductivity		32
Table C.2 -- Increments for calculating the aged value of thermal conductivity		34
Table E.1 -- Test methods, test specimens, conditions and minimum testing frequencies		39

Table ZA.1 -- Relevant clauses for factory made rigid Polyurethane foam products and intended use	41
Table ZA.2 -- Systems of attestation of conformity	42
Table ZA.3.1 -- Assignment of evaluation of conformity tasks for products under system 1 for reaction to fire and system 3 for other characteristics	43
Table ZA.3.2 -- Assignment of evaluation of conformity tasks for products under system 3 or system 3 combined with system 4 for reaction to fire	44
Figures Figure C.1 -- Flow chart of the alternative ageing procedures	30
Figure ZA.1 -- Example CE marking information	47