

DIN EN 13168:2013-03 (E)

Thermal insulation products for buildings - Factory made wood wool (WW) products - Specification

| Contents | | Page |
|----------------------------|--|-------------|
| Foreword | | 4 |
| 1 | Scope | 6 |
| 2 | Normative references | 6 |
| 3 | Terms, definitions, symbols, units and abbreviated terms | 7 |
| 3.1 | Terms and definitions | 7 |
| 3.2 | Symbols, units and abbreviated terms | 9 |
| 4 | Requirements | 11 |
| 4.1 | General | 11 |
| 4.2 | For all applications | 11 |
| 4.3 | For specific applications | 15 |
| 5 | Test methods | 19 |
| 5.1 | Sampling | 19 |
| 5.2 | Conditioning | 19 |
| 5.3 | Testing | 19 |
| 6 | Designation code | 21 |
| 7 | Evaluation of conformity | 22 |
| 7.1 | General | 22 |
| 7.2 | Initial type testing | 23 |
| 7.3 | Factory production control | 23 |
| 8 | Marking and labelling | 23 |
| Annex A (normative) | Determination of the declared values of thermal resistance and thermal conductivity | 25 |
| A.1 | General | 25 |
| A.2 | Input data | 25 |
| A.3 | Declared values | 25 |
| A.3.1 | General | 25 |
| A.3.2 | Case where thermal resistance and thermal conductivity are declared | 25 |
| A.3.3 | Case where thermal resistance alone is declared | 26 |
| Annex B (normative) | Initial type testing (ITT) and factory production control (FPC) | 28 |
| Annex C (normative) | WW multi-layered insulation products | 32 |
| C.1 | General | 32 |
| C.2 | Requirements | 32 |
| C.2.1 | For all applications | 32 |
| C.2.1.1 | General | 32 |
| C.2.1.2 | Thermal resistance | 32 |
| C.2.1.3 | Length and width, thickness, squareness, flatness | 32 |
| C.2.1.4 | Reaction to fire | 32 |
| C.2.1.5 | Durability characteristics | 33 |

| | | |
|---|---|----|
| C.2.2 | For specific applications | 33 |
| C.3 | Test methods | 33 |
| C.4 | Evaluation of conformity | 33 |
| Annex D (normative) Specific test methods | | 34 |
| D.1 | Chloride content | 34 |
| D.2 | Load resistance | 34 |
| D.3 | Impact resistance | 35 |
| Annex E (normative) Determination of the thermal conductivity in relation to moisture content | | 37 |
| Annex ZA (informative) Clauses of this European Standard addressing the provisions of the EU Construction Products Directive | | 39 |
| ZA.1 | Scope and relevant characteristics | 39 |
| ZA.2 | Procedures for attestation of conformity of factory made wood wool products | 41 |
| ZA.2.1 | Systems of attestation of conformity | 41 |
| ZA.2.2 | EC certificate and declaration of conformity | 43 |
| ZA.3 | CE Marking and labelling | 45 |
| Bibliography | | 47 |
| Tables | Table 1 -- Classes for length and width tolerances | 12 |
| | Table 2 -- Classes for thickness tolerances | 12 |
| | Table 3 -- Levels for deviation from flatness | 13 |
| | Table 4 -- Levels for chloride content | 13 |
| | Table 5 -- Levels for tensile strength perpendicular to faces | 14 |
| | Table 6 -- Levels for the deviation from squareness | 15 |
| | Table 7 -- Levels for compressive stress or compressive strength | 16 |
| | Table 8 -- Levels for bending strength | 17 |
| | Table 9 -- Levels for short term water absorption | 17 |
| | Table 10 -- Test methods, specimens and conditions | 20 |
| | Table A.1 -- Values for k for one sided 90 % tolerance interval with a confidence level of 90 % | 26 |
| | Table B.1 -- Minimum product testing frequencies | 28 |
| | Table B.1-- Minimum product testing frequencies | 29 |
| | Table B.2 -- Minimum product testing frequencies for the reaction to fire characteristics | 30 |
| | Table ZA.1 -- Relevant clauses for Wood wool and relevant clauses for WW multi-layered products and composite WW products with intended use | 40 |
| | Table ZA.2 -- Systems of attestation of conformity | 41 |
| | Table ZA.3 -- Assignment of evaluation of conformity tasks for products under system 1 for reaction to fire and system 3 for other characteristics | 42 |

| | |
|---|-----------|
| Table ZA.4 -- Assignment of evaluation of conformity tasks for products under system 3 or system 3 combined with system 4 for reaction to fire | 43 |
| Figures Figure D.1 -- Test rig for load resistance of slabs | 35 |
| Figure D.2 -- Test rig for impact resistance of slabs | 36 |
| Figure E.1 -- Example of a graphic representation of "f" | 38 |
| Figure ZA.1 -- Example CE marking information | 46 |