DIN EN 13168:2013-03 (E)

Thermal insulation products for buildings - Factory made wood wool (WW) products - Specification

Contents

Page

Foreword 4

1 Scope 6

2 Normative references 6

3 Terms, definitions, symbols, units and abbreviated terms 7
3.1 Terms and definitions 7
3.2 Symbols, units and abbreviated terms 9

4 Requirements 11
4.1 General 11
4.2 For all applications 11
4.3 For specific applications 15

5 Test methods 19
5.1 Sampling 19
5.2 Conditioning 19
5.3 Testing 19

6 Designation code 21

7 Evaluation of conformity 22
7.1 General 22
7.2 Initial type testing 23
7.3 Factory production control 23

8 Marking and labelling 23

Annex A (normative) Determination of the declared values of thermal resistance and thermal conductivity 25

A.1 General 25
A.2 Input data 25
A.3 Declared values 25
A.3.1 General 25
A.3.2 Case where thermal resistance and thermal conductivity are declared 25
A.3.3 Case where thermal resistance alone is declared 26

Annex B (normative) Initial type testing (ITT) and factory production control (FPC) 28

Annex C (normative) WW multi-layered insulation products 32

C.1 General 32
C.2 Requirements 32
C.2.1 For all applications 32
C.2.1.1 General 32
C.2.1.2 Thermal resistance 32
C.2.1.3 Length and width, thickness, squareness, flatness 32
C.2.1.4 Reaction to fire 32
C.2.1.5 Durability characteristics 33

C.2.2 For specific applications 33
C.3 Test methods 33
C.4 Evaluation of conformity 33

Annex D (normative) Specific test methods 34

D.1 Chloride content 34
D.2 Load resistance 34
D.3 Impact resistance 35

Annex E (normative) Determination of the thermal conductivity in relation to moisture content 37

Annex ZA (informative) Clauses of this European Standard addressing the provisions of the EU Construction Products Directive 39

ZA.1 Scope and relevant characteristics 39

ZA.2 Procedures for attestation of conformity of factory made wood wool products 41

ZA.2.1 Systems of attestation of conformity 41

ZA.2.2 EC certificate and declaration of conformity 43

ZA.3 CE Marking and labelling 45

Bibliography 47

Tables Table 1 -- Classes for length and width tolerances 12

Table 2 -- Classes for thickness tolerances 12

Table 3 -- Levels for deviation from flatness 13

Table 4 -- Levels for chloride content 13

Table 5 -- Levels for tensile strength perpendicular to faces 14

Table 6 -- Levels for the deviation from squareness 15

Table 7 -- Levels for compressive stress or compressive strength 16

Table 8 -- Levels for bending strength 17

Table 9 -- Levels for short term water absorption 17

Table 10 -- Test methods, specimens and conditions 20

Table A.1 -- Values for k for one sided 90 % tolerance interval with a confidence level of 90 % 26

Table B.1 -- Minimum product testing frequencies 28

Table B.1-- Minimum product testing frequencies 29

Table B.2 -- Minimum product testing frequencies for the reaction to fire characteristics 30

Table ZA.1 -- Relevant clauses for Wood wool and relevant clauses for WW multi-layered products and composite WW products with intended use 40

Table ZA.2 -- Systems of attestation of conformity 41

Table ZA.3 -- Assignment of evaluation of conformity tasks for products under system 1 for reaction to fire and system 3 for other characteristics 42

Table ZA.4 -- Assignment of evaluation of conformity tasks for products under system 3 or system 3 combined with system 4 for reaction to fire 43

Figures Figure D.1 -- Test rig for load resistance of slabs 35

Figure D.2 -- Test rig for impact resistance of slabs 36

Figure E.1 -- Example of a graphic representation of "f" 38

Figure ZA.1 -- Example CE marking information 46