DIN EN 14319-2:2013-04 (E)

Thermal insulating products for building equipment and industrial installations - In-situ formed dispensed rigid polyurethane (PUR) and polyisocyanurate foam (PIR) products - Part 2: Specification for the installed insulation products

Contents

Page

Foreword 3

1 Scope 4

2 Normative references 4

3 Terms, definitions, symbols and abbreviations 4
3.1 Terms and definitions 4
3.2 Symbols and abbreviations 6

4 Requirements 6
4.1 General 6
4.2 Suitability of the building equipment or industrial installation for the installation of the product 6

5 In-situ measurements and calculations 6
5.1 Declared installed insulation thickness 6
5.2 Declared installed thermal resistance, RD 6
5.3 Foam quality checks carried out by the installer 7

6 Guidelines for installation 7

7 Installer's declaration 7

Annex A (normative) Method for the determination of the declared installed insulation thickness 8

Annex B (normative) Suitability of the building equipment or industrial installation to receive the insulation product 9

B.1 Building equipment or industrial installation 9
B.2 Site survey 9

Annex C (normative) Installation guidelines 10

C.1 General 10
C.2 Suitability of cavity 10
C.3 Dispensing machine preparation 10
C.3.1 General 10
C.3.2 Mixing ratio 10
C.4 Dispensing procedure 10

Bibliography 11