

# DIN EN 15269-2:2012-12 (E)

Extended application of test results for fire resistance and/or smoke control for door, shutter and openable window assemblies, including their elements of building hardware - Part 2: Fire resistance of hinged and pivoted steel doorsets

---

<b>Contents</b>		<b>Page</b>
Foreword .....		3
Introduction .....		4
<b>1</b>	<b>Scope .....</b>	<b>5</b>
<b>2</b>	<b>Normative references .....</b>	<b>5</b>
<b>3</b>	<b>Terms and definitions .....</b>	<b>6</b>
<b>4</b>	<b>Determination of the field of extended application .....</b>	<b>6</b>
<b>4.1</b>	<b>General .....</b>	<b>6</b>
<b>4.2</b>	<b>How to use extended application rules in Annex A .....</b>	<b>6</b>
<b>4.3</b>	<b>Procedure for maximum field of extended application .....</b>	<b>7</b>
<b>4.4</b>	<b>Analysis of test results .....</b>	<b>8</b>
<b>5</b>	<b>Extended application report .....</b>	<b>8</b>
<b>6</b>	<b>Classification report .....</b>	<b>8</b>
<b>Annex A (normative) Construction parameter variations .....</b>		<b>9</b>
<b>Annex B (normative) Arrangements for doorsets incorporating side and / or over panels .....</b>		<b>94</b>
<b>Annex C (informative) Figures .....</b>		<b>101</b>