

DIN EN 14307:2013-04 (E)

Thermal insulation products for building equipment and industrial installations -
Factory made extruded polystyrene foam (XPS) products - Specification (includes
Amendment A1:2013)

Contents	Page
Foreword	4
1 Scope	6
2 Normative references	6
3 Terms, definitions, symbols, units and abbreviated terms	7
4 Requirements	10
5 Test methods	15
6 Designation code	18
7 Evaluation of conformity	19
8 Marking and labelling	19
Annex A (normative) Factory production control	21
Annex B (normative) Determination of the aged values of thermal conductivity	24
Annex C (informative) Additional properties	26
Annex ZA (informative) Clauses of this European Standard addressing the provisions of the EU Construction Products Directive	32
Bibliography	40
Figures Figure ZA.1 -- Example of CE marking information	39
Tables Table 1 -- Tolerances of length, width, squareness and flatness of boards	11
Table 2 -- Classes for thickness tolerances of boards	12
Table 3 -- Tolerances for pipe sections and segments	12
Table 4 -- Levels for compressive stress or compressive strength	14
Table 5 -- Test methods, test specimens and conditions	17
Table A.1 -- Minimum product testing frequencies	21
Table A.2 -- Minimum product testing frequencies for the reaction to fire characteristics	23
Table C.1 -- Levels for deformation under specified compressive load and temperature conditions	27
Table C.2 -- Levels for tensile strength, perpendicular to faces	28

Table C.3 -- Levels for long term water absorption by diffusion	28
Table C.4 -- Levels for long term water absorption by total immersion	29
Table C.5 -- Levels for freeze-thaw resistance	29
Table C.6 -- Test methods, test specimens and conditioning	30
Table ZA.1 -- Relevant clauses	33
Table ZA.2 -- System(s) of attestation of conformity	34
Table ZA.3 -- Assignment of evaluation of conformity tasks for products under system 1	35
Table ZA.4 -- Assignment of evaluation of conformity tasks for products under system 3 or system 3 combined with system 4 for reaction to fire	36