

DIN EN 1873:2014-08 (E)

Prefabricated accesories for roofing - Individual rooflights of plastics - Product specification and test methods

Contents		Page
Foreword		6
1	Scope	7
2	Normative references	10
3	Terms and definitions	11
4	Symbols and abbreviations	13
5	Requirements	15
5.1	Radiation properties	15
5.1.1	General	15
5.1.2	Light transmission	15
5.1.3	Solar direct transmittance e	16
5.1.4	Total solar energy transmittance g	16
5.2	Durability	16
5.3	Water tightness	16
5.4	Mechanical performances	16
5.4.1	Resistance to upward loads	16
5.4.2	Resistance to downward loads	16
5.4.3	Impact resistance	17
5.5	Reaction to fire	17
5.6	Resistance to fire	18
5.7	External fire performance	18
5.8	Air permeability	18
5.9	Thermal resistance	18
5.10	Airborne sound insulation	19
5.11	Release of dangerous substances	19
6	Testing and classification	19
6.1	General	19
6.2	Radiation properties	19
6.2.1	Total luminous transmittance	19
6.2.2	Determination of solar direct transmittance e	20
6.2.3	Determination of total solar energy transmittance g	20
6.3	Durability	20
6.3.1	Classification for durability	20
6.3.2	Conditions for accelerated ageing	22
6.3.3	Variation of light transmission	22
6.3.4	Variation in yellowness index	23
6.3.5	Variation of mechanical properties with ageing	23
6.3.6	Test specimen	24
6.4	Watertightness	24
6.4.1	Principle	24
6.4.2	Procedure	24
6.4.3	Apparatus	24
6.4.4	Test specimen	24
6.5	Mechanical performances	26
6.5.1	Resistance to upward and downward loads	26
6.5.2	Impact resistance	27

6.6	Fire behaviour	29
6.7	Air permeability	29
6.8	Thermal transmittance	30
6.9	Relationship between characteristics, families and test specimens	30
6.10	Test report	32
7	Assessment and verification of constancy of performance - AVCP	32
7.1	General	32
7.2	Type testing	33
7.2.1	General	33
7.2.2	Test reports	33
7.3	Factory production control (FPC)	33
7.3.1	General	33
7.3.2	General requirements	34
7.3.3	Product specific requirements	36
7.3.4	Initial inspection of factory and of FPC	37
7.3.5	Continuous surveillance of FPC	38
7.3.6	Procedure for modifications	38
8	Designation and marking	38
Annex A (informative) Guidelines for safety, application, use and maintenance		40
A.1	General	40
A.2	Guidelines for safety	40
A.3	Guidelines for application and use	40
A.4	Maintenance	41
Annex B (normative) Alternative test method for the determination of light transmission		42
B.1	General	42
B.2	Apparatus	42
B.3	Test pieces	42
B.4	Procedure	43
B.5	Expression of results	43
Annex C (normative) Test method for air permeability		44
C.1	General	44
C.2	Test apparatus	44
C.3	Test specimen	44
C.4	Test procedure	45
C.5	Evaluation of the results	45
C.6	Rounding off to be used for the air permeability	45
C.7	Test report	46
Annex D (normative) Determination of thermal transmittance of rooflight		47
D.1	General	47
D.2	Determination of thermal transmittance of rooflight components	47
D.2.1	Determination by measurement	47
D.2.2	Determination by calculation	47
D.2.2.1	General	47
D.2.2.2	Thermal transmittance of the upstand U_{up} and $U_{up,e}$	47
D.2.2.3	Thermal transmittance of the edge profile U_e	47
D.2.2.4	Thermal transmittance of the junction part U_j	47
D.2.2.5	Thermal transmittance of the translucent parts U_t	47
D.2.2.6	Linear thermal transmittances e_j, t	48
D.2.2.7	Definition of starting point for calculation of thermal transmittance	48
D.3	Determination of areas of a rooflight	49
D.3.1	Components	49
D.3.2	Area of the rooflight upstand	50

D.3.3	Area of the edge profile	51
D.3.4	Area of the junction part	53
D.3.5	Area of the translucent part A_t	54
D.3.6	Surface of the rooflight	54
D.4	Total thermal transmittance of individual rooflights	55
D.4.1	General	55
D.4.2	Total thermal transmittance U_r of individual rooflights including the edge profile	56
D.4.3	Total thermal transmittance U_{rc} of individual rooflights including the edge profile and upstand	57
D.4.4	Total thermal transmittance U_{rc} of individual rooflights including the edge profile and upstand (alternative method)	59
D.4.5	Total thermal transmittance U_{rc} of individual rooflights including the upstand without edge profile	60
D.4.6	Total thermal transmittance U_{rc} of individual rooflights including the edge profile and upstand with more than one translucent part	61
D.4.7	Rounding off to be used for thermal transmittance in calculation and classification	62
D.5	Test specimen for evaluation of thermal transmittance: $U_{r,ref}$, $U_{rc,ref300}$	62
D.5.1	General	62
D.5.2	Reference models	63
D.5.2.1	Individual rooflight without upstand	63
D.5.2.2	Individual rooflight with upstand	63
D.6	Characteristics for supplied rooflight	64
Annex E (normative) Reaction to fire test		65
E.1	Class E	65
E.1.1	General	65
E.1.2	Mounting and fixing for the small flame test in accordance to EN ISO 11925-2	65
E.2	Class A2 to class D	66
E.2.1	General	66
E.2.2	Mounting and fixing for the SBI test	66
E.3	Class A1	66
Annex ZA (informative) Clauses of this European Standard addressing the provisions of the EU Construction Products Regulation		67
ZA.1	Scope and relevant characteristics	67
ZA.2	Procedure for AVCP of prefabricated accessories for roofing - individual rooflights of plastics	68
ZA.2.1	Systems of AVCP	68
ZA.2.2	Declaration of performance (DoP)	71
ZA.2.2.1	General	71
ZA.2.2.2	Content	72
ZA.2.2.3	Example of DoP	73
ZA.3	CE marking and labelling	76
Bibliography		78