

DIN EN 14471:2015-03 (E)

Chimneys - System chimneys with plastic flue liners - Requirements and test methods (includes Amendment A1:2015)

Contents		Page
Foreword		7
Introduction		8
1	Scope	9
2	Normative references	9
3	Terms and definitions	11
4	Classification and designation	15
4.1	General	15
4.2	Temperature classes	16
4.3	Pressure classes	16
4.4	Sootfire resistance classes	16
4.5	Condensate resistance classes	16
4.6	Corrosion resistance classes	17
4.7	Thermal resistance	17
4.8	Distance to combustible material	17
4.9	Location	17
4.10	Reaction to fire	17
4.11	Outer wall classes	18
4.12	Designation	18
5	Dimensions and tolerances	18
6	Performance requirements	19
6.1	General	19
6.2	Resistance to the combination of mechanical and thermal load	19
6.2.1	General	19
6.2.2	Mechanical behaviour and stability	20
6.3	Components subject to wind load	21
6.4	Fire resistance	21
6.5	Hygiene, health and environment	21
6.5.1	Gas tightness	21
6.5.2	Recycling	21
6.6	Safety in use	21
6.6.1	Thermal performance	21
6.6.2	Resistance against condensate	22
6.6.3	Rainwater penetration resistance for insulated chimneys for external installation	22
6.6.4	Flow resistance	22
6.6.5	Terminals	23
6.7	Materials, durability	23
6.7.1	General	23
6.7.2	Characterization	23
6.7.3	Long-term resistance to thermal load	23
6.7.4	Long-term resistance to condensate exposure	24
6.7.5	Resistance to wet/dry cycling	25
6.7.6	Resistance against weathering	26
6.7.7	Geometrical stability	26
6.7.8	Reaction to fire	26

6.7.9	Freeze-thaw resistance	26
6.7.10	Seals and sealants	27
7	Test methods	27
7.1	General	27
7.2	Resistance to the combination of mechanical and thermal load	27
7.2.1	Test sample	27
7.2.2	Test performance	30
7.2.3	Test environment	30
7.3	Components subject to wind load	30
7.4	Fire resistance	31
7.5	Hygiene, health and environment	31
7.5.1	Gas tightness	31
7.5.2	Recycling	32
7.6	Safety in use	33
7.6.1	Thermal performance	33
7.6.2	Thermal resistance	33
7.6.3	Resistance against condensate	33
7.6.4	Rainwater penetration resistance for insulated chimneys for external installation	33
7.6.5	Flow resistance	34
7.6.6	Terminals	34
7.7	Materials	35
7.7.1	General	35
7.7.2	Characterization	35
7.7.3	Long-term resistance to thermal load	35
7.7.4	Long-term resistance to condensate exposure	36
7.7.5	Resistance to wet/dry cycling	37
7.7.6	Resistance against weathering	37
7.7.7	Geometrical stability	38
7.7.8	Reaction to fire	38
7.7.9	Freeze-thaw resistance	38
7.7.10	Seals and sealants	38
8	Dangerous substances	38
9	Product information	38
9.1	General	38
9.2	Minimum information to be included in the manufacturer's instructions	38
9.2.1	Information for the installer	38
9.2.2	Information for the user	39
9.2.3	Additional information to be included in the manufacturer's instructions:	39
10	Assessment and Verification of the Constancy of Performance (AVCP)	41
10.1	General	41
10.2	Product type determinations	41
10.3	Further type testing	41
10.4	Continuous surveillance of FPC	41
10.5	Factory production control (FPC)	42
10.5.1	General	42
10.5.2	Equipment	43
10.5.3	Raw materials and components	43
10.5.4	Product testing and evaluation	44
11	Marking and labelling	44
11.1	Marking chimney components	44
11.2	Chimney plate	45
	Annex A (normative) Test methods for characterization	46
	Annex B (informative) Examples of characterization	48

Annex C (normative) Test methods to determine the effect to long-term thermal load, long-term condensate exposure, wet/dry cycling and resistance to UV	49
Annex D (normative) Simplified calculation of thermal resistance for circular flues	50
Annex E (informative) Method for applying an evenly distributed load (horizontal)	52
Annex F (informative) Resistance to UV	53
Annex G (normative) Terminals	54
G.1 Characteristics of a terminal	54
G.1.1 General	54
G.1.2 Types of terminals	54
G.1.2.1 Type I	54
G.1.2.1.1 General	54
G.1.2.1.2 Type Ia	54
G.1.2.1.3 Type Ib	54
G.1.2.2 Type II	54
G.1.2.3 Type III	54
G.1.3 Wind direction characteristics	54
G.2 Requirements	55
G.2.1 General	55
G.2.2 Flow resistance of terminals Type I, II and III	55
G.2.3 Aerodynamic properties of terminals Type II and III	55
G.2.3.1 Terminal Type II	55
G.2.3.2 Terminal Type III	55
G.2.4 Rain water ingress	56
G.2.5 Icing behaviour	56
G.3 Characteristics of the terminal	56
G.3.1 Flow resistance	56
G.3.1.1 Flue duct for terminals Type I, II, III	56
G.3.1.2 Air duct for terminal Type III	56
G.3.2 Aerodynamic properties	57
G.3.2.1 Wind velocity pressure of a terminal Type II - for non room-sealed and room-sealed appliances	57
G.3.2.2 Wind velocity pressure of a terminal, Type III - for balanced flue applications	58
G.3.2.3 Recirculation factor of a terminal, Type III, (for room sealed appliances)	58
G.3.3 Rainwater ingress	59
G.3.4 Icing behaviour	59
Annex H (normative) Test methods for flow resistance	60
H.1 For terminal Type I, II and III, test method for flow resistance	60
H.1.1 Test apparatus	60
H.1.2 Test sample	60
H.1.3 Measurement parameters	60
H.1.4 Test condition	61
H.1.5 Test procedure	61
H.1.6 Test result	61
Annex I (normative) Test methods for wind effects on pressure	64
I.1 For terminal Type II, test method for wind velocity pressure	64
I.1.1 Test apparatus	64
I.1.2 Test sample	64
I.1.3 Measurement parameters	64
I.1.4 Test condition	65
I.1.5 Test procedure	65
I.1.6 Test result	65
I.2 For a terminal Type III, test method for wind velocity pressure	65
I.2.1 Test apparatus	65

I.2.2	Test sample	66
I.2.3	Measurement parameters	66
I.2.4	Test condition	67
I.2.5	Test procedure	67
I.2.6	Test result	67
Annex J (normative) Test methods for wind effects on recirculation		68
J.1	For terminal Type III, test method for recirculation	68
J.1.1	Test apparatus	68
J.1.2	Test sample	68
J.1.3	Measurement parameters	68
J.1.4	Test condition	68
J.1.5	Test procedure	69
J.1.6	Test result	69
Annex K (normative) Test method for rain water ingress		70
K.1	For terminal Type Ib, II and III, test method without wind	70
K.1.1	Test apparatus	70
K.1.2	Test sample	70
K.1.3	Measurement parameters	70
K.1.4	Test condition	70
K.1.5	Test procedure	71
K.1.6	Test result	71
K.2	For terminal Type Ib, II and III, test method with wind	72
K.2.1	Test apparatus	72
K.2.2	Test sample	73
K.2.3	Measurement parameters	73
K.2.4	Test condition	73
K.2.5	Test procedure	73
K.2.6	Test result	74
Annex L (normative) Test method of icing effects		76
L.1	For terminal Type II and III, test method for icing behaviour	76
L.1.1	Test apparatus	76
L.1.2	Test sample	76
L.1.3	Measurement parameters	76
L.1.4	Test condition	77
L.1.5	Test procedure	77
L.1.6	Test result	77
Annex ZA (informative) Clauses of this European Standard addressing the provisions of the EU Construction Products Regulation		79
ZA.1	Scope and relevant characteristics	79
ZA.2	Procedure for AVCP of system chimneys with plastic flue liners and terminals	81
ZA.2.1	Systems of AVCP	81
ZA.2.2	Declaration of performance (DoP)	88
ZA.2.2.1	General	88
ZA.2.2.2	Content	88
ZA.2.2.3	Example of DoP	89
ZA.3	CE marking and labelling	93
Bibliography		96