

DIN EN 13171:2015-04 (E)

Thermal insulation products for buildings - Factory made wood fibre (WF) products - Specification (includes Amendment A1:2015)

| Contents | | Page |
|---------------------|---|-------------|
| Foreword | | 4 |
| 1 | Scope | 6 |
| 2 | Normative references | 6 |
| 3 | Terms, definitions, symbols, units and abbreviated terms | 8 |
| 3.1 | Terms and definitions | 8 |
| 3.2 | Symbols, units and abbreviated terms | 8 |
| 4 | Requirements | 11 |
| 4.1 | General | 11 |
| 4.2 | For all applications | 11 |
| 4.3 | For specific applications | 13 |
| 5 | Test methods | 19 |
| 5.1 | Sampling | 19 |
| 5.2 | Conditioning | 19 |
| 5.3 | Testing | 19 |
| 6 | Designation code | 22 |
| 7 | Assessment and Verification of the Constancy of Performance (AVCP) | 23 |
| 7.1 | General | 23 |
| 7.2 | Product Type Determination (PTD) | 23 |
| 7.3 | Factory Production Control (FPC) | 23 |
| 8 | Marking and labelling | 23 |
| Annex A (normative) | Determination of the declared values of thermal resistance and thermal conductivity | 25 |
| A.1 | General | 25 |
| A.2 | Input data | 25 |
| A.3 | Declared values | 25 |
| A.3.1 | General | 25 |
| A.3.2 | Case where thermal resistance and thermal conductivity are declared | 25 |
| A.3.3 | Case where only thermal resistance is declared | 26 |
| Annex B (normative) | "Product type determination" (!PTD) and factory production control (FPC) | 28 |
| Annex C (normative) | WF multi-layered thermal insulation products | 32 |
| C.1 | General | 32 |
| C.2 | Requirements | 32 |
| C.2.1 | For all applications | 32 |
| C.2.2 | For specific applications | 33 |
| C.3 | Test methods | 33 |
| C.4 | Evaluation of conformity | 33 |
| Annex D (normative) | Determination of the thermal conductivity in relation to moisture content | 34 |

| | |
|--|-----------|
| Annex E (informative) Additional properties | 36 |
| E.1 General | 36 |
| E.2 Bending strength | 36 |
| E.3 Shear strength | 36 |
| Annex F (informative) Examples for the determination of the declared values of thermal resistance and thermal conductivity for a product or a product group | 37 |
| F.1 Case where both thermal resistance and thermal conductivity are declared | 37 |
| F.2 Case where only thermal resistance is declared | 38 |
| Annex ZA (informative) "Clauses of this European Standard addressing the provisions of the EU Construction Products Regulation" | 40 |
| ZA.1 Scope and relevant characteristics | 40 |
| ZA.2 Procedures for AVCP of factory made wood fibre products | 42 |
| ZA.3 CE Marking and labelling | 49 |
| Bibliography | 51 |
| Tables Table 1 -- Level and classes for thickness tolerances | 12 |
| Table 2 -- Dimensional stability under specified temperature and humidity conditions | 13 |
| Table 3 -- Levels for compressive stress or compressive strength | 14 |
| Table 4 -- Levels for tensile strength perpendicular to faces | 15 |
| Table 5 -- Levels for short term water absorption by partial immersion | 16 |
| Table 6 -- Classes for thickness tolerances | 17 |
| Table 7 -- Levels for compressibility | 17 |
| Table 8 -- Test methods, test specimens and conditions | 20 |
| Table A.1 -- Values for k for one sided 90 % tolerance interval with a confidence level of 90 % | 26 |
| Table B.1 -- Minimum number of tests for ITT and minimum product testing frequencies | 28 |
| Table B.2 -- Minimum product testing frequencies for the reaction to fire characteristics | 30 |
| Table E.1 -- Test methods, test specimens, conditions and minimum testing frequencies | 36 |
| Table F.1 -- test results | 37 |
| Table F.2 -- R test results | 38 |
| Table ZA.1 -- Relevant clauses for factory made wood fibre and intended use | 40 |
| Table ZA.2 -- Systems of AVCP | 42 |
| Table ZA.3.1 -- Assignment of AVCP tasks for factory made wood fibre products under system 1 for reaction to fire and system 3 (see Table ZA.2) | 43 |
| Table ZA.3.2 -- Assignment of AVCP tasks for factory made wood fibre products under system 3 (see Table ZA.2) | 44 |

Table ZA.3.3 -- Assignment of AVCP tasks for factory made wood fibre products under combined system 4 for reaction to fire and system 3 (see Table ZA.2)45

Figures Figure D.1 -- Example of a graphic representation of "f"35

Figure ZA.1 -- Example CE marking information of products under AVCP system 350