

# DIN EN 13166:2015-04 (E)

## Thermal insulation products for buildings - Factory made phenolic foam (PF) products - Specification (includes Amendment A1:2015)

---

<b>Contents</b>		<b>Page</b>
Foreword .....		4
1	Scope .....	6
2	Normative references .....	6
3	Terms, definitions, symbols, units and abbreviated terms .....	7
4	Requirements .....	11
5	Test methods .....	17
6	Designation code .....	19
7	Assessment and Verification of the Constancy of Performance (AVCP) .....	20
8	Marking and labelling .....	21
Annex A (normative)	Determination of the declared values of thermal resistance and thermal conductivity .....	22
Annex B (normative)	"Product type determination" ("PTD") and factory production control (FPC) ....	24
Annex C (normative)	Determination of the aged values of thermal resistance and thermal conductivity .....	28
Annex D (informative)	Additional properties .....	33
Annex E (normative)	PF multi-layered thermal insulation products .....	34
Annex ZA	Annex ZA (informative) "Clauses of this European Standard addressing the provisions of the EU Construction Products Regulation" .....	36
Bibliography .....		47
Tables	Table 1 -- Tolerances for length and width .....	12
	Table 2 -- Classes for thickness tolerances .....	12
	Table 3 -- Tolerances for deviation from flatness .....	13
	Table 4 -- Dimensional stability under specified temperature and humidity conditions .....	14
	Table 5 -- Levels for compressive strength .....	14
	Table 6 -- Levels for tensile strength perpendicular to faces .....	15
	Table 7 -- Levels for short term water absorption by partial immersion .....	16
	Table 8 -- Levels for long term water absorption by partial immersion .....	16

<b>Table 9 -- Test methods, specimens and conditions .....</b>	<b>18</b>
<b>Table A.1 -- Values for k for one side 90 % tolerance interval with a confidence level of 90 % .....</b>	<b>23</b>
<b>Table B.1 -- Minimum number of tests for "IPTD" and minimum product testing frequencies .....</b>	<b>24</b>
<b>Table B.2 -- Minimum product testing frequencies for the reaction to fire characteristics (1 of 2) .....</b>	<b>26</b>
<b>Table C.1 -- Test times for product thicknesses .....</b>	<b>30</b>
<b>Table C.2 -- Increments to be added to accelerated aged values of thermal conductivity to obtain the time averaged value over 25 years (W/m.K) .....</b>	<b>31</b>
<b>Table D.1 -- Test methods, test specimens, conditions and minimum testing frequencies .....</b>	<b>33</b>
<b>Table ZA.1 -- Relevant clauses for factory made phenolic foam and intended use .....</b>	<b>37</b>
<b>Table ZA.2 -- Systems of AVCP .....</b>	<b>38</b>
<b>Table ZA.3.1 -- Assignment of AVCP tasks for factory made phenolic foam products under system 1 for reaction to fire and system 3 (see Table ZA.2) .....</b>	<b>39</b>
<b>Table ZA.3.2 -- Assignment of AVCP tasks for factory made phenolic foam products under system 3 (see Table ZA.2) .....</b>	<b>40</b>
<b>Table ZA.3.3 -- Assignment of AVCP tasks for factory made phenolic foam products under combined system 4 for reaction to fire and system 3 (see Table ZA.2) .....</b>	<b>41</b>
<b>Figures Figure ZA.1 -- Example CE marking information .....</b>	<b>44</b>