DIN EN 16351:2015-12 (E)

Timber structures - Cross laminated timber - Requirements

Contents

Page

European foreword 6

Introduction 7

1 Scope 8

2 Normative references 9

3 Terms and definitions 10

4 Symbols 14
4.1 Main symbols 14
4.2 Subscripts 15

5 Components and product characteristics, testing and assessment methods 16
5.1 Components characteristics 16
5.1.1 Timber to be used in laminations 16
5.1.2 Laminations 16
5.1.3 Timber layers 17
5.1.4 Wood-based panel layers 17
5.1.5 Species 17
5.1.6 Adhesives for the production of cross laminated timber 18
5.2 Characteristics of cross laminated timber 20
5.2.1 General 20
5.2.2 Geometrical data 20
5.2.3 Strength and stiffness properties of cross laminated timber 24
5.2.4 Strength and stiffness properties of cross laminated timber with large finger joints 25
5.2.5 Bonding strength 26
5.2.6 Resistance to fire 27
5.2.7 Reaction to fire 27
5.2.8 Dimensional stability 29
5.2.9 Release of dangerous substances 29
5.2.10 Durability 30

6 Assessment and Verification of Constancy of Performance (AVCP) 31
6.1 General 31
6.2 Type testing 31
6.2.1 General 31
6.2.2 Test samples, testing and compliance criteria 32
6.2.3 Test reports 36
6.2.4 Shared other party results 36
6.2.5 Cascading determination of the product type results 37
6.3 Factory production control (FPC) 38
6.3.1 General 38
6.3.2 Requirements 39
6.3.3 Product specific requirements 45
6.3.4 Initial inspection of factory and of FPC 45
6.3.5 Continuous surveillance of FPC 46
6.3.6 Procedure for modifications 46

7 Marking and labelling 46
7.1 General 46

7.2 Cross laminated timber 47

Annex A (normative) Release of Formaldehyde 48

A.1 General 48
A.2 Classification 48
A.2.1 Cross laminated timber 48
A.2.2 Cross laminated timber with large finger joints 49

Annex B (normative) Additional test methods and requirements for adhesives 50

B.1 General 50
B.2 Long-term sustained load test at cyclic climate conditions with specimens loaded perpendicular to the glue line for moisture curing one-component polyurethane and emulsion polymer isocyanate adhesives (glass house test) 50
B.2.1 General description 50
B.2.2 Production of the specimens 50
B.2.3 Test procedure and climate conditions 51
B.2.4 Requirements 52
B.2.5 Test report 52

Annex C (normative) Delamination test of glue lines between layers 53

C.1 Principle 53
C.2 Apparatus 53
C.2.1 Pressure vessel 53
C.2.2 Drying duct 53
C.2.3 Balance 53
C.2.4 Metal wedge and hammer 53
C.3 Sampling and preparation of test pieces 53
C.4 Procedures 54
C.4.1 General 54
C.4.2 Measurement and evaluation of delamination 54
C.4.3 Test cycle 55
C.5 Results 55
C.5.1 General 55
C.5.2 Total delamination 55
C.5.3 Maximum delamination 56
C.5.4 Wood failure percentage 56
C.6 Test report 56

Annex D (normative) Shear tests 57

D.1 Principle 57
D.2 Apparatus 57
D.2.1 Testing machine 57
D.2.2 Shearing tool 57
D.3 Test pieces 58
D.3.1 General 58
D.3.2 Test pieces for edge bonds in timber layers 58
D.3.3 Test pieces for glue lines between layers 58
D.3.4 Test pieces for testing single glue lines within cross laminated timber 60
D.3.5 Sampling of test pieces 60
D.3.6 Marking of test pieces 61
D.4 Procedure 61
D.5 Results 61
D.6 Test report 62

Annex E (normative) Tests with laminations with or without finger joints (including compliance criteria) 63

E.1 Sampling 63

E.1.1 General 63
E.1.2 For type testing 63
E.1.3 For factory production control 63
E.2 Testing 63
E.2.1 General 63
E.2.2 Additional requirements for type testing 63
E.2.3 Additional requirements for factory production control 63
E.3 Compliance criteria of finger joints in laminations 64
E.3.1 For type testing 64
E.3.2 For factory production control 64
E.4 Report of tests with finger joints in laminations 64
E.5 Tests with laminations without finger joints 65

Annex F (normative) Determination of strength, stiffness and density properties of cross laminated timber 66

F.1 Indices 66
F.2 General 69
F.2.1 Sampling 69
F.2.2 Specimens 69
F.2.3 Testing 69
F.2.4 Analysis of test results 70
F.2.5 Test reports 70
F.3 Characteristics determined by tests with loads perpendicular to the plane 70
F.3.1 Bending test 70
F.3.2 (Rolling) shear strength and stiffness derived from bending tests 71
F.3.3 (Rolling) shear strength and stiffness derived from shear test (alternative test method) 72
F.3.4 Compression perpendicular to the plane 74
F.3.5 Large finger joint - Bending test 74
F.4 Characteristics determined by tests with in-plane loads 75
F.4.1 Bending 75
F.4.2 Shear values within a layer - net cross section 76
F.4.3 Shear values for glue lines between layers - torsional shear 77
F.4.4 Shear stiffness for cross laminated timber in plane by bending test 78
F.4.5 Large finger joint - Bending test 79

Annex G (normative) Measurement of moisture content 80

G.1 General 80
G.2 Measurement of moisture content of boards during production 80
G.3 Mean moisture content of cross laminated timber made from timber laminations 80

Annex H (normative) Separation tests with finger joints in laminations produced with contact-free application of adhesive 81

Annex I (normative) Minimum production requirements 82

I.1 Personnel 82
I.2 Production and storage facilities 82
I.2.1 General 82
I.2.2 Facilities for drying and storage of timber 82
I.2.3 Facilities for processing and storage of adhesives 82
I.2.4 Facilities for production and curing 82
I.3 Equipment 83
I.4 Finger joints in laminations 83
I.4.1 Wane and edge damages 83
I.4.2 Finger joint geometry 84
I.4.3 Knots and local grain deviation 84
I.4.4 Moisture content at bonding 85
I.4.5 Bonding surface and application of the adhesive 85
I.4.6 Time between cutting and adhesive application 86
I.4.7 Pressure 86

I.4.8 Curing 86
I.5 Bonding of laminations and layers 87
I.5.1 General 87
I.5.2 Moisture content at bonding 87
I.5.3 Bonding surfaces and adhesive application 87
I.5.4 Cramping 87
I.5.5 Glue line thickness 87
I.5.6 Curing 88
I.6 Cross laminated timber with large finger joints 88
I.6.1 Cross laminated timber to be jointed 88
I.6.2 Moisture content at bonding 88
I.6.3 Finger joint geometry 88
I.6.4 Machining of the fingers 88
I.6.5 Adhesive, bonding surface and adhesive application 88
I.6.6 Cramping 89
I.6.7 Glue line thickness 89
I.6.8 Curing 89

Annex ZA (informative) Clauses of this European Standard addressing the requirements of the EU Construction Products Regulation 90

Bibliography 102