

# DIN EN 12101-2:2017-08 (E)

## Smoke and heat control systems - Part 2: Natural smoke and heat exhaust ventilators

<b>Contents</b>		<b>Page</b>
	European foreword .....	5
	Introduction .....	6
<b>1</b>	<b>Scope .....</b>	<b>7</b>
<b>2</b>	<b>Normative references .....</b>	<b>7</b>
<b>3</b>	<b>Terms, definitions, symbols and abbreviations .....</b>	<b>7</b>
<b>3.1</b>	<b>Terms and definitions .....</b>	<b>7</b>
<b>3.2</b>	<b>Symbols and abbreviations .....</b>	<b>11</b>
<b>4</b>	<b>Requirements .....</b>	<b>13</b>
<b>4.1</b>	<b>Nominal activation conditions/sensitivity .....</b>	<b>13</b>
<b>4.1.1</b>	<b>Initiation device .....</b>	<b>13</b>
<b>4.1.2</b>	<b>Opening mechanism .....</b>	<b>14</b>
<b>4.1.3</b>	<b>Inputs and outputs .....</b>	<b>14</b>
<b>4.2</b>	<b>Response delay (response time) .....</b>	<b>14</b>
<b>4.2.1</b>	<b>Reliability .....</b>	<b>14</b>
<b>4.2.2</b>	<b>Opening under (snow/wind) load .....</b>	<b>14</b>
<b>4.2.3</b>	<b>Low ambient temperature .....</b>	<b>15</b>
<b>4.2.4</b>	<b>Opening under heat .....</b>	<b>15</b>
<b>4.3</b>	<b>Operational reliability .....</b>	<b>15</b>
<b>4.4</b>	<b>Effectiveness of smoke/hot gas extraction (aerodynamic free area) .....</b>	<b>15</b>
<b>4.5</b>	<b>Performance parameters under fire conditions .....</b>	<b>15</b>
<b>4.5.1</b>	<b>Resistance to heat .....</b>	<b>15</b>
<b>4.5.2</b>	<b>Mechanical stability .....</b>	<b>16</b>
<b>4.5.3</b>	<b>Reaction to fire .....</b>	<b>16</b>
<b>4.6</b>	<b>Performance under environmental conditions .....</b>	<b>16</b>
<b>4.6.1</b>	<b>Opening under load .....</b>	<b>16</b>
<b>4.6.2</b>	<b>Low ambient temperature .....</b>	<b>16</b>
<b>4.6.3</b>	<b>Stability under wind load .....</b>	<b>16</b>
<b>4.6.4</b>	<b>Resistance to wind-induced vibration .....</b>	<b>16</b>
<b>4.6.5</b>	<b>Resistance to heat .....</b>	<b>16</b>
<b>4.7</b>	<b>Durability .....</b>	<b>17</b>
<b>4.7.1</b>	<b>Response delay (response time) .....</b>	<b>17</b>
<b>4.7.2</b>	<b>Operational reliability .....</b>	<b>17</b>
<b>4.7.3</b>	<b>Performance parameters under fire conditions .....</b>	<b>17</b>
<b>5</b>	<b>Testing, assessment and sampling methods .....</b>	<b>17</b>
<b>6</b>	<b>Assessment and verification of constancy of performance - AVCP .....</b>	<b>19</b>
<b>6.1</b>	<b>General .....</b>	<b>19</b>
<b>6.2</b>	<b>Type Testing .....</b>	<b>19</b>
<b>6.2.1</b>	<b>General .....</b>	<b>19</b>
<b>6.2.2</b>	<b>Test samples, testing and compliance criteria .....</b>	<b>20</b>
<b>6.2.3</b>	<b>Test sequence .....</b>	<b>21</b>
<b>6.2.4</b>	<b>Test reports .....</b>	<b>22</b>
<b>6.2.5</b>	<b>Cascading determination of the product type results .....</b>	<b>22</b>
<b>6.3</b>	<b>Factory production control .....</b>	<b>23</b>
<b>6.3.1</b>	<b>General .....</b>	<b>23</b>
<b>6.3.2</b>	<b>Requirements .....</b>	<b>23</b>

6.3.3	NSHEV specific requirements .....	25
6.3.4	Initial inspection of factory and FPC .....	26
6.3.5	Continuous surveillance of FPC .....	26
6.3.6	Procedure for modifications .....	27
6.3.7	Pre-production prototypes .....	27
7	Marking, labelling and packaging .....	28
Annex A (normative) Classification .....		29
A.1	Nominal activation condition/sensitivity .....	29
A.2	Response delay .....	29
A.3	Operational Reliability .....	29
A.4	Effectiveness of smoke/hot gas extraction (aerodynamic free area) .....	29
A.5	Performance parameters under fire conditions .....	29
A.6	Performance under environmental conditions .....	30
A.7	Durability .....	31
A.7.1	Response delay (response time) .....	31
A.7.2	Operational reliability .....	31
A.7.3	Performance parameters under fire conditions .....	31
Annex B (normative) Effectiveness of smoke/hot gas extraction (aerodynamic free area) .....		32
B.1	Determination of the aerodynamic free area .....	32
B.2	Simple assessment procedure .....	32
B.2.1	General .....	32
B.2.2	Roof mounted NSHEV .....	32
B.2.3	Wall mounted NSHEV .....	32
B.3	Experimental procedure .....	33
B.3.1	General .....	33
B.3.2	Test apparatus .....	33
B.3.3	Test specimen .....	34
B.3.4	Test procedure .....	35
B.3.5	Evaluation of test results .....	36
B.3.6	Calculation of the coefficient of discharge for a family of NSHEV .....	37
B.4	Test to check the aerodynamic test installations .....	38
B.4.1	General .....	38
B.4.2	Reference test without side wind .....	39
B.4.3	Reference tests with side wind .....	39
B.4.4	Evaluation of test results .....	39
Annex C (normative) Test method for operational reliability and response time .....		54
C.1	Objective of test .....	54
C.2	Test conditions .....	54
C.3	Test apparatus .....	54
C.4	Test specimen .....	54
C.5	Test procedure .....	54
Annex D (normative) Test method for opening under load .....		56
D.1	Objective of test .....	56
D.2	Test conditions .....	56
D.3	Test apparatus .....	56
D.4	Test specimen .....	57
D.5	Test procedure .....	57
Annex E (normative) Test method for low ambient temperature .....		58
E.1	Objective of test .....	58
E.2	Test apparatus .....	58
E.3	Test specimen .....	58

E.4	Test procedure .....	58
<b>Annex F (normative) Test method for stability under wind load .....</b>		<b>59</b>
F.1	Objective of test .....	59
F.2	Test conditions .....	59
F.3	Test apparatus .....	59
F.4	Test specimen .....	59
F.5	Test procedure .....	60
F.5.1	Wind load .....	60
F.5.2	Vibration .....	60
<b>Annex G (normative) Test method for resistance to heat .....</b>		<b>61</b>
G.1	Objective of the test .....	61
G.2	Test apparatus .....	61
G.2.1	Test furnace .....	61
G.2.2	Temperature measurement .....	61
G.2.3	NSHEV mount .....	61
G.3	Test specimen .....	62
G.3.1	General .....	62
G.3.2	NSHEV mounted to a glazed partition construction .....	62
G.3.3	Roof mounted NSHEV as part of a continuous rooflight .....	62
G.3.4	Wall mounted NSHEV .....	63
G.3.5	Roof mounted NSHEV .....	63
G.4	Test procedure .....	64
<b>Annex H (normative) Mounting and fixing conditions for the SBI or small flame tests .....</b>		<b>72</b>
H.1	General .....	72
H.2	Class E .....	73
H.2.1	General .....	73
H.2.2	Small flame test in accordance to EN ISO 11925-2 .....	73
H.3	Class A2 to class D .....	73
H.3.1	General .....	73
H.3.2	Single Burning Item test (SBI) .....	74
H.4	Heat of combustion test .....	74
<b>Annex I (normative) Handling changes affecting declared performances for NSHEV .....</b>		<b>75</b>
I.1	General .....	75
I.2	Effectiveness of smoke/hot gas extraction .....	75
I.3	Reliability .....	75
I.4	Opening under load .....	76
I.5	Opening at low ambient temperatures .....	76
I.6	Wind load .....	77
I.7	Resistance to heat .....	77
<b>Annex J (informative) Installation and maintenance information .....</b>		<b>78</b>
J.1	Installation information .....	78
J.2	Maintenance information .....	78
<b>Bibliography .....</b>		<b>88</b>