DIN EN 12488:2016-11 (E)

Glass in building - Glazing recommendations - Assembly principles for vertical and sloping glazing

Contents

Page

European foreword 4

Introduction 5

1 Scope 6

2 Normative references 6

3 Terms and definitions 7

4 Basic requirements 12
4.1 General 12
4.2 Support of glazing 12
4.3 Mechanical stability 12
4.4 Durability 13
4.4.1 Ultraviolet attack on sensitive components 13
4.4.2 Chemical and atmospheric attack on sensitive components 13
4.4.3 Weather tightness 13
4.4.4 Additional considerations for sloping glazing 13
4.5 Special requirements 13

5 Requirements for the components 14
5.1 Frame selection, materials and finishes 14
5.1.1 Design of the frame 14
5.1.2 Selection 14
5.1.3 Frame materials 15
5.2 Sealants 15
5.3 Preformed strip materials 16
5.4 Putty 16
5.5 Glazing blocks 17
5.5.1 General 17
5.5.2 Setting blocks 18
5.5.3 Location block 19
5.5.4 Distance pieces 20
5.5.5 Temporary blocks 21

Annex A (informative) Recommendations for drainage and ventilation 22

A.1 General 22
A.2 Drainage and ventilation per module: 22
A.3 Cascading drainage and ventilation 24

Annex B (informative) Aspects for determining the rebate dimensions 26

B.1 General 26
B.2 Insulating glass unit 27

Annex C (informative) Positioning of glazing blocks as a function of frame type 28

C.1 General 28
C.2 Position of the glazing blocks for vertical windows and doors 29

C.3 Position of the glazing blocks for sloped glazings 35

Annex D (informative) Additional considerations for sloped glazing 37

D.1 Water entrapment 37
D.2 Snow and ice entrapment 37

Bibliography 39