DIN EN 1873:2016-07 (E)

Prefabricated accessories for roofing - Individual rooflights of plastics - Product specification and test methods (includes Amen dment :2016)

Contents

Page

European foreword ... 6

1 Scope ... 7

2 Normative references ... 10

3 Terms and definitions ... 11

4 Symbols and abbreviations ... 13

5 Requirements ... 15
5.1 Radiation properties ... 15
5.1.1 General ... 15
5.1.2 Light transmission ... 15
5.1.3 Solar direct transmittance τ_e ... 16
5.1.4 Total solar energy transmittance g ... 16
5.2 Durability ... 16
5.3 Water tightness ... 16
5.4 Mechanical performances ... 16
5.4.1 Resistance to upward loads ... 16
5.4.2 Resistance to downward loads ... 16
5.4.3 Impact resistance ... 17
5.5 Reaction to fire ... 17
5.6 Resistance to fire ... 18
5.7 External fire performance ... 18
5.8 Air permeability ... 18
5.9 Thermal resistance ... 18
5.10 Airborne sound insulation ... 19
5.11 Release of dangerous substances ... 19

6 Testing and classification ... 19
6.1 General ... 19
6.2 Radiation properties ... 19
6.2.1 Total luminous transmittance ... 19
6.2.2 Determination of solar direct transmittance τ_e ... 20
6.2.3 Determination of total solar energy transmittance g ... 20
6.3 Durability ... 20
6.3.1 Classification for durability ... 20
6.3.2 Conditions for accelerated ageing ... 22
6.3.3 Variation of light transmission ... 22
6.3.4 Variation in yellowness index ... 23
6.3.5 Variation of mechanical properties with ageing ... 23
6.3.6 Test specimen ... 23
6.4 Watertightness ... 24
6.4.1 Principle ... 24
6.4.2 Procedure ... 24
6.4.3 Apparatus ... 24
6.4.4 Test specimen ... 24

Dimensions in millimetres 25
6.5 Mechanical performances 26
6.5.1 Resistance to upward and downward loads 26
6.5.2 Impact resistance 27
6.6 Fire behaviour 29
6.7 Air permeability 29
6.8 Thermal transmittance 30
6.9 Relationship between characteristics, families and test specimens 30
6.10 Test report 32
7 Assessment and verification of constancy of performance - AVCP 32
7.1 General 32
7.2 Type testing 33
7.2.1 General 33
7.2.2 Test reports 33
7.3 Factory production control (FPC) 33
7.3.1 General 33
7.3.2 General requirements 34
7.3.3 Product specific requirements 36
7.3.4 Initial inspection of factory and of FPC 37
7.3.5 Continuous surveillance of FPC 38
7.3.6 Procedure for modifications 38
8 Designation and marking 38
Annex A (informative) Guidelines for safety, application, use and maintenance 40
A.1 General 40
A.2 Guidelines for safety 40
A.3 Guidelines for application and use 40
A.4 Maintenance 41
Annex B (normative) Alternative test method for the determination of light transmission 42
B.1 General 42
B.2 Apparatus 42
B.3 Test pieces 43
B.4 Procedure 43
B.5 Expression of results 43
Annex C (normative) Test method for air permeability 44
C.1 General 44
C.2 Test apparatus 44
C.3 Test specimen 44
C.4 Test procedure 45
C.5 Evaluation of the results 45
C.6 Rounding off to be used for the air permeability 45
C.7 Test report 46
Annex D (normative) Determination of thermal transmittance of rooflight 47

D.1 General 47
D.2 Determination of thermal transmittance of rooflight components 47
D.2.1 Determination by measurement 47
D.2.2 Determination by calculation 47
D.2.2.1 General 47
D.2.2.2 Thermal transmittance of the upstand U_{up} and $U_{up,e}$ 47
D.2.2.3 Thermal transmittance of the edge profile U_e 47
D.2.2.4 Thermal transmittance of the junction part U_j 47
D.2.2.5 Thermal transmittance of the translucent parts U_t 47
D.2.2.6 Linear thermal transmittances Ψ_e, Ψ_j, Ψ_t 48
D.2.2.7 Definition of starting point for calculation of thermal transmittance 48
D.3 Determination of areas of a rooflight 49
D.3.1 Components 49
D.3.2 Area of the rooflight upstand 50
D.3.3 Area of the edge profile 51
D.3.4 Area of the junction part 53
D.3.5 Area of the translucent part A_t 54
D.3.6 Surface of the rooflight 54
D.4 Total thermal transmittance of individual rooflights 55
D.4.1 General 55
D.4.2 Total thermal transmittance U_r of individual rooflights including the edge profile 56
D.4.3 Total thermal transmittance U_{rc} of individual rooflights including the edge profile and upstand 57
D.4.4 Total thermal transmittance U_{rc} of individual rooflights including the edge profile and upstand (alternative method) 59
D.4.5 Total thermal transmittance U_{rc} of individual rooflights including the upstand without edge profile 60
D.4.6 Total thermal transmittance U_{rc} of individual rooflights including the edge profile and upstand with more than one translucent part 62
D.4.7 Rounding off to be used for thermal transmittance in calculation and classification 63
D.5 Test specimen for evaluation of thermal transmittance: $U_{r,ref}$, $U_{rc,ref300}$ 63
D.5.1 General 63
D.5.2 Reference models 64
D.5.2.1 Individual rooflight without upstand 64
D.5.2.2 Individual rooflight with upstand 64
D.6 Characteristics for supplied rooflight 65
Annex E (normative) Reaction to fire test 66

E.1 Class E 66
E.1.1 General 66
E.1.2 Mounting and fixing for the small flame test in accordance to EN ISO 11925-2 66
E.2 Class A2 to class D 67
E.2.1 General 67
E.2.2 Mounting and fixing for the SBI test 67
E.3 Class A1 67
Annex ZA (informative) Clauses of this European Standard addressing the provisions of the EU Construction Products Regulation 68
ZA.1 Scope and relevant characteristics 68
ZA.2 Procedure for AVCP of prefabricated accessories for roofing – individual rooflights of plastics. 70
ZA.2.1 Systems of AVCP 70
ZA.2.2 Declaration of performance (DoP) 72
ZA.2.2.1 General 72
ZA.2.2.2 Content 73
ZA.2.2.3 Example of DoP 74
ZA.3 CE marking and labelling 77
Bibliography 79