

# DIN EN 13055:2016-11 (E)

## Lightweight aggregates

---

<b>Contents</b>		<b>Page</b>
European foreword .....		5
<b>1</b>	<b>Scope .....</b>	<b>7</b>
<b>2</b>	<b>Normative references .....</b>	<b>7</b>
<b>3</b>	<b>Terms and definitions .....</b>	<b>9</b>
<b>4</b>	<b>Symbols and abbreviations .....</b>	<b>10</b>
<b>5</b>	<b>Product characteristics .....</b>	<b>10</b>
5.1	General .....	10
5.2	Density .....	10
5.2.1	Loose bulk density .....	10
5.2.2	Particle density .....	10
5.3	Aggregate size .....	11
5.3.1	General .....	11
5.3.2	Undersize .....	11
5.3.3	Oversize .....	11
5.4	Grading .....	12
5.5	Content of fines in LWA .....	12
5.6	Grading of LWA filler .....	12
5.7	Particle shape .....	12
5.8	Water content .....	12
5.9	Water absorption .....	12
5.10	Bulk crushing resistance .....	12
5.11	Crushed particles .....	12
5.12	Resistance to disintegration .....	12
5.13	Freezing and thawing resistance .....	13
5.14	Water suction height .....	13
5.15	Compressibility and confined compressive strength .....	13
5.16	Resistance to cyclic compressive loading .....	13
5.17	Stiffening properties .....	13
5.18	Voids of dry compacted LWA filler .....	13
5.19	Resistance to thermal shock .....	13
5.20	Resistance to polishing .....	13
5.21	Resistance to wear by abrasion from studded tyres of coarse LWA in surface treatments	14
5.22	Affinity between LWA and bitumen .....	14
5.23	Resistance to fragmentation .....	14
5.24	Resistance to wear .....	14
5.25	Chemical characteristics .....	14
5.25.1	General .....	14
5.25.2	Water solubility .....	14
5.25.3	Chloride .....	15
5.25.4	Sulphur containing compounds .....	15
5.25.5	Loss on ignition .....	15
5.25.6	Water-soluble constituents .....	15
5.25.7	Organic contaminators .....	15
5.25.8	Alkali-silica reactivity of natural LWA .....	15
5.26	Dangerous substances .....	15
5.27	Thermal conductivity .....	16
5.27.1	General .....	16

5.27.2	Correction for moisture .....	16
6	Testing .....	16
6.1	Sampling and sample reduction .....	16
6.2	Quantity of test specimens .....	16
6.3	Preparation of test specimens for thermal conductivity testing .....	16
6.3.1	Drying .....	16
6.3.2	Conditioning after drying .....	16
6.3.3	Preparation of test specimens .....	16
6.3.4	Thickness of test specimens .....	16
7	Assessment and verification of constancy of performance - AVCP .....	17
7.1	General .....	17
7.2	Type testing .....	17
7.2.1	General .....	17
7.2.2	Test samples and testing .....	17
7.2.3	Shared results .....	18
7.2.4	Test reports .....	18
7.3	Factory production control (FPC) .....	18
7.3.1	General .....	18
7.3.2	Requirements .....	18
7.3.3	The FPC system and compliance with the DoP .....	20
7.3.4	Initial inspection of factory and FPC covered under AVCP system 2+ .....	21
7.3.5	Continuous surveillance of FPC covered under AVCP system 2+ .....	21
7.3.6	Procedure for modifications .....	21
7.3.7	Prototypes and custom-made products .....	22
8	Designation, supply, marking and labelling .....	22
8.1	Designation .....	22
8.2	Supply .....	23
8.3	Marking and labelling .....	23
	their status in respect of the scope of the standard .....	24
	Annex B (normative) Standards covering other applications of LWA .....	27
	Annex C (normative) Determination of bulk crushing resistance .....	28
C.1	Principle .....	28
C.2	Apparatus .....	28
C.3	Preparation of test specimens .....	28
C.4	Procedure .....	29
C.4.1	Procedure 1 .....	29
C.4.2	Procedure 2 .....	29
C.5	Calculation and expression of results .....	29
C.6	Test report .....	29
	Annex D (informative) Determination of water absorption for fine LWA .....	33
D.1	General .....	33
D.2	Principle .....	33
D.3	Apparatus .....	33
D.3.1	General .....	33
D.3.2	Apparatus for general purposes .....	33
D.3.3	Special apparatus for surface drying .....	33
D.4	Preparation of test specimens .....	34
D.5	Test procedure .....	34
D.6	Calculation and expression of results .....	34
D.7	Test report .....	35
	Annex E (informative) Guidance on how to convert quantities by mass to quantities by volume .....	36

<b>E.1</b>	<b>Background</b> .....	<b>36</b>
<b>E.2</b>	<b>Example calculation</b> .....	<b>36</b>
<b>Annex F (informative) Guidance on the effects of some chemical constituents of LWA on the durability of concrete, mortar and grout in which they are incorporated</b> .....		<b>37</b>
<b>F.1</b>	<b>General</b> .....	<b>37</b>
<b>F.2</b>	<b>Chlorides</b> .....	<b>37</b>
<b>F.3</b>	<b>Organic components</b> .....	<b>37</b>
<b>F.4</b>	<b>Alkali aggregate reaction</b> .....	<b>37</b>
<b>F.5</b>	<b>Sulphates</b> .....	<b>38</b>
<b>Annex G (informative) Indicative test frequencies for factory production control (FPC)</b> .....		<b>39</b>
<b>Annex ZA (informative) Relationship of this European Standard with Regulation (EU) No 305/2011</b> ..		<b>42</b>
<b>ZA.1 Scope and relevant characteristics</b> .....		<b>42</b>
<b>ZA.2 System of Assessment and Verification of Constancy of Performance (AVCP)</b> .....		<b>47</b>
<b>ZA.3 Assignment of AVCP tasks</b> .....		<b>48</b>
<b>Bibliography</b> .....		<b>50</b>