DIN EN 13163:2017-02 (E)

Thermal insulation products for buildings - Factory made expanded polystyrene (EPS) products - Specification (includes Amendment :20 16)

Contents

Page

European foreword 6

1 Scope 9

2 Normative references 9

3 Terms, definitions, symbols, units and abbreviated terms 11
3.1 Terms and definitions 11
3.2 Symbols, units and abbreviated terms 12

4 Requirements 15
4.1 General 15
4.2 For all applications 16
4.2.1 Thermal resistance and thermal conductivity 16
4.2.2 Length and width 16
4.2.3 Thickness 16
4.2.4 Squareness 16
4.2.5 Flatness 17
4.2.6 Reaction to fire of the product as placed on the market 17
4.2.7 Durability characteristics 17
4.3 For specific applications 18
4.3.1 General 18
4.3.2 Dimensional stability 18
4.3.3 Squareness 19
4.3.4 Compressive stress at 10 % deformation 19
4.3.5 Bending strength 19
4.3.6 Tensile strength perpendicular to faces 20
4.3.7 Deformation under specified compressive load and temperature conditions 20
4.3.8 Compressive creep 21
4.3.9 Shear behaviour 21
4.3.10 Cyclic loading behaviour 22
4.3.11 Water absorption 22
4.3.12 Freeze-thaw resistance 22
4.3.13 Water vapour transmission 23
4.3.14 Dynamic stiffness 23
4.3.15 Compressibility (only applicable on EPS T products) 23
4.3.16 Apparent density 25
4.3.17 Reaction to fire of the product in standardised assemblies simulating end-use applications 25
4.3.18 Continuous glowing combustion 25
4.3.19 Release of dangerous substances 25

5 Test methods 25
5.1 Sampling 25
5.2 Conditioning 25
5.3 Testing 26
5.3.1 General 26
5.3.2 Thermal resistance and thermal conductivity 26

6 Designation code 28

DINEN13163:2017-02 EN 13163:2012+A2:2016 (E) 7 Assessment and Verification of the Constancy of Performance (AVCP) 30

7.1 General 30
7.2 Product Type Determination (PTD) 30
7.3 Factory Production Control (FPC) 30

8 Marking and labelling 30

Annex A (normative) Determination of the declared values of thermal resistance and thermal conductivity 32

A.1 General 32
A.2 Input data 32
A.3 Declared values 32
A.3.1 General 32
A.3.2 Case where thermal resistance and thermal conductivity are declared 32
A.3.3 Case where thermal resistance is declared 33

Annex B (normative) !Product type determination" (!PTD") and factory production control (FPC) 34

B.1 !Product type determination" and factory production control 34
B.2 Indirect testing for factory production control 39
B.2.1 General 39
B.2.2 Compressive stress at 10 % deformation 39
B.2.3 Thermal conductivity 40
B.2.4 Thickness effect 41
B.2.5 Dynamic stiffness 41

Annex C (normative) Product classification 42

Annex D (normative) Multi layered EPS products 44

D.1 General 44
D.2 Requirements 44
D.2.1 For all applications 44
D.2.2 For specific applications 45
D.3 Test methods 45
D.4 Evaluation of conformity 45

Annex E (informative) Verification of the reaction to fire classification of raw materials 46

E.1 General 46
E.2 Material covered by this annex 46
E.3 Preparation of samples 46
E.4 !Product type determination" for EPS raw material 46
E.5 Factory Production Control for EPS raw material 47
E.5.1 General 47
E.5.2 Testing frequency 47
E.6 Certification of conformity for EPS raw material 47
E.6.1 Bodies involved in the evaluation of conformity procedure 47
E.6.2 Test specimens 47
E.6.3 !Product type determination" 47
E.7 Continuous surveillance of EPS raw material 48
E.7.1 Production 48
E.7.2 Factory production control 48
E.8 Material certificate for EPS raw material 48
E.9 Requirement for raw material supply 49
E.9.1 Declaration for the raw material supply 49
E.9.2 Labelling 49

Annex F (informative) Additional properties 50

DINEN13163:2017-02 EN 13163:2012+A2:2016 (E) F.1 General 50

F.2 Long-term compressive behaviour 50
F.3 Shear behaviour 50
F.4 Water vapour diffusion resistance factor 51
F.5 Examples of determination of thermal conductivity 52
F.6 Additional information 53

Annex ZA (informative) !Clauses of this European Standard addressing the provisions of the EU Construction Products Regulation" 54

Bibliography 65

Tables Table 1 -- Classes of dimensional tolerances 17

Table 2 -- Dimensional stability under specified temperature or specified temperature and humidity conditions 18

Table 3 -- Levels for compressive stress at 10 % deformation 19

Table 4 -- Levels for bending strength 20

Table 5 -- Levels of deformation under specified compressive load and temperature conditions 21

Table 6 -- Levels for dynamic stiffness 23

Table 7 -- Classes for thickness tolerances 24

Table 8 -- Levels for compressibility 24

Table 9 -- Test methods, test specimens and conditions 27

Table A.1 -- Values for k for one sided 90 % tolerance interval with a confidence level of 90 % 33

Table B.1 -- Number of tests for !PTD" and minimum product testing frequencies 34

Table B.2 -- Minimum product testing frequencies for the reaction to fire characteristics 37

Table C.1 -- Classification of EPS products 42

Table C.2 -- Classification EPS products with acoustical properties 43

Table E.1 -- Testing frequency of raw material 48

Table F.1 -- Correlation between bending strength and shear strength 51

Table F.2 --Tabulated values of water vapour diffusion resistance index and water vapour permeability 52

Table ZA.1 -- Relevant clauses for factory made expanded polystyrene and intended use 55

Table ZA.2 -- Systems of AVCP 56

Table ZA.3.1 -- Assignment of AVCP tasks for factory made expanded polystyrene products under system 1 for reaction to fire and system 3 (see Table ZA.2) 57

Table ZA.3.2 -- Assignment of AVCP tasks for factory made expanded polystyrene products under system 3 (see Table ZA.2) 58

Table ZA.3.3 -- Assignment of AVCP tasks for factory made expanded polystyrene products under combined system 4 for reaction to fire and system 3 (see Table ZA.2) 59

DINEN13163:2017-02 EN 13163:2012+A2:2016 (E) Figures Figure B.1 -- Relationship between compressive stress at 10 % deformation and apparent density for indirect testing 40

Figure F.1 -- Example of a relationship between thermal conductivity (at 50 mm reference thickness and 10 °C mean temperature) apparent density for indirect testing of non infrared absorbing EPS 53

Figure ZA.1 -- #Example CE marking information$ 64