

DIN EN ISO 12354-1:2017-11 (E)

Building acoustics - Estimation of acoustic performance of buildings from the performance of elements - Part 1: Airborne sound insulation between rooms (ISO 12354-1:2017)

Contents		Page
European foreword		3
Foreword		4
Introduction		5
1 Scope		6
2 Normative references		6
3 Terms and definitions		7
3.1	Quantities to express building performance	7
3.2	Quantities to express element performance	8
3.3	Other terms and quantities	11
4 Calculation models		12
4.1	General principles	12
4.2	Detailed model for structure-borne transmission	15
4.2.1	Input data	15
4.2.2	Transfer of input data to <i>in situ</i> values	16
4.2.3	Determination of direct and flanking transmission <i>in situ</i>	18
4.2.4	Limitations	19
4.3	Detailed model for airborne transmission	20
4.3.1	Determination from measured airborne direct transmission for small technical elements	20
4.3.2	Determination from measured total indirect transmission	20
4.3.3	Determination from the performance of the separate elements of a system	20
4.4	Simplified model	20
4.4.1	General	20
4.4.2	Calculation procedure	20
4.4.3	Input data	23
4.4.4	Limitations	24
5 Accuracy		24
Annex A (normative) Symbols		25
Annex B (informative) Sound reduction index		30
Annex C (informative) Structural reverberation time: Type A elements		39
Annex D (informative) Sound reduction index improvement of additional layers		42
Annex E (informative) Vibration transmission over junctions: case of heavy buildings		47
Annex F (informative) Vibration transmission over junctions: case of lightweight buildings		56
Annex G (informative) Determination of normalized flanking level difference		64
Annex H (informative) Determination of indirect airborne transmission from performance of system elements		67
Annex I (informative) Sound insulation in the low frequency range		69
Annex J (informative) Guidelines for practical use		71
Annex K (informative) Estimation of uncertainty		79
Annex L (informative) Calculation examples		82
Bibliography		97